


PROFESSIONAL BOOK

products for
tiles installation



SPIRIT OF INNOVATION

BUTECH has invested in the latest technology to develop technical solutions which facilitate the commissioning and delivery of even better designs using PORCELANOSA ceramics.

Over the last few years, BUTECH has introduced innovative installation materials, decorative profiles, shower tray and levelling systems which have become an industry standard. Moreover, BUTECH is a leading company in innovation and development of façade systems for the various cladding materials from Grupo PORCELANOSA: STON-KER, PARKER, URBATEK, XLIGHT, NATURAL STONE AND KRION.

TRUSTED PROFESSIONAL SOLUTIONS

BUTECH is part of Grupo PORCELANOSA, a world leader in the design and production of superior quality ceramics. Following on from adhesives and sealing materials for ceramics, BUTECH has evolved to more complex installation systems such as façades and technical flooring.

BUTECH's main aim is to provide PORCELANOSA customers with materials and installation systems which enable successful installation of any type of ceramic flooring or cladding.

BUTECH knows what every kind of ceramics needs and offers technical as well as decorative solutions which allow its installation with total success guarantee.



INDEX



8

PROFILES AND SKIRTINGS



100

ADHESIVES



118

MICRO-STUK DESIGN



136

**GROUTING MATERIAL AND
ELASTIC JOINT SEALANTS**



152

**SUBSTRATE PREPARATION
PRODUCTS**



166

SHOWER TRAYS



184

WATERPROOFING



PROFILES AND SKIRTINGS

DECORATIVE PROFILES

- 12 Light collection
- 14 Crystal collection
- 24 Elegance collection
- 26 Gold collection
- 28 Metal collection
- 54 Chrome collection
- 58 Pro-telo collection

SKIRTINGS

- 62 Pro-skirting LED
- 64 Pro-skirting
- 66 Pro-skirting PAR-KER
- 74 Pro-skirting Micro-stuk
- 76 Pro-plint

CORNER PROFILES AND TRIMS FOR WALL TILES

- 80 Pro-mate 2
- 81 Pro-mate 3
- 82 Pro-mate 5
- 83 Pro-part Li
- 84 Pro-part
- 85 Pro-mate 45
- 86 Pro-corner
- 88 Perfiles XLIGHT

TECHNICAL PROFILES

- 92 Pro-T
- 93 Pro-level
- 94 Pro-shower
- 95 Pro-sanit
- 96 Pro-dilata
- 98 Structural joints
- 99 Pro-step



LIGHT COLLECTION

Decorative profile with integrated illumination. Luminescent range for ceramic coverings.



pro-light silver 11 mm

pro-light

Anodised aluminium.



pro-light silver 11mm B72141363 100202237
27x11x2500 mm **68.18** p/u

Lighting system not included

kit pro-light 20w IP67 2,5 mts B73141331 100160503
208.71 p/u

kit pro-light 20w IP20 2,5 mts B73141328 100160505
162.48 p/u

transf. pro-light IP67 0-5m 24v B72141360 100200310
89.43 p/u

transf. pro-light IP20 0-5m 12v B72141362 100201363
91.19 p/u

IP20: For use in dry environments. Interior flooring and coverings.
IP67: For use in wet environments. Interior flooring and coverings and exterior coverings.

*Request one transformer for every 2 pro-light profiles.

CRYSTAL COLLECTION

High-end decorative profile for ceramic wall tiling, made with Swarovski crystals.
Replaces the traditional decorative ceramic listellos by new design metallic lines.



pro-part Li Crystal SW Galaxy

Not recommended for walls in direct contact with water.

pro-part Li Crystal SW Galaxy

Chromed brass profile. Made with Swarovski Elements



pro-part Li crystal galaxy 11 mm
12x11x2500 mm

B71342657 100171653
402.94 p/u

CRYSTAL COLLECTION

High-end decorative profile for ceramic wall tiling, made with Swarovski crystals.
Replaces the traditional decorative ceramic listellos by new design metallic lines.




pro-part Li Crystal rock SW Graphite

Not recommended for walls in direct contact with water.

pro-part Li Crystal rock SW Silver


Chromed brass profile. Made with Swarovski Elements



pro-part Li Crystal rock SW silver 11mm
12x11x2500 mm B73141325 100130429
479.86 p/u

pro-part Li Crystal rock SW Graphite

Brass profile with chrome finish. Made with Swarovski Elements



pro-part Li Crystal rock SW graphite 11mm
12x11x2500 mm B73141326 100130428
569.43 p/u

CRYSTAL COLLECTION

High-end decorative profile for ceramic wall tiling, made with Swarovski crystals.
Replaces the traditional decorative ceramic listellos by new design metallic lines.



pro-part Li Crystal rock SW Sapphire

Not recommended for walls in direct contact with water.

pro-part Crystal rock SW Sapphire

Chromed brass profile. Made with Swarovski Elements



pro-part crystal rock sapphire 11mm
8x11x2500 m

B71342690 100189102
497.06 p/u

CRYSTAL COLLECTION

High-end decorative profile for ceramic wall tiling, made with Swarovski crystals.
Replaces the traditional decorative ceramic listellos by new design metallic lines.



pro-part Li Crystal sand SW Silver

Not recommended for walls in direct contact with water.

pro-part Li Crystal sand SW Gold

24 k Gold plated. Made with Swarovski Elements



pro-part Li crystal sand SW Gold 11mm
12x11x2500 mm

B73141323 100130430
392.22 p/u

pro-part Li Crystal sand SW Silver

Chromed brass profile. Made with Swarovski Elements



pro-part Li crystal sand SW silver 11mm
12x11x2500 mm

B73141322 100130431
334.36 p/u

CRYSTAL COLLECTION

High-end decorative profile for ceramic wall tiling, made with Swarovski crystals.
Replaces the traditional decorative ceramic listellos by new design metallic lines.




pro-part Crystal SW Silver

Not recommended for walls in direct contact with water.

pro-part Crystal SW Gold

24 k Gold plated. Made with Swarovski Elements



pro-part crystal SW Gold 11mm
8x11x2500 mm
B71342629 100155354
688.51 p/u

pro-part Crystal SW Silver

Chromed brass profile. Made with Swarovski Elements



pro-part crystal SW silver 11mm
8x11x2500 mm
B71342631 100155356
566.63 p/u.

ELEGANCE COLLECTION

High-end decorative profile for ceramic wall tiling, made with Swarovski crystals.
Replaces the traditional decorative ceramic listellos by new design metallic lines.




pro-part Li chrome SW 1500

Not recommended for walls in direct contact with water.

pro-part Li Gold SW 1500

24 k Gold plated. Made with Swarovski Elements



pro-part Li Gold SW 1500 11mm	B73141324	100130432
12x11x2500 mm		573.32 p/u

pro-part Li Chrome SW 1500

Chromed brass profile. Made with Swarovski Elements



pro-part Li chrome SW 1500 11mm	B71342597	100120372
12x11x2500 mm		525.11 p/u

GOLD COLLECTION

High-end decorative profile for wall tiles, 24K Gold plated.
It substitutes the traditional ceramic frieze by a metallic line with an exclusive design.



pro-part Gold

pro-part Li Gold

24 carat Gold plated profile. 11 and 12,5 mm decorative trim.



pro-part Li Gold 12,5mm 13,5x12,5x2500 mm	B71342578	100100762
		120.84 p/u
pro-part Li Gold 11mm 12x11x2500 mm	B71342574	100100726
		116.29 p/u

pro-part Gold

24 carat Gold plated profile. 8 mm decorative trim.



pro-part Gold 12.5mm 8x12,5x2500 mm	B71342575	100100725
		111.34 p/u
pro-part Gold 11mm 8x11x2500 mm	B71342577	100100724
		103.57 p/u

pro-mate 5 Gold

24 carat Gold plated profile. 5 mm decorative trim.



pro-mate 5 Gold 12.5mm 5x12,5x2500 mm	B71342573	100100722
		97.90 p/u
pro-mate 5 Gold 11mm 5x11x2500 m	B71342572	100100721
		96.66 p/u

Metallic finish decorative profiles for ceramic wall tiles. It substitutes the traditional ceramic frieze.



pro-part rose

pro-part rose

Brass profile with metallic covering. 8 mm decorative trim.



pro-part rose 7mm 8x7x2500 mm	B73141337 100232244 120.21 p/u.
pro-part rose 11mm 8x11x2500 mm	B73141336 100231592 111.73 p/u.

pro-part rose line

Brass profile with metallic covering. 8 mm decorative trim.



pro-part rose line 7mm 8x7x2500 mm	B73141338 100232236 121.81 p/u.
pro-part rose line 11mm 8x11x2500 mm	B73141335 100231584 113.57 p/u.

Metallic finish decorative profiles for ceramic wall tiles. It substitutes the traditional ceramic frieze.



pro-part cast copper

pro-part cast copper

Brass profile with metallic covering. 8 mm decorative trim.



pro-part cast copper 11mm
8x11x2500 mm

B71342717 100223015
73.54 p/u

Metallic finish decorative profiles for ceramic wall tiles. It substitutes the traditional ceramic frieze.



pro-part cast iron

pro-part cast iron

Brass profile with metallic covering. 8 mm decorative trim.



pro-part cast iron 11mm
8x11x2500 mm

B71342718 100222994
73.54 p/u

Metallic finish decorative profiles for ceramic wall tiles. It substitutes the traditional ceramic frieze.



pro-part cement

pro-part cement

Brass profile with metallic covering. 8 mm decorative trim.



pro-part cement 11mm
8x11x2500 mm

B73141334 100226161
73.54 p/u

Metallic finish decorative profiles for ceramic wall tiles. It substitutes the traditional ceramic frieze.



pro-part sand

pro-part sand

Brass profile with metallic covering. 8 mm decorative trim.



pro-part sand 11mm
8x11x2500 mm

B73141333 100226152
73.54 p/u

Metallic finish decorative profiles for ceramic wall tiles. It substitutes the traditional ceramic frieze.



pro-part moon line

pro-mate 5 moon

Brass profile with metallic covering. 5 mm decorative trim.



pro-mate 5 moon 11mm 5x11x2500mm	B71342592 100120362 79.51 p/u
-------------------------------------	----------------------------------

pro-part moon

Brass profile with metallic covering. 8 mm decorative trim.



pro-part moon 7mm 8x7x2500m	B71342681 100177056 82.05 p/u
pro-part moon 11m 8x11x2500mm	B71342591 100120369 85.68 p/u
pro-part moon 12,5mm 8x12,5x2500mm	B71342673 100177071 85.95 p/u

pro-part moon line

Brass profile with metallic covering. 8 mm decorative trim.



pro-part moon line 7mm 8x7x2500mm	B71342683 100177063 83.85 p/u
pro-part moon line 11mm 8x11x2500mm	B71342634 100158267 85.20 p/u
pro-part moon line 12,5mm 8x12,5x2500mm	B71342674 100177080 85.95 p/u

Metallic finish decorative profiles for ceramic wall tiles. It substitutes the traditional ceramic frieze.



pro-part ocean

pro-mate 5 ocean

Brass profile with metallic covering. 5 mm decorative trim.



pro-mate 5 ocean 11 mm 5x11x2500 mm	B71342594	100120363
		77.05 p/u

pro-part ocean

Brass profile with metallic covering. 8 mm decorative trim.



pro-part ocean 7mm 8x7x2500 mm	B71342680	100177070
		82.05 p/u
pro-part ocean 11mm 8x11x2500 m	B71342595	100120370
		83.26 p/u
pro-part ocean 12,5mm 8x12,5x2500 mm	B71342675	100177072
		83.58 p/u

pro-part ocean line

Brass profile with metallic covering. 8 mm decorative trim.



pro-part ocean line 7mm 8x7x2500 mm	B71342677	100177064
		83.85 p/u
pro-part ocean line 11mm 8x11x2500 mm	B71342635	100158268
		85.20 p/u
pro-part ocean line 12,5mm 8x12,5x2500 mm	B71342666	100177034
		85.95 p/u

Metallic finish decorative profiles for ceramic wall tiles. It substitutes the traditional ceramic frieze.



pro-part old bronze

pro-part old bronze

Brass profile with metallic covering. 8 mm decorative trim.



pro-part old bronze 11mm
8x11x2500mm

B71342691 100189092
91.09 p/u

Metallic finish decorative profiles for ceramic wall tiles. It substitutes the traditional ceramic frieze.



pro-part old iron

pro-part old iron

Brass profile with metallic covering. 8 mm decorative trim.



pro-part old iron 11mm
8x11x2500mm

B71342692 100189093
89.33 p/u

Metallic finish decorative profiles for ceramic wall tiles. It substitutes the traditional ceramic frieze.



pro-part coal line

pro-part coal line

Brass profile with metallic covering. 8 mm decorative trim.



pro part coal line 11mm
8x11x2500m

B71342687 100189062
78.30 p/u

Metallic finish decorative profiles for ceramic wall tiles. It substitutes the traditional ceramic frieze.



pro-part graphite matt

pro-part graphite matt

Brass profile with metallic covering. 8 mm decorative trim.



pro-part graphite matt 7mm 8x7x2500 mm	B71342672	100177037 88.47 p/u
pro-part graphite matt 11mm 8x11x2500 mm	B71342636	100158266 87.55 p/u
pro-part graphite matt 12,5mm 8x12,5x2500 mm	B71342668	100177053 87.83 p/u

pro-part graphite matt line

Brass profile with metallic covering. 8 mm decorative trim.



pro-part graphite matt line 7mm 8x7x2500 mm	B71342679	100177055 88.47 p/u
pro-part graphite matt line 11mm 8x11x2500 mm	B71342637	100158265 87.55 p/u
pro-part graphite matt line 12,5mm 8x12,5x2500 mm	B71342669	100177036 88.15 p/u

Metallic finish decorative profiles for ceramic wall tiles. It substitutes the traditional ceramic frieze.



pro-part graphite

pro-mate 5 graphite

Brass profile with metallic covering. 8 mm decorative trim.



pro-mate 5 graphite 7mm 5x7x2500 mm	B71342670	100177054 75.12 p/u
pro-mate 5 graphite 11mm 5x11x2500 mm	B71342598	100120359 79.19 p/u
pro-mate 5 graphite 12,5mm 5x12,5x2500 mm	B71342665	100177048 79.22 p/u

pro-part graphite

Brass profile with metallic covering. 8 mm decorative trim.



pro-part graphite 11mm 8x11x2500 mm	B71342590	100120366 86.84 p/u
pro-part graphite 12,5mm 8x12,5x2500 mm	B71342667	100177035 85.63 p/u

Metallic finish decorative profiles for ceramic wall tiles. It substitutes the traditional ceramic frieze.



pro-part line

pro-mate 5 line

Brass profile with metallic covering. 8 mm decorative trim.



pro-mate 5 line 11mm 8x11x2500 mm	B71342602 100120360 75.98 p/u
---	---

pro-part line

Brass profile with metallic covering. 8 mm decorative trim.



pro-part line 7mm 8x7x2500 mm	B71342684 100177061 78.27 p/u
pro-part line 11mm 8x11x2500 mm	B71342593 100120367 81.02 p/u
pro-part line 12,5mm 8x12,5x2500 mm	B71342678 100177058 85.95 p/u

pro-part line matt

Brass profile with metallic covering. 8 mm decorative trim.



pro-part line matt 7mm 8x7x2500 mm	B71342682 100177062 78.27 p/u
pro-part line matt 11mm 8x11x2500 mm	B71342633 100157798 81.02 p/u
pro-part line matt 12,5mm 8x12,5x2500 mm	B71342676 100177059 81.85 p/u

CHROME COLLECTION

Chromed brass decorative profile for wall tiles. It substitutes the traditional decorative ceramic frieze.
Typical LIFESTYLE by PROCELANOSA profile.



pro-part chrome

pro-part chrome



pro-part chrome 9 mm 8x9x2500 mm	B73134002	100005369 71.58 p/u
pro-part chrome 10 mm 8x10x2500 mm	B71342552	100088905 72.71 p/u
pro-part chrome 11 mm 8x11x2500 mm	B73134003	100005370 74.29 p/u

pro-mate 5 chrome



pro-mate 5 chrome 9mm 5x9x2500 mm	B71132003	100004945 64.17 p/u
pro-mate 5 chrome 11mm 5x11x2500 mm	B71132004	100004946 66.52 p/u
pro-mate 5 chrome 12,5mm 5x12,5x2500 mm	B71134004	100004955 68.86 p/u

pro-mate 3 chrome




pro-mate 3 chrome 9mm 3x9x2500 mm	B71133002	100004952 56.51 p/u
pro-mate 3 chrome 10mm 3x10x2500 mm	B71133003	100004953 57.19 p/u
pro-mate 3 chrome 12,5mm 3x12.5x2500 mm	B71133004	100004954 58.57 p/u

CHROME COLLECTION

Chromed brass decorative profile for wall tiles. It substitutes the traditional decorative ceramic frieze.
Typical LIFESTYLE by PROCELANOSA profile.

Suitable for trimming corners and transitions between ceramic tiles.



Floor and wall tile



Floor and wall tile




pro-part

Chromed brass				
KEA	SAP		h (mm)	P/EU
B73134001	100005368	Xlight	7	68.86 p/u
B71342684	100177061	Line	7	78.27 p/u
B71342682	100177062	Line matt	7	78.27 p/u
B73134002	100005369		9	71.58 p/u
B71342552	100088905		10	72.71 p/u
B73134003	100005370		10	74.29 p/u
B71342593	100120367	Line	11	81.02 p/u
B71342633	100157798	Line matt	11	81.02 p/u
B73134004	100005371		12,5	76.66 p/u
B71342678	100177058	Line	12,5	85.95 p/u
B71342676	100177059	Line matt	12,5	81.85 p/u
B73134005	100005372		15	80.73 p/u

Chromed brass corner				
KEA	SAP		h (mm)	P/EU
B73134301	100005373	Xlight	7	25.03 p/u
B73134302	100005374		9	25.03 p/u
B71342554	100091065		10	25.08 p/u
B73134303	100005375		11	25.03 p/u
B73134304	100005376		12,5	25.03 p/u
B71342541	100067718		15	26.58 p/u


pro-mate 5

Chromed brass				
KEA	SAP		h (mm)	P/EU
B71342611	100126779	Xlight	7	62.57 p/u
B71132003	100004945		9	64.17 p/u
B71132004	100004946		11	66.52 p/u
B71342602	100120360	Line	11	75.98 p/u
B71134004	100004955		12,5	68.86 p/u



pro-mate 3

Chromed brass				
KEA	SAP		h (mm)	P/EU
B71342608	100126772	Xlight	6	55.84 p/u
B71133001	100004951		8	57.52 p/u
B71133002	100004952		9	56.51 p/u
B71133003	100004953		10	57.19 p/u
B71133004	100004954		12,5	58.57 p/u



pro-part Li

Chromed brass				
KEA	SAP		h (mm)	a (mm)
B71342618	100126780	Xlight	4,5	5,5
B71342542	100070170		11	12
B71342543	100070171		12,5	13,5

Chromed brass corner			
KEA	SAP	h (mm)	P/EU
B72141343	100098464	11	26.36 p/u
B71342550	100085153	12,5	28.94 p/u



pro-mate 45 TOP

Chromed brass			
KEA	SAP		h (mm)
B71342614	100126778	Xlight	6
B71342565	100099965		10
B71342620	100128801		12,5

Anodized aluminium silver			
KEA	SAP		h (mm)
B71342612	100126777	Xlight	6

Chromed brass corner			
KEA	SAP	h (mm)	P/EU
B71342704	100191936	10	13.16 p/u



pro-mate 45


Chromed brass			
KEA	SAP		h (mm)
B71342566	100099963		10
B71342567	100099964		12,5




PRO-TELO COLLECTION

Metal decorative profile for ceramic wall tiles. Flangeless metallic line for tiles of any thickness.

Available in a wide variety of materials, finishes and dimensions, they represent an excellent solution for the design of contemporary style ceramic settings.



Floor and wall tile



Wall tile



pro-telo stainless 8x40



Stainless Steel 8x40				
KEA	SAP		h (mm)	P/EU
B72141110	100005299	Gloss	8	76.74 p/u

pro-telo stainless 8x25



Stainless Steel 8x25				
KEA	SAP		h (mm)	P/EU
B72141101	100005293	Gloss	8	40.78 p/u

pro-telo aluminium



Aluminium 8x10 silver				
KEA	SAP		h (mm)	P/EU
B72124002	100005289	Gloss	10	27.85 p/u
B72122002	100005286	Anodized	10	17.72 p/u

pro-telo recto



Aluminium 8x10				
KEA	SAP		h (mm)	P/EU
B72141318	100084015	High gloss	8	20.36 p/u







pro-skirting LED white

PRO-SKIRTING LED

Decorative profile compatible with lighting systems.
Luminescent skirting for walls.



pro-skirting LED black



pro-skirting LED white



pro-skirting LED silver



pro-skirting LED black

pro-skirting LED black				pro-skirting LED corner black			
KEA	SAP		P/EU	KEA	SAP		P/EU
B79999052	100200414	13x60x2500 mm	28.21 p/u	B79999071	100213201	13x60x5 mm	10.31 p/u

pro-skirting LED white

pro-skirting LED white				pro-skirting LED corner white			
KEA	SAP		P/EU	KEA	SAP		P/EU
B79999053	100200418	13x60x2500 mm	26.63 p/u	B79999070	100213220	13x60x5 mm	10.31 p/u

pro-skirting LED silver

pro-skirting LED silver				pro-skirting LED corner silver			
KEA	SAP		P/EU	KEA	SAP		P/EU
B79999051	100200403	13x60x2500 mm	28.21 p/u	B70104242	100213154	13x60x5 mm	10.31 p/u

Fixing clips pro-skirting LED				
KEA	SAP			P/EU
B70104237	100193608	17x30 mm	50 ud	13.66 p/bag

Lighting system not included in the price of the profile.



pro-skirting black

PRO-SKIRTING

Metal profiles in five finishes and straight trims. They replace traditional ceramic skirting. Specially recommended for shops and public buildings.




pro-skirting black



pro-skirting white



pro-skirting silver



pro-skirting black

pro-skirting black				pro-skirting corner black			
KEA	SAP		P/EU	KEA	SAP		P/EU
B71342712	100213522	12x60x2500 mm	28.21 p/u	B70104240	100213153	12x60x12 mm	10.97 p/u
B79999079	100225511	12x100x2500 mm	40.80 p/u		100236020	12x100x12 mm	10.70 p/u

pro-skirting white

pro-skirting white				pro-skirting corner white			
KEA	SAP		P/EU	KEA	SAP		P/EU
B71342710	100213533	12x60x2500 mm	26.63 p/u	B70104245	100213200	12x60x12 mm	10.97 p/u
B79999078	100225498	12x100x2500 mm	40.80 p/u		100235986	12x100x12 mm	10.70 p/u

pro-skirting silver

pro-skirting silver				pro-skirting corner silver			
KEA	SAP		P/EU	KEA	SAP		P/EU
B71342711	100213532	12x60x2500 mm	28.21 p/u	B70104241	100213199	12x60x12 mm	10.97 p/u
B79999080	100225479	12x100x2500 mm	41.15 p/u		100235979	12x100x12 mm	10.70 p/u

Fixing clips pro-skirting				
KEA	SAP			P/EU
B70104237	100193608	17x30 mm	50 ud	13.66 p/bag




pro-skirting Oxford Acero

PRO-SKIRTING PAR-KER

Decorative skirtings for PAR-KER tiles by PORCELANOSA.
LIFESTYLE design.



pro-skirting Oxford Acero



pro-skirting Oxford

pro-skirting Oxford Acero			
KEA	SAP		P/EU
B79999049	100193645	12x60x2500 mm	30.06 p/u
B71142020	100178475	12x100x2500 mm	32.57 p/u

pro-skirting Oxford Antracita			
KEA	SAP		P/EU
B79999050	100193646	12x60x2500 mm	30.06 p/u
B71142031	100178471	12x100x2500 mm	32.57 p/u

pro-skirting Oxford Castaño			
KEA	SAP		P/EU
B79999040	100193605	12x60x2500 mm	30.06 p/u
B71142015	100178435	12x100x2500 mm	32.57 p/u

pro-skirting Oxford Silver			
KEA	SAP		P/EU
B79999042	100193634	12x60x2500 mm	30.06 p/u
B71142028	100178463	12x100x2500 mm	32.57 p/u

pro-skirting Oxford Cognac			
KEA	SAP		P/EU
B79999024	100193547	12x60x2500 mm	30.06 p/u
B71142012	100178437	12x100x2500 mm	32.57 p/u

pro-skirting Oxford Natural			
KEA	SAP		P/EU
B79999026	100193598	12x60x2500 mm	30.06 p/u
B71142023	100178462	12x100x2500 mm	32.57 p/u

pro-skirting Oxford Blanco			
KEA	SAP		P/EU
B79999023	100193597	12x60x2500 mm	30.06 p/u
B71142013	100178436	12x100x2500 mm	32.57 p/u

pro-skirting corner Oxford Acero			
KEA	SAP		P/EU
B78200002	100233474	12x60x12 mm	13.02 p/u
B78200050	100233572	12x100x12 mm	13.02 p/u

pro-skirting corner Oxford Antracita			
KEA	SAP		P/EU
B78200019	100233460	12x60x12 mm	13.02 p/u
B78200027	100233528	12x100x12 mm	13.02 p/u

pro-skirting corner Oxford Castaño			
KEA	SAP		P/EU
B78200004	100233419	12x60x12 mm	13.02 p/u
B78200045	100233570	12x100x12 mm	13.02 p/u

pro-skirting corner Oxford Silver			
KEA	SAP		P/EU
B78200041	100233481	12x60x12 mm	13.02 p/u
B78200039	100233564	12x100x12 mm	13.02 p/u

pro-skirting corner Oxford Cognac			
KEA	SAP		P/EU
B78200003	100233453	12x60x12 mm	13.02 p/u
B78200051	100233563	12x100x12 mm	13.02 p/u

pro-skirting corner Oxford Natural			
KEA	SAP		P/EU
B78200008	100233438	12x60x12 mm	13.02 p/u
B78200033	100233547	12x100x12 mm	13.02 p/u

pro-skirting corner Oxford Blanco			
KEA	SAP		P/EU
B78200010	100233470	12x60x12 mm	13.02 p/u
B78200056	100233562	12x100x12 mm	13.02 p/u

Fixing clips pro-skirting PAR-KER				
KEA	SAP			P/EU
B70104237	100193608	17x30 mm	50 ud	13.66 p/bag



pro-skirting Ascot Teca

PRO-SKIRTING PAR-KER

Decorative skirtings for PAR-KER tiles by PORCELANOSA.
LIFESTYLE design.



pro-skirting Ascot Teca

pro-skirting Ascot

pro-skirting Ascot Teca			
KEA	SAP		P/EU
B79999045	100193642	12x60x2500 mm	30.06 p/u
B71142029	100178466	12x100x2500 mm	32.57 p/u

pro-skirting Ascot Olivo			
KEA	SAP		P/EU
B79999033	100193611	12x60x2500 mm	30.06 p/u
B71142024	100178483	12x100x2500 mm	32.57 p/u

pro-skirting Ascot Roble			
KEA	SAP		P/EU
B79999046	100193640	12x60x2500 mm	30.06 p/u
B71142021	100178484	12x100x2500 mm	32.57 p/u

pro-skirting Ascot Arce			
KEA	SAP		P/EU
B79999021	100193595	12x60x2500 mm	30.06 p/u
B71142022	100178480	12x100x2500 mm	32.57 p/u

pro-skirting corner Ascot Teca			
KEA	SAP		P/EU
B78200026	100233495	12x60x12 mm	13.02 p/u
B78200054	100233581	12x100x12 mm	13.02 p/u

pro-skirting corner Ascot Olivo			
KEA	SAP		P/EU
B78200015	100233484	12x60x12 mm	13.02 p/u
B78200046	100233571	12x100x12 mm	13.02 p/u

pro-skirting corner Ascot Roble			
KEA	SAP		P/EU
B78200020	100233463	12x60x12 mm	13.02 p/u
B78200044	100233549	12x100x12 mm	13.02 p/u

pro-skirting corner Ascot Arce			
KEA	SAP		P/EU
B78200007	100233408	12x60x12 mm	13.02 p/u
B78200028	100233565	12x100x12 mm	13.02 p/u


Fixing clips pro-skirting PAR-KER				
KEA	SAP			P/EU
B70104237	100193608	17x30 mm	50 ud	13.66 p/bag



pro-skirting Manhattan Colonial

PRO-SKIRTING PAR-KER

Decorative skirtings for PAR-KER tiles by PORCELANOSA.
LIFESTYLE design.



pro-skirting Manhattan Colonial

pro-skirting Manhattan

pro-skirting Manhattan Colonial			
KEA	SAP		P/EU
B79999030	100193603	12x60x2500 mm	30.06 p/u
B79999020	100189248	12x100x2500 mm	32.57 p/u

pro-skirting Manhattan Maple			
KEA	SAP		P/EU
B79999037	100193604	12x60x2500 mm	30.06 p/u
B79999017	100191461	12x100x2500 mm	32.57 p/u

pro-skirting Manhattan Cognac			
KEA	SAP		P/EU
B79999029	100193602	12x60x2500 mm	30.06 p/u
B79999016	100191470	12x100x2500 mm	32.57 p/u

pro-skirting Manhattan Natural			
KEA	SAP		P/EU
B79999043	100193623	12x60x2500 mm	30.06 p/u
B79999018	100191490	12x100x2500 mm	32.57 p/u

pro-skirting corner Manhattan Colonial			
KEA	SAP		P/EU
B78200052	100233574	12x60x12 mm	13.02 p/u
B78200025	100233555	12x100x12 mm	13.02 p/u

pro-skirting corner Manhattan Maple			
KEA	SAP		P/EU
B78200005	100233398	12x60x12 mm	13.02 p/u
B78200030	100233499	12x100x12 mm	13.02 p/u

pro-skirting corner Manhattan Cognac			
KEA	SAP		P/EU
B78200040	100233621	12x60x12 mm	13.02 p/u
B78200049	100233517	12x100x12 mm	13.02 p/u

pro-skirting corner Manhattan Natural			
KEA	SAP		P/EU
B78200017	100233452	12x100x12 mm	13.02 p/u
B78200021	100233556	12x100x12 mm	13.02 p/u

Fixing clips pro-skirting PAR-KER				
KEA	SAP			P/EU
B70104237	100193608	17x30 mm	50 ud	13.66 p/bag




pro-skirting Delaware Acero

PRO-SKIRTING PAR-KER

Decorative skirtings for PAR-KER tiles by PORCELANOSA.
LIFESTYLE design.



pro-skirting Delaware Acero



pro-skirting Delaware

pro-skirting Delaware Acero			
KEA	SAP		P/EU
	100226718	12x60x2500 mm	30.06 p/u
B79999074	100221931	12x100x2500 mm	31.78 p/u

pro-skirting Delaware Arce			
KEA	SAP		P/EU
	100226689	12x60x2500 mm	30.06 p/u
B79999075	100221950	12x100x2500 mm	31.78 p/u

pro-skirting Delaware Natural			
KEA	SAP		P/EU
	100226719	12x60x2500 mm	30.06 p/u
B79999076	100222010	12x100x2500 mm	31.78 p/u

pro-skirting Delaware Nogal			
KEA	SAP		P/EU
	100226740	12x60x2500 mm	30.06 p/u
B79999077	100222027	12x100x2500 mm	31.78 p/u

pro-skirting corner Delaware Acero			
KEA	SAP		P/EU
B78200023	100233505	12x60x12 mm	13.02 p/u
B78200016	100233485	12x100x12 mm	13.02 p/u

pro-skirting corner Delaware Arce			
KEA	SAP		P/EU
B78200053	100233561	12x60x12 mm	13.02 p/u
B78200035	100233525	12x100x12 mm	13.02 p/u

pro-skirting corner Delaware Natural			
KEA	SAP		P/EU
B78200047	100233593	12x60x12 mm	13.02 p/u
B78200037	100233552	12x100x12 mm	13.02 p/u

pro-skirting corner Delaware Nogal			
KEA	SAP		P/EU
B78200055	100233612	12x60x12 mm	13.02 p/u
B78200043	100233536	12x100x12 mm	13.02 p/u

Fixing clips pro-skirting PAR-KER				
KEA	SAP			P/EU
B70104237	100193608	17x30 mm	50 ud	13.66 p/bag



pro-skirting micro-stuk manhattan

PRO-SKIRTING MICRO-STUK

Decorative skirting for micro-stuk design wall coverings.
LIFESTYLE design.



pro-skirting micro-stuk

pro-skirting micro-stuk snow			
KEA	SAP		P/EU
B79999061	100202266	12x60x1800 mm	30.06 p/u
B79999060	100202257	12x100x1800 mm	32.57 p/u

pro-skirting micro-stuk grey			
KEA	SAP		P/EU
B79999041	100193614	12x60x1800 mm	30.06 p/u
B79999012	100189376	12x100x1800 mm	32.57 p/u

pro-skirting micro-stuk manhattan			
KEA	SAP		P/EU
B79999059	100202246	12x60x1800 mm	30.06 p/u
B79999058	100202256	12x100x1800 mm	32.57 p/u

pro-skirting micro-stuk cement			
KEA	SAP		P/EU
B79999035	100193626	12x60x1800 mm	30.06 p/u
B79999015	100189368	12x100x1800 mm	32.57 p/u

pro-skirting micro-stuk white			
KEA	SAP		P/EU
B79999038	100193613	12x60x1800 mm	30.06 p/u
B79999013	100189367	12x100x1800 mm	32.57 p/u

pro-skirting micro-stuk beige			
KEA	SAP		P/EU
B79999039	100193625	12x60x1800 mm	30.06 p/u
B79999011	100189383	12x100x1800 mm	32.57 p/u

pro-skirting micro-stuk moka			
KEA	SAP		P/EU
B79999044	100193628	12x60x1800 mm	30.06 p/u
B79999014	100189369	12x100x1800 mm	32.57 p/u

pro-skirting micro-stuk wenge			
KEA	SAP		P/EU
B79999063	100202258	12x60x1800 mm	30.06 p/u
B79999062	100202267	12x100x1800 mm	32.57 p/u

Fixing clips pro-skirting micro-stuk				
KEA	SAP			P/EU
B70104237	100193608	17x30 mm	50 ud	13.66 p/bag



pro-plint stainless steel

PRO-PLINT

Metallic profiles for skirtings. They have a high mechanical resistance with a functional, modern design. Specially recommended for office floors and raised access floors.



pro-plint stainless steel

pro-plint stainless steel			
KEA	SAP		P/EU
B79141001	100005635	Gloss	41.68 p/u
B79141002	100005636	Brushed	49.09 p/u

pro-plint anodized aluminium

pro-plint anodized aluminium			
KEA	SAP		P/EU
B79141508	100073104	Silver	38.22 p/u

pro-plint corner anodized aluminium			
KEA	SAP		P/EU
B79141513	100073105	Outer	5.74 p/u
B79141509	100073106	Internal	6.94 p/u

pro-plint lateral cap			
KEA	SAP		P/EU
B79141511	100073107	Right	7.24 p/u
B79141512	100073108	Left	4.28 p/u

pro-plint connection			P/EU
KEA	SAP		P/EU
B79141510	100073109		6.70 p/u

Profile length: 2500 mm





CORNER PROFILES AND TRIMS FOR WALL TILES

pro-mate 2

Right angle, stainless steel profile for corners and wall and floor tile coverings.

Right angle, stainless steel profiles for trimming the non-glazed edge of the tile. Suitable for separating tiles in walls as well as in floors.



pro-mate 2

V2A Stainless steel

KEA	SAP		h (mm)	P/EU
B71342617	100126769	XLight	6	25.34 p/u
B71141002	100004957		10	25.65 p/u
B71141003	100004958		12,5	26.53 p/u
B71141004	100004959		15	38.62 p/u
B71141005	100004960		20	40.80 p/u

Gloss stainless steel

KEA	SAP		h (mm)	P/EU
B71142002	100004967		10	32.57 p/u
B71142003	100004968		12,5	39.49 p/u
B71142004	100004969		15	47.68 p/u



V4A Stainless steel

KEA	SAP		h (mm)	P/EU
B71141009	100004964		10	28.29 p/u
B71141010	100004965		12,5	31.71 p/u

pro-mate 3

Right angle profile for corners and wall and floor tile coverings. Decorative use as a metallic line.

Right angle, 3 mm thick profiles for trimming the non-glazed edge of the tile. Available in a wide variety of materials, they are also suitable for separating wall tiles.



pro-mate 3

Chromed brass

KEA	SAP		h (mm)	P/EU
B71342608	100126772	XLight	6	55.84 p/u
B71133001	100004951		8	57.52 p/u
B71133002	100004952		9	56.51 p/u
B71133003	100004953		10	57.19 p/u
B71133004	100004954		12,5	58.57 p/u

Anodized aluminium silver

KEA	SAP		h (mm)	P/EU
B71342616	100126770	XLight	6	18.21 p/u
B71122001	100004899		8	10.09 p/u
B71122002	100004900		9	10.92 p/u
B71122003	100004901		10	10.61 p/u
B71122004	100004902		12,5	11.39 p/u
B71122005	100004903		15	12.95 p/u

Black aluminium

KEA	SAP		h (mm)	P/EU
B71342716	100220142		8	23.78 p/u
B71342661	100171991		10	24.55 p/u
B71342715	100220132		12,5	24.52 p/u

Lacquered aluminium

KEA	SAP		h (mm)	P/EU
B71342609	100126771	white XLight	6	14.89 p/u
B71123003	100004911	white	10	16.03 p/u
B71123004	100004912	white	12,5	17.46 p/u
B71123007	100004915	beige	10	16.03 p/u
B71123008	100004916	beige	12,5	17.46 p/u
B71123011	100004919	black	10	16.03 p/u
B71123012	100004920	black	12,5	17.46 p/u

High gloss aluminum


KEA	SAP		h (mm)	P/EU
B71124003	100004925		10	22.55 p/u
B71124004	100004926		12,5	23.23 p/u

PVC

KEA	SAP		h (mm)	P/EU
B71111009	100004865	white	10	4.69 p/u
B71111017	100004873	white	12,5	5.05 p/u
B71111010	100004866	jazmín	10	4.69 p/u
B71111011	100004867	beige	10	4.69 p/u
B71111012	100004868	black	10	4.69 p/u
B71111013	100004869	grey	10	4.69 p/u
B71111014	100004870	marfil	10	4.69 p/u

pro-mate 5

Right angle profile for corners and wall and floor tile coverings. Decorative use as a metallic line.
Right angle and 5 mm edge profiles for trimming the non-glazed edge of the tile. Suitable for transitions between floor coverings at the same level.



pro-mate 5

Chromed brass


KEA	SAP		h (mm)	P/EU
B71342611	100126779	XLight	7	62.57 p/u
B71132003	100004945		9	64.17 p/u
B71132004	100004946		11	66.52 p/u
B71134004	100004955		12,5	68.86 p/u

Gloss polished brass

KEA	SAP		h (mm)	P/EU
B71132002	100004944		11	48.41 p/u

Anodized aluminium silver


KEA	SAP		h (mm)	P/EU
B71125003	100004927		11	17.48 p/u



pro-part Li

Decorative profile for ceramic wall tiles. Suitable for trimming corners and transitions between ceramic tiles.

Right angle, corner shaped profiles, with both sides of the same length. Specially recommended for rectified tiles corners and for tiles with relief decoration.



pro-part Li

Chromed brass

KEA	SAP		h (mm)	a (mm)	P/EU
B71342618	100126780	XLight	4,5	5,5	79.87 p/u
B71342542	100070170		11	12	82.33 p/u
B71342543	100070171		12,5	13,5	86.72 p/u

Anodized aluminium silver

KEA	SAP		h (mm)	a (mm)	P/EU
B71342619	100128227	XLight	4,5	5,5	17.80 p/u
B71342539	100062074		11	12	20.57 p/u
B71342537	100062086		12,5	13,5	22.51 p/u

High gloss aluminum

KEA	SAP		h (mm)	a (mm)	P/EU
B71342535	100062072		11	10	42.33 p/u
B71342538	100062073		12,5	11,5	45.54 p/u

pro-part Li brushed

Brushed anodized aluminium

KEA	SAP		h (mm)	a (mm)	P/EU
B71342645	100159084		11	12	42.66 p/u
B71342646	100159083		12,5	13,5	44.96 p/u




Anodized aluminium silver corner

KEA	SAP		h (mm)	P/EU
B71342557	100093706		11	24.22 p/u
B71342556	100093705		12,5	24.22 p/u

High gloss aluminum


KEA	SAP		h (mm)	P/EU
B71342581	100102763		11	10.88 p/u
B71342580	100102762		12,5	13.24 p/u



pro-part

Decorative profile for ceramic wall tiles. Suitable for trimming corners and transitions between ceramic tiles.

Right angle, corner shaped profiles, with an 8 mm edge and a variable width edge. Excellent solution for a wide variety of ceramic installations.



pro-part

Chromed brass				
KEA	SAP		h (mm)	P/EU
B73134001	100005368	XLight	7	68.86 p/u
B73134002	100005369		9	71.58 p/u
B71342552	100088905		10	72.71 p/u
B73134003	100005370		11	74.29 p/u
B73134004	100005371		12,5	76.66 p/u
B73134005	100005372		15	80.73 p/u


Stainless steel			
KEA	SAP		h (mm) P/EU
B73141009	100005377		9 33.60 p/u
B73141010	100005378		11 35.96 p/u
B73141011	100005379		12,5 38.91 p/u

Anodized aluminium silver			
KEA	SAP		h (mm) P/EU
B73122001	100005322	XLight	7 14.18 p/u
B73122002	100005323		9 14.94 p/u
B73122003	100005324		11 15.70 p/u
B73122004	100005325		12,5 17.22 p/u
B73122005	100005326		15 20.83 p/u

High gloss aluminum			
KEA	SAP		h (mm) P/EU
B73141317	100089004		11 53.62 p/u
B73124004	100005353		12,5 53.62 p/u

Lacquered aluminium			
KEA	SAP		h (mm) P/EU
B71342551	100088551	Black	11 26.58 p/u
B71342547	100080530	Black	12,5 27.54 p/u
B71342576	100100723	White	11 26.58 p/u
B71342549	100083438	White	12,5 27.54 p/u

Black matt aluminium			
KEA	SAP		h (mm) P/EU
B71342714	100220100		7 26.94 p/u
B71342659	100171975		11 27.78 p/u
B71342713	100220083		12,5 28.62 p/u



Chromed brass corner				
KEA	SAP		h (mm)	P/EU
B73134301	100005373	XLight	7	25.03 p/u
B73134302	100005374		9	25.03 p/u
B71342554	100091065		10	25.08 p/u
B73134303	100005375		11	25.03 p/u
B73134304	100005376		12,5	25.03 p/u
B71342541	100067718		15	26.58 p/u

Stainless steel corner			
KEA	SAP		h (mm) P/EU
B73141309	100005380		9 24.75 p/u
B73141310	100005381		11 24.75 p/u
B73141311	100005382		12,5 26.74 p/u


Anodized aluminium silver corner			
KEA	SAP		h (mm) P/EU
B73122301	100005336	XLight	7 19.14 p/u
B73122302	100005337		9 19.14 p/u
B73122303	100005338		11 19.14 p/u
B73122304	100005339		12,5 19.14 p/u

Gloss polished brass			
KEA	SAP		h (mm) P/EU
B73132003	100005363		11 60.60 p/u
B73132004	100005364		12,5 62.57 p/u

pro-mate 45

Rounded profile for protecting wall tiles corners.

These profiles are the classic solution for protecting corners in wall tile coverings. Available in a wide variety of materials, its main feature is being shock-resistant.



pro-mate 45 TOP

Chromed brass			
KEA	SAP		h (mm) P/EU
B71342614	100126778	XLight	6 64.76 p/u
B71342565	100099965		10 64.58 p/u
B71342620	100128801		12,5 77.91 p/u

Anodized aluminium silver			
KEA	SAP		h (mm) P/EU
B71342612	100126777	XLight	6 20.57 p/u

pro-mate 45 brass

Chromed brass			
KEA	SAP		h (mm) P/EU
B71342566	100099963		10 74.98 p/u
B71342567	100099964		12,5 80.14 p/u

pro-mate 45 stainless steel



Stainless steel V2A			
KEA	SAP		h (mm) P/EU
B71341001	100005156		8 32.79 p/u
B71341002	100005157		10 72.92 p/u
B71341003	100005158		12,5 37.88 p/u

pro-mate 45 aluminio

Anodized aluminium silver			
KEA	SAP		h (mm) P/EU
B71322003	100005094		10 14.06 p/u
B71322005	100005096		12,5 15.48 p/u

Lacquered aluminium			
KEA	SAP		h (mm) P/EU
B71323005	100005113	White	10 16.07 p/u
B71323009	100005117	White	12,5 17.41 p/u

High gloss aluminum			
KEA	SAP		h (mm) P/EU
B71342562	100096222		10 25.60 p/u
B71342570	100100665		12,5 26.78 p/u





CORNER PROFILES AND TRIMS FOR WALL TILES

pro-corner


Metallic profile for protecting corners.

Right angle, metallic profiles for protecting corners. Most of the pro-corner models are installed after the tile, which implies a small lip over the tile surface.




pro-corner P

Aluminium					
KEA	SAP		h1 (mm)	h2 (mm)	P/EU
B78141126	100158001	High gloss	15	12	81.53 p/u
B78141127	100158002	Silver	15	12	71.96 p/u
B71342706	100213125	Black	15	12	72.92 p/u




pro-corner R

Gloss stainless steel			
KEA	SAP	h (mm)	P/EU
B78141112	100005623	25	58.58 p/u



pro-corner B

Aluminium			
KEA	SAP	h (mm)	P/EU
B78122001	100005584	25	24.68 p/u




pro-corner P black

CORNER PROFILES AND TRIMS FOR WALL TILES

XLIGHT Profiles


Corner profiles for wall tiles less than 7 mm thick. Specially recommended for mosaics and large format and thin ceramic slabs, such as XLIGHT.

Available in different shapes, from right-angled profiles for straight trims to rounded shape profiles. Decorative use.




pro-mate 2

KEA	SAP		h (mm)	P/EU
B71342617	100126769	Inox V2A	6	25.34 p/u




pro-mate 3

KEA	SAP		h (mm)	P/EU
B71342608	100126772	Chrome	6	55.84 p/u
B71342616	100126770	Anod.	6	18.21 p/u
B71342609	100126771	White	6	14.89 p/u




pro-mate 5

KEA	SAP		h (mm)	P/EU
B71342611	100126779	Chrome	7	62.57 p/u




pro-part

KEA	SAP		h (mm)	P/EU
B73134001	100005368	Chrome	7	68.86 p/u
B71342684	100177061	Chrome line	7	78.27 p/u
B71342682	100177062	Line matt	7	78.27 p/u
B71342681	100177056	Moon	7	82.05 p/u
B71342683	100177063	Moon line	7	83.85 p/u
B71342672	100177037	Graphite matt	7	88.47 p/u
B71342679	100177055	Graphite matt line	7	88.47 p/u
B73122001	100005322	Anod.	7	14.18 p/u




pro-part Li

KEA	SAP		h (mm)	a (mm)	P/EU
B71342618	100126780	Chrome	4,5	5,5	79.87 p/u
B71342619	100128227	Anod.	4,5	5,5	17.80 p/u



pro-mate 45 TOP

KEA	SAP		h (mm)	P/EU
B71342614	100126778	Chrome	6	64.76 p/u
B71342612	100126777	Anod.	6	20.57 p/u







pro-T

Profile for transitions between floor coverings.

Profiles for transitions between tiles or slabs with slightly different heights. Available in two widths: 14 and 25 mm. Specially recommended for transitions between ceramic tiles and wooden floors.



Floor tile



pro-T

Chromed brass

KEA	SAP	h (mm)	P/EU
B75133401	100005460	14	42.42 p/u
B75133402	100005461	25	56.20 p/u

Gloss stainless steel

KEA	SAP	h (mm)	P/EU
B75141003	100005462	14	38.35 p/u
B75141004	100005463	25	53.83 p/u

Brushed stainless steel

KEA	SAP	h (mm)	P/EU
B75141005	100005464	14	53.04 p/u
B75141006	100005465	25	68.37 p/u


Anodized aluminium silver

KEA	SAP	h (mm)	P/EU
B75122001	100005452	14	8.15 p/u
B75122002	100005453	25	14.90 p/u


pro-level

Transition profile between floor coverings at different levels. It covers the non-glazed edge of the tile and protects it from shocks.

Technical profiles for small height differences between floor coverings. Available in rounded finish and sloped finish. Specially recommended for high transit floors.



Floor tile




Floor tile



pro-level C

Anodized aluminium silver

KEA	SAP	h (mm)	P/EU
B74122002	100005426	11	19.98 p/u
B74122003	100005427	12,5	26.73 p/u



pro-level R

Anodized aluminium silver


KEA	SAP	h (mm)	P/EU
B74122004	100005428	11	54.02 p/u
B74122005	100005429	12,5	59.36 p/u
B74122006	100005430	15	63.86 p/u
B74122007	100005431	20	70.33 p/u



pro-shower

New range of profiles for shower trays. Designed to cover the sides of shower trays; specially for shower with only one direction slope. There are also special trims for installing glass screens.

These profiles are made of stainless steel and are available in two different finishings: gloss and brushed.



pro-shower floor

Chromed stainless steel

KEA	SAP		h1 (mm)	h2 (mm)	P/EU
B77199022	100159068	Left side	12,5	24	81.40 p/u
B77199038	100160219	Right side	12,5	24	81.40 p/u
B77199025	100159069	Left side	12,5	32	128.55 p/u
B77199044	100160280	Right side	12,5	32	128.55 p/u

Profile length h2=24 980 mm
Profile length h2=32 1480 mm

Brushed stainless steel

KEA	SAP		h1 (mm)	h2 (mm)	P/EU
B77199020	100159067	Left side	12,5	32	107.01 p/u
B77199040	100160218	Right side	12,5	32	107.01 p/u

Profile length h2=32 1480 mm

pro-shower wall

Chromed stainless steel


KEA	SAP		h1 (mm)	h2 (mm)	P/EU
B77199034	100159100	Left side	12,5	32	128.55 p/u
B77199037	100160248	Right side	12,5	32	128.55 p/u

Profile length h2=32 1480 mm

Brushed stainless steel

KEA	SAP		h1 (mm)	h2 (mm)	P/EU
B77199032	100159088	Left side	12,5	32	107.01 p/u
B77199035	100160246	Right side	12,5	32	107.01 p/u


Profile length h2=32 1480 mm



pro-sanit

Concave profile for installation where walls and floors meet or between wall coverings and bathtubs, shower trays or other bath elements. It substitutes the traditional curve ceramic piece.

It reduces the risk of water leakage and eases cleaning and preservation of angles between floor and wall coverings.



pro-sanit U1

Aluminium gloss silver

KEA	SAP		h (mm)	P/EU
B77199014	100062075		16	30.00 p/u
B77199018	100062076		22	34.24 p/u

Anodized aluminium silver

KEA	SAP		h (mm)	P/EU
B77199017	100062077		16	12.97 p/u
B77199015	100062078		22	16.24 p/u

Lacquered aluminium

KEA	SAP		h (mm)	P/EU
B77199013	100062079	White	16	18.16 p/u
B77199016	100062080	White	22	22.71 p/u

PVC

KEA	SAP		h (mm)	P/EU
B77111005	100005530	White	9	6.48 p/u

pro-sanit U2

Stainless steel

KEA	SAP		h (mm)	P/EU
B77141001	100005566	Brillo	12,5	61.36 p/u
B77142001	100005569	Cepillado	12,5	82.83 p/u

PVC

KEA	SAP		h (mm)	P/EU
B77111013	100005538	White	9 x 9	15.52 p/u
B77111017	100005542	White	11 x 9	19.73 p/u


Stainless steel corner

KEA	SAP		h (mm)	P/EU
B77141501	100005567	Gloss outer	12,5	10.02 p/u
B77141502	100005568	Gloss inner	12,5	10.02 p/u
B77142501	100005570	Brushed outer	12,5	10.02 p/u
B77142502	100005571	Brushed internal	12,5	10.02 p/u



pro-dilata

Profile for movement joints in ceramic floor coverings.

PVC profiles with a central elastic joint for the absorption of tensions in the ceramic floor. Available in several colours and joint widths, they are the best solution for creating intermediate movement joints.




Floor tile



pro-dilata CFL

CFL 8 mm				
KEA	SAP		h (mm)	P/EU
B79211058	100005685	White	12,5	13.17 p/u
B79211059	100005686	Beige	12,5	13.17 p/u
B79211063	100005690	Beige	15	16.97 p/u
B79211060	100005687	Black	12,5	13.17 p/u
B79211064	100005691	Black	15	16.97 p/u
B79211061	100005688	Grey	12,5	13.17 p/u
B79211065	100005692	Grey	15	16.97 p/u




pro-dilata CFI

PVC 5 mm				
KEA	SAP		h (mm)	P/EU
B79241142	100159078	Light grey	11	13.40 p/u
B79241134	100159080	Light grey	12,5	13.78 p/u
B79241143	100159076	Grey	11	13.40 p/u
B79241136	100159077	Grey	12,5	13.78 p/u
B79241135	100159081	Black	11	13.40 p/u
B79241133	100159082	Black	12,5	13.78 p/u
B79241144	100159074	Beige	11	13.40 p/u
B79241140	100159075	Beige	12,5	13.78 p/u


pro-dilata

Profile for movement joints in ceramic floor coverings.

Metal profiles with a central elastic joint for the absorption of tensions in the ceramic floor. New pro-dilata is a 8 and 10 mm wide precast expansion joint for indoor and outdoor ceramic floors.




Floor tile



pro-dilata stainless steel

CFM 8 mm			
KEA	SAP	h (mm)	P/EU
B79241091	100005715	12,5	85.96 p/u
B79241093	100005717	20	115.63 p/u



pro-dilata aluminium

CFM 10 mm			
KEA	SAP	h (mm)	P/EU
B79221071	100005699	12,5	50.38 p/u
B79221072	100005700	15	52.91 p/u
B79221074	100005702	20	59.88 p/u


structural joints

Profile for structural joints in ceramic floor coverings.


Metallic profiles with a central elastic joint that absorbs the structural movements of the support. Available with deformable polypropylene joint for pedestrian transit and moving metallic joint for wheeled transit.



Floor tile



Floor tile





structural joints BT

BT-40				
KEA	SAP		h (mm)	P/EU
B79241098	100044392	Grey	18	107.11 p/m
B79241099	100044393	Grey	40	128.55 p/m
B80106001	100005730	Black	18	107.11 p/m

structural joints AT

AT-75				
KEA	SAP		h (mm)	P/EU
B80106004	100005733		18	151.26 p/m
B80106002	100005731		50	247.71 p/m



pro-step

Profile for the making of stair steps. It substitutes the traditional step ceramic piece by a combination of ceramic tile and profile.

Metallic profiles that cover the non-glazed edge of the tile, protect it from shocks and reduce the risk of slipping.



Step



Step




pro-step

Stainless steel M2				
KEA	SAP		h (mm)	P/EU
B76341002	100005523		11	53.64 p/u
B76342002	100005525	Gloss	11	63.65 p/u

Anodized aluminium silver M1				
KEA	SAP		h (mm)	P/EU
B76322003	100005509		11	21.43 p/u
B76342003	100067688		13,5	23.58 p/u

pro-step

PVC 35				
KEA	SAP		h (mm)	P/EU
B76111015	100005482	Grey	11	46.76 p/u





ADHESIVES

CEMENT-BASED ADHESIVES

- 102 Tixocem plus
- 103 Flexitec n
- 104 Fr-one n
- 105 Rapimax n
- 106 Maxifluid
- 107 One-flex Premium
- 108 Super-one n
- 109 Super-flex S2

REACTIVE RESINS ADHESIVE

- 110 Politech n
- 111 Politech Premium

FAÇADE FIXINGS

- 112 Concealed facade fixings
- 113 Visible facade fixings

tixocem plus

tixocem plus is a type C1 TE cement-based adhesive as per EN 12004, suitable for laying absorbent ceramic tiles using the thin-bed method on cement, plasterboard substrates and for laying non-absorbent ceramic tiles on cement-based substrates. Specially recommended for laying porcelain tiles indoors.

It solves simply and effectively the laying of absorbent ceramic tiles on cement-based, plasterboard or brick supports. With this adhesive, tiles can be laid on a medlum-bed layer on uneven substrates. It can be laid on thicknesses up to 10 mm. Waterproof and frost-resistant.

Certifications / Standards:
EN 12004 C1 TE



Features:

- Cement-based, single component adhesive.
- Optimal workability. Thixotropic.
- Extended working times. Open time higher than 30 min.
- Application thickness up to 10 mm.
- Frost-resistant.
- Mixing water: 8 L per 25 kg bag

Recommended uses:

- Medium and small format wall tile coverings for indoor use.
- Medium format porcelain floor tile coverings for indoor use.
- Medium format floor tile coverings for indoor use.
- Uneven substrates.

Substrates:

- Cement-based screeds
- Cement render
- Anhydrite screeds, having previously applied **uniprim**
- Plasters, having previously applied **uniprim**
- Large-format ceramic brick
- Plasterboard panels

Materials:

- Medium and small format ceramic tiles
- High-absorption ceramic tiles and stoneware
- Porcelain tile

flexitec n

flexitec n is a type C2 TE cement-based adhesive, suitable for laying porcelain tiles, on cement-based substrates or flexible substrates like plasterboard. Its excellent conditions of use make it especially recommendable.

A medium-elasticity cement-based adhesive for laying absorbent ceramic tiles, stone-ware or porcelain tiles using the thin-bed method. Thixotropic.

Certifications/Standards:
EN 12004 C2 TE
 CSTB: 2454-222 MC 299 C2-E



Features:

- Cement-based, single component adhesive.
- Excellent adherence. Medium flexibility.
- Fine texture mortar, with excellent mixing and application features.
- High initial adherence and no sagging.
- Extended working times. Open time higher than 30 min.
- Application thickness up to 6 mm.
- Frost-resistant.
- Mixing water:
 - White: 7,25 - 7,75 l per 25 kg bag
 - Grey: 6,75 - 7,25 l per 25 kg bag

Recommended uses:

- Indoor wall tile coverings.
- Indoor and outdoor porcelain tile coverings.

Substrates:

- Cement-based screeds
- Cement render
- Concrete slabs and floors
- Anhydrite screeds, having previously applied **uniprim**
- Plasters, having previously applied **uniprim**
- Plasterboard panels

Materials:

- Medium and small format ceramic tiles
- High-absorption ceramic tiles and stoneware
- Porcelain tiles

Before using this product in any application not indicated in this catalogue, please perform a test or refer to the product's technical sheet.

tixocem plus					
KEA	SAP		Presentation	Europallet	P/EU
B11906007	100043280	tixocem blanco	bag 25 kg	1200 kg/pallet	12.40 p/bag

Before using this product in any application not indicated in this catalogue, please perform a test or refer to the product's technical sheet.

flexitec n					
KEA	SAP		Presentation	Europallet	P/EU
B12902003	100004232	flexitec n blanco	bag 25 kg	1000 kg/pallet	0.87 p/kg
B12901002	100004230	flexitec n gris	bag 25 kg	1000 kg/pallet	0.83 p/kg

fr-one n

fr-one n is a type C2 TE high-tech cement-based adhesive, as per EN 12004, for laying all kinds of ceramic tiles on the most used substrates in the building industry. Specially recommended for large format tiles and uneven substrates.

Advanced, high-performance, single-component, easy to use adhesive for laying all kinds of ceramic tiles. With this adhesive, tiles can be laid on a medium-bed layer on uneven substrates. It can be laid on thicknesses up to 15 mm. Specially recommended for porcelain floor tiles, antiqued marble, large formats and pools. Thixotropic.

Certifications/Standards:

EN 12004 C2 TE
CSTB: 2452-243 MC 301 C2-E

Features:

- Cement-based, single component adhesive.
- Excellent adherence.
- Optimal workability. Extended working times. Open time higher than 30 min.
- High initial adherence and no sagging.
- Application thickness up to 15 mm.
- Frost-resistant.
- Mixing water: 7.25 - 7.75 l per 25 kg bag

Recommended uses:

- Large format interior wall tiles
- Large format interior porcelain floor tiles and outdoor use
- Uneven substrates
- High traffic floor tiles
- Damp environments
- On bonded facades, replace mixing water with **unilax** additive

Substrates:

- Cement-based screeds
- Cement render
- Concrete slabs and floors
- Anhydrite screeds, having previously applied **uniprim**
- Plasters, having previously applied **uniprim**
- Large-format ceramic brick
- Pre-existing tiles/mosaic/stones*
- Plasterboard panels

Materials:

- Large format ceramic tiles
- High-absorption ceramic tiles and stoneware
- Porcelain tiles
- Glass mosaic
- Natural stone and marble not prone to staining

* super-prim improves the adherence on polished ceramics and glossy finishing tiles
Before using this product in any application not indicated in this catalogue, please perform a test or refer to the product's technical sheet.

fr-one n					
KEA	SAP		Presentation	Europallet	P/EU
B12906008	100004241	fr-one n blanco	bag 25 kg	1000 kg/pallet	0.98 p/kg
B12907009	100004244	fr-one n gris	bag 25 kg	1000 kg/pallet	0.92 p/kg

rapimax n

rapimax n is a type C2 E high-tech cement-based adhesive, as per EN 12004, for laying all kinds of ceramic tiles on floors. Its high wettability and fluidity ensure full coverage of the underside of tiles without having to resort to the floating and buttering method .

A high-performance fluid adhesive for laying void-free ceramic floors. Specially recommended for porcelain floor tiles, terracotta and large formats. Indoors and outdoors.

Certifications/Standards:

EN 12004 C2 E

Features:

- Cement-based, single component adhesive.
- A fluid mortar, applicable with a notched trowel, that under the tile pressure, flows and covers the whole back of the tile.
- Excellent adherence.
- Extended working times. Open time higher than 30 min.
- Application thickness up to 10 mm.
- Frost-resistant.
- Mixing water: 5.0 - 5.5 l per 25 kg bag

Recommended uses:

- Large format indoor porcelain floor tiles and outdoor use
- High traffic floor tiles
- Laying of tiles on existing glazed floor tiles
- Never use in walls

Substrates:

- Cement-based screeds
- Anhydrite screeds, having previously applied **uniprim**
- Concrete slabs and floors
- Pre-existing tiles/mosaic/stones*

Materials:

- Large format ceramic tiles in interiors
- High-absorption ceramic tiles and stoneware
- Porcelain tiles
- Clay and terracotta tiles
- Natural stone and marble not prone to staining

* super-prim improves the adherence on polished ceramics and glossy finishing tiles
Before using this product in any application not indicated in this catalogue, please perform a test or refer to the product's technical sheet.

rapimax n					
KEA	SAP		Presentation	Europallet	P/EU
B12905006	100004238	ramipax n gris	bag 25 kg	1000 kg/pallet	0.93 p/kg

maxifluid

maxifluid is a type C2 E S1 high-performance cement-based adhesive, as per EN 12004, for laying all kinds of ceramic tiles on floors. Its high wettability and fluidity ensure full coverage of the underside of tiles without having to resort to the floating and buttering method .

A high-performance fluid, flexible adhesive for laying void-free ceramic floors. Specially recommended for porcelain floor tiles, terracotta and large formats. Indoors and outdoors.

Certifications/Standards:

EN 12004 C2 E S1
CSTB: 2456-222 MC 298 C2-S1-EG

Features:

- Cement-based, single component adhesive.
- A fluid mortar, applicable with a notched trowel, that under the tile pressure, flows and covers the whole back of the tile.
- Excellent adherence.
- Flexible.
- Extended working times. Open time higher than 30 min.
- Application thickness up to 10 mm.
- Frost-resistant.
- Mixing water: 5.0 - 5.5 l per 25 kg bag

Substrates:

- Cement-based screeds
- Concrete slabs and floors
- Anhydrite screeds, having previously applied **uniprim**
- Pre-existing tiles/mosaic/stones*
- Mixed with **unilax**, acoustic insulation **fonopac r**

Recommended uses:

- Indoor and outdoor porcelain floor tiles
- Large format porcelain floor tiles
- High traffic floor tiles
- Floor tiles with radiant heating
- Laying of tiles on existing glazed floor tiles
- Never use for wall tiles

Materials:

- Large format ceramic tiles
- High-absorption ceramic tiles and stoneware
- Porcelain tiles
- Clay and terracotta tiles
- Natural stone and marble not prone to staining

* super-prim improves the adherence on polished ceramics and glossy finishing tiles
Before using this product in any application not indicated in this catalogue, please perform a test or refer to the product's technical sheet.

maxifluid					
KEA	SAP		Presentation	Europallet	P/EU
B11906008	100033113	maxifluid gris	bag 25 kg	1000 kg/pallet	0.96 p/kg



one-flex Premium

one-flex Premium is a type C2 TE S1 high-performance cement-based adhesive, as per EN 12004, for laying all kinds of ceramic tiles on the most used substrates in the building. Very easy to use, one-flex premium can be prepared with a wide range of mixing water giving different properties to the adhesive: high wettability for large floor tiles or an excellent consistency for bedding thickness up to 15mm. Professional use.

Certifications/Standards:

EN 12004 C2 TE S1

Features:

- Excellent adherence. Flexible.
- Bonding material, with excellent mixing and application features.
- High initial adherence and no sagging. Thixotropic.
- Extended working times. Open time higher than 30 min.
- Application thickness from 2 to 15 mm.
- Broad spectrum in the percentage of mixing water:
 - one-flex premium white**
 - 30 % Excellent thixotropy
 - 38 % High wetting ability
 - one-flex premium grey**
 - 24 % Excellent thixotropy
 - 32 % High wetting ability

Substrates:

- Cement-based screeds
- Cement render
- Concrete slabs and floors
- Anhydrite screeds, having previously applied **uniprim**
- Plasters, having previously applied **uniprim**
- Large-format ceramic brick
- Pre-existing tiles/mosaic/stones*
- Plasterboard panels
- Cement-based panels
- Mixed with **unilax**, acoustic insulation **fonopac r**

* super-prim improves the adherence on polished ceramics and glossy finishing tiles
Before using this product in any application not indicated in this catalogue, please perform a test or refer to the product's technical sheet.

one-flex Premium					
KEA	SAP		Presentation	Europallet	P/EU
B12909030	100201526	one-flex Premium blanco	bag 25 kg	1000 kg/pallet	1.22 p/kg
B12909029	100201543	one-flex Premium gris	bag 25 kg	1000 kg/pallet	1.17 p/kg



super-one n

super-one n is a type C2 FT S1 high-performance cement-based adhesive, as per EN 12004, ready for traffic after 4 hours. Specially recommended for quick installation and use of ceramic tiles and natural stone.

It solves the need of quick installation of any kind of format and ceramic tile, including porcelain tiles. Ready for traffic in just 4 hours, this adhesive can be used to lay ceramic tiles and natural stone in environments where high mechanical performance is needed, such as commercial or industrial flooring or flooring with radiant heating. Waterproof and frost-resistant.

Certifications/Standards:

EN 12004 C2 FT S1
CSTB: 2455-252 MC 312 C2-S1-F

Features:

- Cement-based, single component adhesive.
- Ready for traffic in just 4 hours.
- Excellent adherence. Flexible.
- Fine texture mortar, with excellent mixing and application features.
- High initial adherence and no sagging.
- Extended working times. Open time higher than 30 min.
- Application thickness up to 10 mm.
- Frost-resistant.
- Mixing water: 6.0 - 6.50 l per 25 kg bag

Recommended uses:

- Laying of ceramics in refurbishing jobs
- Floors and walls with natural stone**
- Indoor large format ceramic wall tiles
- Large format indoor and outdoor porcelain wall tiles
- Plywood substrates
- High traffic floor tiles
- Floor tiles on radiant heating
- Pools and damp environments
- On bonded facades, replace mixing water with **unilax** additive
- In marble composite floors as DQS in areas with no direct sunlight, replace mixing water by **unilax** additive

Substrates:

- Cement-based screeds
- Cement render
- Concrete slabs and floors
- Anhydrite screeds, having previously applied **uniprim**
- Plasters, having previously applied **uniprim**
- Pre-existing tiles/mosaic/stones*
- Plasterboard panels
- Cement-based panels
- Mixed with **unilax**, acoustic insulation **fonopac r**

Materials:

- Large format ceramic tiles
- High-absorption ceramic tiles and stoneware
- Porcelain tiles
- Glass mosaic
- Natural stone and marble not prone to staining
- Natural stone and marble prone to staining
- Mixed with unilax, DQS, and other marble agglomerate

* super-prim improves the adherence on polished ceramics and glossy finishing tiles

** For slate or similar please contact the Butech technical department

Before using this product in any application not indicated in this catalogue, please perform a test or refer to the product's technical sheet.

super-one n					
KEA	SAP		Presentation	Europallet	P/EU
B12909010	100031188	super-one n blanco	bag 25 kg	1000 kg/pallet	1.60 p/kg
B12909011	100031189	super-one n gris	bag 25 kg	1000 kg/pallet	1.12 p/kg

super-flex S2

super-flex S2 is a type C2 E S2 high-performance no dust cement-based adhesive, as per EN 12004, for laying all kinds of ceramic tiles on the most used substrates in the building industry. Specially recommended for laying large format, thin porcelain tiles like XLIGHT from URBATEK.

This adhesive features excellent performance in adherence and deformability with no need for mixing with additives and excellent conditions of use: low dust generation and an only 15 kg package. This state-of-the-art adhesive includes additives and polymers which increase performance. This means that with a 15 kg bag of super-flex S2 you can lay the same tiles surface than with a 25 kg bag of regular adhesive.

Certifications/Standards:

EN 12004 C2 E S2

Features:

- Cement-based, single component adhesive.
- Lightened adhesive. Low consumption onsite.
- Low emission of dust and other airborne particles.
- Maximum adherence and deformability.
- High initial adherence and no sagging. Thixotropic.
- Extended working times. Open time higher than 30 min.
- Application thickness up to 10 mm.
- Frost-resistant.
- Mixing water: 6 l per 15 kg bag

Recommended uses:

- Interior walls with slim tiles as XLIGHT 3+
- Floors and walls with XLight Premium
- Large format indoor and outdoor ceramic wall tiles
- Large format indoor and outdoor porcelain floor tiles
- High traffic floor tiles
- Floor tiles on radiant heating
- Pools and damp environments

Substrates:

- Cement-based screeds
- Cement render
- Concrete slabs and floors
- Anhydrite screeds, having previously applied uniprim
- Plasters, having previously applied **uniprim**
- Pre-existing tiles/mosaic/stones*
- Plasterboard panels
- Cement-based panels
- acoustic insulation **fonopac r**

Materials:

- Large format ceramic tiles
- High-absorption ceramic tiles and stoneware
- Porcelain tiles
- XLIGHT
- Glass mosaic
- Natural stone and marble not prone to staining
- DQS and other marble agglomerate

* super-prim improves the adherence on polished ceramics and glossy finishing tiles

Before using this product in any application not indicated in this catalogue, please perform a test or refer to the product's technical sheet.

super-flex S2					
KEA	SAP		Presentation	Europallet	P/EU
B12909017	100142757	super-flex S2 blanco	bag 15 kg	600 kg/pallet	3.20 p/kg

politech n

politech n is a type R2 T high-tech, two-component polyurethane adhesive as per EN 12004, for laying tiles on deformable substrates. Specially recommended for special substrates like metal sheets or synthetic materials, where cement-based adhesives cannot be used.

A high-tech two-component polyurethane adhesive with high performance properties. Suitable for laying ceramic tiles of all kinds on deformable substrates.



Certifications/Standards:
EN 12004 R2 T

Features:

- Two-component polyurethane adhesive.
- Excellent adherence. Maximum deformability.
- No water absorption. Waterproof.
- High chemical resistance.
- High initial adherence and no sagging.
- Application thickness up to 8 mm.
- Frost-resistant.

Recommended uses:

- Laying of wall tiles not compatible with cement-based adhesives
- Wall tiles on substrates not compatible with cement-based adhesives
- Floor tiles on deformable substrates
- Floor tiles with special chemical resistance
- Pools and damp environments, steam rooms and spas
- Stone sheets for wall coverings as AIRSLATE by L'ANTIC COLONIAL
- Laying of slate and other natural stones with risk of deformation by water absorption.
- Interior floors as DQS by L'ANTIC COLONIAL and other marble composites
- KRION sheets

Substrates:

- Cement-based screeds
- Cement render
- Concrete slabs and floors
- Anhydrite screeds
- Renders and plasterboards
- Pre-existing tiles/mosaic/stones*
- Plasterboard panels
- Cement-based panels
- Wood panels
- Metal surfaces
- Polyester or PVC surfaces
- Glass surfaces

Materials:

- Large format ceramic tiles
- High-absorption ceramic tiles and stoneware
- Porcelain tiles
- XLIGHT
- Glass mosaic
- Natural stone and marble not prone to staining
- Natural stone and marble prone to staining
- Slates and similar sensitive to contact with water
- AIRSLATE
- DQS and other marble agglomerate
- KRION and other kinds of solid surface

* **super-prim** improves the adherence on polished ceramics and glossy finishing tiles
Before using this product in any application not indicated in this catalogue, please perform a test or refer to the product's technical sheet.

politech n					
KEA	SAP		Presentation	Europallet	P/EU
B41061005	100138260	politech n blanco	can 12 kg	576 kg/pallet	9.20 p/kg

politech Premium

politech Premium is a reactive resin adhesive that is super easy to handle and easy to use, especially when we need maximum bonding strength and deformability. It is suitable for most wall coverings and substrates used in construction, ensuring the correct installation of materials such as L'ANTIC COLONIAL's AIRSLATE.

We work with it as a cement-based adhesive, but with the bonding, flexibility, and water resistance capabilities of a reactive resin adhesive. Professional use.



Certifications/Standards:
EN 12004 R2 T

Characteristics:

- Two-component reactive resins adhesive.
- Unbeatable workability; same as that of any cement-based adhesive.
- Maximum adherence and excellent flexibility; more than 50 mm in transversal deformability.
- High wettability and long open time.
- Quick-drying: admits light traffic 6 hours after installation.
- Application thickness up to 15 mm.

Recommended use:

- Laying of wall tiles not compatible with cement-based adhesives
- Wall tiles on substrates not compatible with cement-based adhesives
- Floor tiles on deformable substrates
- Floor tiles with special chemical resistance
- Pools and damp environments, steam rooms and spas
- Stone sheets for wall coverings as AIRSLATE by L'ANTIC COLONIAL
- Laying of slate and other natural stones with risk of deformation by water absorption.

Substrates:

- Substrates in concrete and cement or anhydrite mortar.
- Slabs and cement mortar or gypsum rendering.
- Plasterboard and wood panels.
- Existing wall tiles*.
- Metal sheets.
- Surfaces painted with epoxy or polyurethane-based resins.

Materials:

- Large format ceramic tiles
- High-absorption ceramic tiles and stoneware
- Porcelain tiles
- XLIGHT
- Glass mosaic
- Natural stone and marble not prone to staining
- Natural stone and marble prone to staining
- Slates and similar sensitive to contact with water
- AIRSLATE
- DQS and other marble agglomerate

* **super-prim** improves the adherence on polished ceramics and glossy finishing tiles
Before using this product in any application not indicated in this catalogue, please perform a test or refer to the product's technical sheet.

politech Premium					
KEA	SAP		Presentation	Europallet	P/EU
B41061008	100217753	politech Premium	can 10 kg	330 kg/pallet	8.10 p/kg

concealed facade fixings

Innovative concealed fixing clip for ceramic tiles in bonded facades. The fixings fit within small slots done on the porcelain piece and are anchored to the support by a stainless steel screw. Once the joints are grouted, the fixings are not visible anymore, not affecting the facade design.

These fixings have been designed as a security element in porcelain tile walls installed by the thin layer, double bonding method. We recommend the use of type C2 S2 cement-based adhesives as per EN 12004.

As a general rule, we recommend this kind of fixing from a height corresponding to first concrete slab. In any case, standards in force must be observed for every project.



Features:

- 1.4301 (AISI 304 V2A) stainless steel clips.
- Suitable for 5 - 7 mm wide joints.
- Suitable for tiles 9 to 12 mm thick.
- Start fixings available in 40 and 80 mm lengths for overhanging installations.
- Includes stainless steel screw and plug.

Recommended uses:

- Laying of tiles in facades.
- Laying of ceramics in ceilings and cornices.
- Indoor laying of large format porcelain tiles at a certain height.

Materials:

- Large format ceramic tiles
- High-absorption ceramic tiles
- Porcelain tiles
- XLIGHT 3+

Coverage:

Coverage changes with every facade design. In the case of a regular facade with no gaps, clip calculation would be the following:

Tile cm	Type I fixings ud/m ²	Type A/T fixings ud/m ²
43,5 x 65,9	5,6	1,4
44 x 66	5,5	1,4
60 x 60	4,5	1,1
45 x 90	4,0	1,0
60 x 120	3,4	0,8

Substrates:

- Cement-based screeds

Before using this product in any application not indicated in this catalogue, please perform a test or refer to the product's technical sheet.
Screws and plugs included

concealed facade fixings

KEA	SAP		Presentation	P/EU
B80111001	100005743	minimum I joint	bag 50 ud	1.50 p/u
B80111002	100005744	minimum A/T joint 4 cm	bag 50 ud	1.50 p/u
B80111003	100005745	minimum A/T joint 8cm	bag 50 ud	1.67 p/u

visible facade fixings

Visible fixing clip for ceramic tiles in bonded facades. Fixings hold the ceramic tiles and are anchored to the support by a stainless steel screw. Once the joints are grouted, the fixings are visible, and a 5 mm clip can be seen.

These fixings have been designed as a security element in porcelain tile walls installed by the thin layer, double bonding method. We recommend the use of type C2 S2 cement-based adhesives as per EN 12004.

As a general rule, we recommend this kind of fixing from a height corresponding to first concrete slab. In any case, standards in force must be observed for every project.



Features:

- 1.4301 (AISI 304 V2A) stainless steel clips.
- Suitable for 12 mm wide joints.
- Suitable for tiles 10 to 12 mm thick.
- Available in metallic or lacquered finish.
- Customizable color lacquering on demand.
- Includes stainless steel screw and plug.

Recommended uses:

- Laying of tiles in facades.
- Laying of ceramics in ceilings and cornices.
- Indoor laying of large format porcelain tiles at a certain height.

Materials:

- Large format ceramic tiles
- High-absorption ceramic tiles and stoneware
- Porcelain tiles
- XLIGHT Premium

Coverage:

Coverage changes with every facade design. In the case of a 5 x 20 m regular facade with no gaps, clip calculation would be the following:

Tile cm	100 fixing ud/m ²	1100 fixing ud/m ²	1200 fixing ud/m ²
43,5 x 65,9	0,04	0,58	0,22
44 x 66	0,04	0,58	0,22
60 x 60	0,04	0,64	0,16
45 x 90	0,04	0,42	0,20
60 x 120	0,38	0,32	1,52

Substrates:

- Cement-based screeds

Before using this product in any application not indicated in this catalogue, please perform a test or refer to the product's technical sheet.
Screws and plugs included

visible facade fixings

KEA	SAP	Fixing clip stainless	Presentation	P/EU
B80107010	100005737	ref. 1000	bag 50 ud	1.50 p/u
B80107011	100005738	ref. 1100	bag 50 ud	2.67 p/u
B80107012	100005739	ref. 1200	bag 50 ud	1.50 p/u

Selection tables for butech’s adhesives

SELECTION OF ADHESIVE FOR RESIDENTIAL INDOOR FLOORING AND PUBLIC PEDES-
TRIAN PREMISES

Types of tiles (ISO 13006): BI _a / BI _b				
Rectified tiles, Porcelain tiles, STON-KER, PAR-KER, STARWOOD & URBATEK				
Type of substrate	Length longest side of tile			
	≤ 300mm	≤ 600mm	≤ 900mm	> 900mm
Cement-based screed with radiant heating	C2	C2 S1		C2 S2
Cement-based screed without radiant heating	C1	C2		
Anhydrite screed with radiant heating*	C2	C2 S1		C2 S2
Anhydrite screed without radiant heating*	C1	C2		
Concrete slab or floor	C2		C2 S1	
Pre-existing tiles/mosaic/stones	C2			
Metal surfaces	R1			–

* previous priming with C adhesives

SELECTION OF ADHESIVE FOR COMMERCIAL INDOOR FLOORING OR FOR INDUSTRIAL USE
WITH MECHANICAL REQUIREMENTS

Types of tiles (ISO 13006): BI _a / BI _b				
Rectified tiles, Porcelain tiles, STON-KER, PAR-KER, STARWOOD & URBATEK				
Type of substrate	Length longest side of tile			
	≤ 300mm	≤ 600mm	≤ 900mm	> 900mm
Cement-based screed with radiant heating	C2	C2 S1		C2 S2
Cement-based screed without radiant heating	C2			C2 S1
Concrete slab or floor	C2			C2 S1
Pre-existing tiles/mosaic/stones	C2			C2 S1
Metal surfaces	R1		R2	–

SELECTION OF ADHESIVE FOR OUTDOOR FLOORING

Types of tiles (ISO 13006): BI _a				
Rectified tiles, Porcelain tiles, STON-KER, PAR-KER, STARWOOD & URBATEK				
Type of substrate	Length longest side of tile			
	≤ 300mm	≤ 600mm	≤ 900mm	> 900mm
Cement-based screed without radiant heating	C2	C2 S1	C2 S2	
Concrete slab or floor	C2	C2 S1	C2 S2	
Pre-existing tiles/mosaic/stones	C2 S1	C2 S1	C2 S2	
Metal surfaces	R1		R2	–

SELECTION OF ADHESIVE FOR INDOOR WALLS

Types of tiles (ISO 13006): BI _a				
Porcelain tiles, STON-KER, PAR-KER, STARWOOD & URBATEK				
Type of substrate	Length longest side of tile			
	≤ 300mm	≤ 600mm	≤ 900mm	> 900mm
Lime/cement-based plaster with radiant heating	C2 / D1	C2 S1		C2 S2
Lime/cement-based plaster without radiant heating	C1 / D1	C2		
Gypsum-based plaster with radiant heating*	C2 / D1	C2 S1		C2 S2
Gypsum-based plaster without radiant heating*	C1 / D1	C2		
Large-format ceramic brick	C1	C2		
Concrete	C2 / D1	C2	C2 S1	
Pre-existing tiles/mosaic/stones	C2			C2 S1
Cement/fiber cement -based panels	C1 / D1	C2		C2 S1
Wood surfaces	C2 / D1 / R1	C2 S1 / R1		–
Plasterboard panels	C1 / D1	C2	C2 S1	–
Metal surfaces	R1			–

* previous priming with C adhesives

Types of tiles (ISO 13006): BIII				
Monoporous, Rectified monoporous				
Type of substrate	Length longest side of tile			
	≤ 300mm	≤ 600mm	≤ 900mm	> 900mm
Lime/cement-based plaster with radiant heating	C2 / D1	C2 S1		C2 S2
Lime/cement-based plaster without radiant heating	C1 / D1	C1	C2	
Gypsum-based plaster with radiant heating*	C2 / D1	C2 S1		C2 S2
Gypsum-based plaster without radiant heating*	C1 / D1	C1	C2	
Large-format ceramic brick	C1	C1	C2	
Concrete	C1	C2	C2 S1	
Pre-existing tiles/mosaic/stones	C2			C2 S1
Cement/fiber cement -based panels	C1 / D1	C2		C2 S1
Wood surfaces	C2 / D1 / R1	C2 S1 / R1		–
Plasterboard panels	C1 / D1	C2	C2 S1	–
Metal surfaces	R1			–

* previous priming with C adhesives

SELECTION OF ADHESIVE FOR OUTDOOR WALLS AND CEILINGS

Types of tiles (ISO 13006): BI _a / BIII				
Monoporous, Rectified monoporous, Porcelain tiles, STON-KER, PAR-KER, STARWOOD & URBATEK				
Type of substrate	Length longest side of tile			
	≤ 300mm	≤ 600mm	≤ 900mm	> 900mm
Lime/cement-based plaster	C2 S1	C2 S1	C2 S2	
Concrete	C2 S1	C2 S2		
Cement/fiber cement -based panels	C2 S1	C2 S2		–
Metal surfaces	R1		R2	–

Selection tables for butech’s adhesives

SELECTION OF ADHESIVE FOR WALL COVERINGS AND FLOORING WITH CERAMIC PLATES

Types of tiles (ISO 13006): Bla				
XLIGHT & XLIGHT Premium				
Type of substrate	No fiber		With fiber	
	≤ 70 cm	> 70 cm	≤ 70 cm	> 70 cm
Indoor flooring and wall	C2	C2 S1	C2 S1	C2 S2
Outdoor or heated flooring	C2 S2			
Facade	C2 S1	C2 S2	R2	
Highly deformable substrates	R2			

SELECTION OF ADHESIVE FOR FLOORING AND WALL COVERINGS WITH MOSAICS

Type of substrate	No mesh			With mesh		
	Vitreous & ceramics	Natural stone	Wood & metal	Vitreous & ceramics	Natural stone	Wood & metal
Indoor flooring and wall without presence of water	C2	C2 S1 F	R2	C2 S1	C2 S1 F	R2
Indoor flooring and wall with presence of water	C2 S1	C2 S1 F	R2	C2 S1	C2 S1 F	R2
Pools	C2 S2	C2 S2	–	–	–	–
Highly deformable substrates	R2			R2		

SELECTION OF ADHESIVE FOR FLOORING AND WALL COVERINGS WITH NATURAL STONE

Type of substrate	Stain resistant		Sensitive to stains		Slate and similar		DQS**
	≤ 600mm	> 600mm	≤ 600mm	> 600mm	≤ 300mm	> 300mm	
Indoor flooring and wall without presence of water	C2	C2 S1	C2 F	C2 S1 F	C2 S1 F	R2	C2 S2 F
Indoor flooring and wall with presence of water	C2 S1	C2 S2	C2 S1 F	C2 S2 F	C2 S2 F	R2	–
Outdoor or heated flooring	C2 S2	C2 S2	C2 S2 F	C2 S2 F	C2 S2 F	R2	–
Pools	C2 S2	C2 S2	C2 S2 F	C2 S2 F	C2 S2 F	R2	–
Highly deformable substrates	R2						

* Meshed natural stone plates: Check with butech's Technical Department
** In floors with direct sunlight, use R2 adhesives

Coverage tables for butech’s adhesives depending on the notched trowel used

ADHESIVE COVERAGE (kg / m²)	U3	U4	U6	U8	U10	U12	U10
Type of adhesive	3 x 3	4 x 4	6 x 6	8 x 8	10 x 10	12 x 12	R 10 x 10
tixocem		2 - 3	3 - 4	4 - 5	5 - 6		
tixocem plus		2 - 3	3 - 4	4 - 5	5 - 6		
flexitec n		2 - 3	3 - 4	4 - 5	5 - 6		
fr-one n		2 - 3	3 - 4	4 - 5	5 - 6	6 - 7	
one-flex premium		2 - 3	3 - 4	4 - 5	5 - 6	6 - 7	
super-one n		2 - 3	3 - 4	4 - 5	5 - 6	6 - 7	
super-flex s2		1 - 2	2 - 3	3 - 4	4 - 5	5 - 6	
rapimax n						6 - 7	6 - 7
maxifluid						6 - 7	6 - 7
bt-3000 n		2 - 3	3 - 4	4 - 5			
politech n	1 - 2	2 - 3	3 - 4	4 - 5			
politech premium	1 - 2	2 - 3	3 - 4	4 - 5			

RECOMMENDED NOTCHED TROWEL		U3	U4	U6	U8	U10	U12	U10
Type of ceramics	mm x mm	3 x 3	4 x 4	6 x 6	8 x 8	10 x 10	12 x 12	R 10 x 10
Monoporous	316 x 200		x	x				
Monoporous	316 x 446		x	x	x			
Monoporous	316 x 592		x	x	x	x		
Monoporous	316 x 900		x	x	x	x	x	
Monoporous	450 x 1200		x		x	x	x	
PAR-KER	215 x 659		x	x	x	x		
PAR-KER	143 x 900		x		x	x		
PAR-KER	220 x 900		x		x	x		
PAR-KER	193 x 1200		x		x	x	x	x
PAR-KER	294 x 1200		x		x	x	x	x
STARWOOD	250 x 1500		x		x	x	x	x
PAR-KER	193 x 1800		x		x	x	x	x
PAR-KER	294 x 1800		x		x	x	x	x
URBATEK	297 x 596		x	x	x	x		
URBATEK	400 x 400		x	x	x	x		
STON-KER	443 x 443		x	x	x	x		
STON-KER	435 x 659		x		x	x	x	x
STON-KER	450 x 900		x		x	x	x	x
STON-KER / URBATEK	596 x 596		x		x	x	x	x
STON-KER / URBATEK	800 x 800		x		x	x	x	x
STON-KER / URBATEK	596 x 1200		x			x	x	x
STON-KER / URBATEK	1200 x 1200		x			x	x	x
XLIGHT	1000 x 3000	x	x		x	x	x	
XLIGHT Premium	1200 x 1200	x	x		x	x	x	
XLIGHT Premium	1200 x 2500	x	x		x	x	x	
XLIGHT Premium	1500 x 3200	x	x		x	x	x	
MOSAICS		x	x	x				
AIRSLATE	1200 x 2400		x	x				

x Recommended trowel with standard conditions



MICRO-STUK

MICRO-STUK DESIGN

- 120 micro-stuk snow n
- 122 micro-stuk grey n
- 124 micro-stuk manhattan n
- 126 micro-stuk cement n
- 128 micro-stuk white n
- 130 micro-stuk beige n
- 132 micro-stuk moka n
- 134 micro-stuk wenge n

MICRO-STUK DESIGN

Handcrafted PORCELANOSA finish.
Make your project unique.



Kit micro-stuk	primer-stuk n	base- stuk n	fine-stuk n	resin-stuk n	sealer-stuk n	protec-stuk n	decor-stuk n
micro-stuk fine n	0,5 L	10 Kg	2,5 Kg	3,9 Kg	0,5 Kg	1,2 Kg	0,78 L
micro-stuk nature n	0,5 L	10 Kg	-	2,9 Kg	0,5 Kg	1,2 Kg	0,6 L


micro-stuk design kits contain enough materials to cover at least 5 m² surface.

micro-stuk snow n

Outstanding decorative wall covering.
Interior.



kit micro-stuk fine snow n
Smooth finish
B51201040 100242470
280.02 p/kit



kit micro-stuk nature snow n
Rough finish
B51201043 100242419
247.00 p/kit



Special piece: Skirting board

pro-skirting micro-stuk snow n
12x60x1800 mm
B79999061 100202266
30.06 p/u

pro-skirting micro-stuk snow n
12x100x1800 mm
B79999060 100202257
32.57 p/u

pro-skirting fixing clips
17x30 mm (50 ud)
B70104237 100193608
13.66 p/bag

Colours are representative only and do not replicate the exact shade of the product. Please consult samples to choose colour.

micro-stuk design

MICRO-STUK DESIGN

Handcrafted PORCELANOSA finish.
Make your project unique.



Kit micro-stuk	primer-stuk n	base- stuk n	fine-stuk n	resin-stuk n	sealer-stuk n	protec-stuk n	decor-stuk n
micro-stuk fine n	0,5 L	10 Kg	2,5 Kg	3,9 Kg	0,5 Kg	1,2 Kg	0,16 L
micro-stuk nature n	0,5 L	10 Kg	-	2,9 Kg	0,5 Kg	1,2 Kg	0,15 L

micro-stuk design kits contain enough materials to cover at least 5 m² surface.

micro-stuk grey n

Outstanding decorative wall covering.
Interior.



kit micro-stuk fine grey n
Smooth finish
B51201053 100242460
259.77 p/kit



kit micro-stuk nature grey n
Rough finish
B51201046 100242472
221.93 p/kit



Special piece: Skirting board

pro-skirting micro-stuk grey n
12x60x1800 mm
B79999041 100193614
30.06 p/u

pro-skirting micro-stuk grey n
12x100x1800 mm
B79999012 100189376
32.57 p/u

pro-skirting fixing clips
17x30 mm (50 ud)
B70104237 100193608
13.66 p/bag

Colours are representative only and do not replicate the exact shade of the product. Please consult samples to choose colour.

micro-stuk design

MICRO-STUK DESIGN

Handcrafted PORCELANOSA finish.
Make your project unique.



Kit micro-stuk	primer-stuk n	base- stuk n	fine-stuk n	resin-stuk n	sealer-stuk n	protec-stuk n	decor-stuk n
micro-stuk fine n	0,5 L	10 Kg	2,5 Kg	3,9 Kg	0,5 Kg	1,2 Kg	0,22 L
micro-stuk nature n	0,5 L	10 Kg	-	2,9 Kg	0,5 Kg	1,2 Kg	0,17 L


micro-stuk design kits contain enough materials to cover at least 5 m² surface.

micro-stuk manhattan n

Outstanding decorative wall covering.
Interior.



kit micro-stuk fine manhattan n B51201048 100242451
Smooth finish 259.77 p/kit



kit micro-stuk nature manhattan n B51201039 100242464
Rough finish 221.93 p/kit



Special piece: Skirting board

pro-skirting micro-stuk manhattan n B79999059 100202246
12x60x1800 mm 30.06 p/u

pro-skirting micro-stuk manhattan n B79999058 100202256
12x100x1800 mm 32.57 p/u

pro-skirting fixing clips B70104237 100193608
17x30 mm (50 ud) 13.66 p/bag

Colours are representative only and do not replicate the exact shade of the product. Please consult samples to choose colour.

micro-stuk design

MICRO-STUK DESIGN

Handcrafted PORCELANOSA finish.
Make your project unique.



Kit micro-stuk	primer-stuk n	base- stuk n	fine-stuk n	resin-stuk n	sealer-stuk n	protec-stuk n	decor-stuk n
micro-stuk fine n	0,5 L	10 Kg	2,5 Kg	3,9 Kg	0,5 Kg	1,2 Kg	0,49 L
micro-stuk nature n	0,5 L	10 Kg	-	2,9 Kg	0,5 Kg	1,2 Kg	0,38 L

micro-stuk design kits contain enough materials to cover at least 5 m² surface.

micro-stuk cement n

Outstanding decorative wall covering.
Interior.



kit micro-stuk fine cement n

B51201045 100242481


Smooth finish259.77 p/kit



kit micro-stuk nature cement n

B51201044 100242491

Rough finish221.93 p/kit



Special piece: Skirting board

pro-skirting micro-stuk cement n

B79999035 100193626

12x60x1800 mm30.06 p/u

pro-skirting micro-stuk cement n

B79999015 100189368

12x100x1800 mm32.57 p/u

pro-skirting fixing clips

B70104237 100193608

17x30 mm (50 ud)13.66 p/bag

Colours are representative only and do not replicate the exact shade of the product. Please consult samples to choose colour.

micro-stuk design

MICRO-STUK DESIGN

Handcrafted PORCELANOSA finish.
Make your project unique.



Kit micro-stuk	primer-stuk n	base- stuk n	fine-stuk n	resin-stuk n	sealer-stuk n	protec-stuk n	decor-stuk n
micro-stuk fine n	0,5 L	10 Kg	2,5 Kg	3,9 Kg	0,5 Kg	1,2 Kg	0,20 L
micro-stuk nature n	0,5 L	10 Kg	-	2,9 Kg	0,5 Kg	1,2 Kg	0,12 L

micro-stuk design kits contain enough materials to cover at least 5 m² surface.

micro-stuk white n

Outstanding decorative wall covering.
Interior.



kit micro-stuk fine white n
Smooth finish
B51201051 100242453
259.77 p/kit



kit micro-stuk nature white n
Rough finish
B51201052 100242490
221.93 p/kit



Special piece: Skirting board

pro-skirting micro-stuk white n
12x60x1800 mm
B79999038 100193613
30.06 p/u

pro-skirting micro-stuk white n
12x100x1800 mm
B79999013 100189367
32.57 p/u

pro-skirting fixing clips
17x30 mm (50 ud)
B70104237 100193608
13.66 p/bag

Colours are representative only and do not replicate the exact shade of the product. Please consult samples to choose colour.

micro-stuk design

MICRO-STUK DESIGN

Handcrafted PORCELANOSA finish.
Make your project unique.



Kit micro-stuk	primer-stuk n	base- stuk n	fine-stuk n	resin-stuk n	sealer-stuk n	protec-stuk n	decor-stuk n
micro-stuk fine n	0,5 L	10 Kg	2,5 Kg	3,9 Kg	0,5 Kg	1,2 Kg	0,07 L
micro-stuk nature n	0,5 L	10 Kg	-	2,9 Kg	0,5 Kg	1,2 Kg	0,04 L

micro-stuk design kits contain enough materials to cover at least 5 m² surface.

micro-stuk beige n


Outstanding decorative wall covering.
Interior.



kit micro-stuk fine beige n
Smooth finish
B51201042 100242463
259.77 p/kit



kit micro-stuk nature beige n
Rough finish
B51201049 100242429
221.93 p/kit



Special piece: Skirting board

pro-skirting micro-stuk beige n
12x60x1800 mm
B79999039 100193625
30.06 p/u

pro-skirting micro-stuk beige n
12x100x1800 mm
B79999011 100189383
32.57 p/u

pro-skirting fixing clips
17x30 mm (50 ud)
B70104237 100193608
13.66 p/bag

Colours are representative only and do not replicate the exact shade of the product. Please consult samples to choose colour.

micro-stuk design

MICRO-STUK DESIGN

Handcrafted PORCELANOSA finish.
Make your project unique.



Kit micro-stuk	primer-stuk n	base- stuk n	fine-stuk n	resin-stuk n	sealer-stuk n	protec-stuk n	decor-stuk n
micro-stuk fine n	0,5 L	10 Kg	2,5 Kg	3,9 Kg	0,5 Kg	1,2 Kg	0,15 L
micro-stuk nature n	0,5 L	10 Kg	-	2,9 Kg	0,5 Kg	1,2 Kg	0,09 L

micro-stuk design kits contain enough materials to cover at least 5 m² surface.

micro-stuk moka n


Outstanding decorative wall covering.
Interior.



kit micro-stuk fine moka n
Smooth finish
B51201050 100242492
259.77 p/kit



kit micro-stuk nature moka n
Rough finish
B51201038 100242471
221.93 p/kit



Special piece: Skirting board

pro-skirting micro-stuk moka n
12x60x1800 mm
B79999044 100193628
30.06 p/u

pro-skirting micro-stuk moka n
12x100x1800 mm
B79999014 100189369
32.57 p/u

pro-skirting fixing clips
17x30 mm (50 ud)
B70104237 100193608
13.66 p/bag

Colours are representative only and do not replicate the exact shade of the product. Please consult samples to choose colour.

micro-stuk design

MICRO-STUK DESIGN

Handcrafted PORCELANOSA finish.
Make your project unique.



Kit micro-stuk	primer-stuk n	base- stuk n	fine-stuk n	resin-stuk n	sealer-stuk n	protec-stuk n	decor-stuk n
micro-stuk fine n	0,5 L	10 Kg	2,5 Kg	3,9 Kg	0,5 Kg	1,2 Kg	1,19 L
micro-stuk nature n	0,5 L	10 Kg	-	2,9 Kg	0,5 Kg	1,2 Kg	1,04 L

micro-stuk design kits contain enough materials to cover at least 5 m² surface.

micro-stuk wenge n

Outstanding decorative wall covering.
Interior.



kit micro-stuk fine wenge n
Smooth finish
B51201047 100242452
320.93 p/kit



kit micro-stuk nature wenge n
Rough finish
B51201041 100242480
256.28 p/kit



Special piece: Skirting board

pro-skirting micro-stuk wenge n
12x60x1800 mm
B79999063 100202258
30.06 p/u

pro-skirting micro-stuk wenge n
12x100x1800 mm
B79999062 100202267
32.57 p/u

pro-skirting fixing clips
17x30 mm (50 ud)
B70104237 100193608
13.66 p/bag

Colours are representative only and do not replicate the exact shade of the product. Please consult samples to choose colour.

micro-stuk design



GROUTING MATERIAL AND ELASTIC SEALANTS

CEMENT-BASED MATERIALS FOR TILE JOINTS

- 138 Colorstuk 0-4 n
- 139 Colorstuk especial n
- 140 Colorstuk rapid n

EPOXY GROUTING MATERIALS

- 142 Epotech aqua
- 143 Epotech nature
- 144 Epotech crystal

ELASTIC JOINT SEALANTS

- 145 S-107 n
- 146 S-502 n
- 147 P-404

LEVELING SYSTEM FOR CERAMIC TILES

Self-leveling spacers

- 148

colorstuk 0-4 n

colorstuk 0-4 n is a type CG 2 fine grain grouting material as per EN 13888, for grouting joints up to 4 mm. It is easy to apply, resistant and color stable, and it is specially recommended for rectified tiles.

A high-tech, fine grained colored mortar for grouting tile joints from 0 to 4 mm. Suitable for all kinds of ceramic tiles and natural stone. Indoors and outdoors.

Certifications/Standards:
EN 13888 CG2 AW

Features:

- Cement-based, single-component, colored mortar.
- Fine texture mortar for grouting tile joints up to 4 mm.
- Easy to apply and clean.
- Resistant to heat and UV radiation.
- Frost-resistant.
- Wide color range.
- Mixing water:
 - colorstuk 0-4 n white 1,7 l per 5 kg bag.
 - colorstuk 0-4 n white 8,5 l per 25 kg bag.
 - colorstuk 0-4 n white 1,3 l per 5 kg bag.

Substrates:

- All usual substrates for ceramic tiles laying.

Recommended uses:

- Tile joints up to 4 mm.
 - Indoor wall tile coverings. Specially recommended for rectified tiles.
 - Indoor floor tiles, including public buildings.
- In the following applications, replace mixing water by cl-stuk additive:
- Outdoor floors.
 - High traffic floor tiles.
 - Floor tiles on radiant heating.
 - Pools and damp environments.

Materials:

- Absorbent and non-absorbent ceramic tiles, including porcelain tiles.
- Glass mosaic.
- Natural stone and marble not prone to staining.

In the following applications, replace mixing water by cl-stuk additive:

- Wall tiles with mosaic-like patterns.
- DQS slabs and other kinds of marble agglomerate.

colorstuk 0-4 n						
KEA	SAP			Presentation	Europallet	P/EU
B21522237	100236442	blanco		bag 5 kg	400 kg/pallet	1.35 p/kg
B21522253	100236806	gris		bag 5 kg	400 kg/pallet	1.61 p/kg
B21522238	100236461	manhattan		bag 5 kg	400 kg/pallet	1.65 p/kg
B21522240	100236462	cemento		bag 5 kg	400 kg/pallet	1.65 p/kg
B21522244	100236409	antracita		bag 5 kg	400 kg/pallet	1.65 p/kg
B21522242	100236472	negro		bag 5 kg	400 kg/pallet	1.65 p/kg
B21522241	100236480	marfil		bag 5 kg	400 kg/pallet	1.65 p/kg
B21522243	100236419	beige		bag 5 kg	400 kg/pallet	1.70 p/kg
B21522245	100236446	marrón		bag 5 kg	400 kg/pallet	1.65 p/kg
B21522254	100236807	moka		bag 5 kg	400 kg/pallet	1.57 p/kg

Colors shown are approximate. There are physical samples available to customers for checking the real grout color.
Coverage of grouting material, consult the product data sheet

Before using this product in any application not indicated in this catalogue, please perform a test or refer to the product's technical sheet.

colorstuk especial n

colorstuk especial n is a type CG 2 very fine grain grouting material as per EN 13888, for grouting joints up to 4 mm. Its formula includes ultrafine aggregates, which make it specially recommended for tiles with a glaze sensitive to scratching.

A high-tech, fine grained colored mortar for grouting tile joints up to 4 mm. Specially recommended for grouting rectified ceramic tiles sensible to scratching. and ceramic parquet flooring

Certifications/Standards:
EN 13888 CG2 AW

Features:

- Cement-based, single-component, colored mortar.
- Ultrafine aggregates formula.
- Fine texture mortar for grouting tile joints up to 4 mm.
- Easy to apply and clean.
- Resistant to heat and UV radiation.
- Frost-resistant.
- Wide special colors range.

Substrates:

- All usual substrates for ceramic tiles laying.

Recommended uses:





- Tile joints up to 4 mm.
 - Ceramic tiles with low hardness glaze as per Mohs scale.
 - Indoor wall tile coverings. Specially recommended for rectified tiles.
 - Indoor floor tiles, including public buildings.
- In the following applications, replace mixing water with cl-stuk additive:
- Wall and floor tiles into direct contact with water.
 - Floor tiles on radiant heating.

Materials:

- Absorbent and non-absorbent ceramic tiles.
- Ceramic tiles with special finishes.
- Glass mosaic.
- Natural stone and marble not prone to staining.
- Do not use on polished materials.

In the following applications, replace mixing water by cl-stuk additive:

- Wall tiles with mosaic-like patterns.
- DQS slabs and other kinds of marble agglomerate.

colorstuk especial n						
KEA	SAP			Presentation	Europallet	P/EU
B24302054	100238251	dark		bag 2 kg	432 kg/pallet	8.00 p/kg
B24302056	100238261	moka		bag 2 kg	432 kg/pallet	5.45 p/kg
B24302057	100238235	nacare		bag 2 kg	432 kg/pallet	5.65 p/kg
B24302059	100238229	vainilla		bag 2 kg	432 kg/pallet	5.45 p/kg
B24302055	100238236	white		bag 2 kg	432 kg/pallet	5.45 p/kg
B24302058	100238260	graphite		bag 2 kg	432 kg/pallet	7.94 p/kg
B21522231	100204245	ash		bag 2 kg	432 kg/pallet	2.46 p/kg
B21522232	100204254	beech		bag 2 kg	432 kg/pallet	2.46 p/kg
B21522235	100204255	oak		bag 2 kg	432 kg/pallet	2.51 p/kg
B21522234	100204261	honey		bag 2 kg	432 kg/pallet	2.56 p/kg
B21522233	100204260	doussie		bag 2 kg	432 kg/pallet	2.67 p/kg
B21522236	100204554	antracita		bag 2 kg	432 kg/pallet	2.74 p/kg
B24302052	100234451	elm		bag 2 kg	432 kg/pallet	2.71 p/kg
B24302053	100234433	wenge		bag 2 kg	432 kg/pallet	3.90 p/kg
B51201055	100243271	maple		bag 2 kg	432 kg/pallet	4.40 p/kg
B51201054	100243281	iroko		bag 2 kg	432 kg/pallet	5.56 p/kg

Colors shown are approximate. There are physical samples available to customers for checking the real grout color.
Coverage of grouting material, consult the product data sheet

Before using this product in any application not indicated in this catalogue, please perform a test or refer to the product's technical sheet.



Grouting material and elastic sealants

CEMENT-BASED MATERIALS FOR TILE JOINTS

colorstuk rapid n

colorstuk rapid n is a type CG 2 high-performance, cement-based grouting material as per EN 13888, for grouting joints up to 15 mm. Suitable for all kinds of ceramic tiles and natural stone, it is specially recommended for outdoor applications and permanently damp environments.

A high-tech, fine grained colored mortar with fast setting and hardening times for grouting tile joints up to 15 mm. Suitable for all kinds of ceramic tiles and natural stone. Indoors and outdoors.



Certifications/Standards:
EN 13888 CG2 AW

Features:

- Cement-based, single-component, colored mortar.
- Fine texture mortar for grouting tile joints up to 15 mm.
- Mortar with fast setting and hardening times.
- It prevents efflorescences.
- Excellent mechanical resistance.
- Resistant to heat and UV radiation.
- Frost-resistant.
- Waterproof mortar.
- Anti-mold action.
- Easy to apply and clean.
- Wide color range.
- Mixing water: colorstuk rapid n 1,1 l per 5 kg bag.

Recommended uses:

- Tile joints up to 15 mm.
- Indoor wall and floor tiles.
- Outdoor floors and terraces.
- High traffic floor tiles.
- Floor tiles on radiant heating.
- Pools and damp environments.
- Outdoor wall tiles in facades.

Substrates:

- All usual substrates for ceramic tiles laying.

Materials:

- Absorbent and non-absorbent ceramic tiles, including porcelain tiles.
- Tiles with mosaic-like patterns.
- Glass mosaic.
- Clay and terracotta tiles.
- Natural stone and marble not prone to staining.

colorstuk rapid n						
KEA	SAP			Presentation	Europallet	P/EU
B21522247	100236463	blanco		bag 5 kg	400 kg/pallet	2.81 p/kg
B21522248	100236464	manhattan		bag 5 kg	400 kg/pallet	2.38 p/kg
B21522249	100236449	cemento		bag 5 kg	400 kg/pallet	2.34 p/kg
B21522250	100236481	antracita		bag 5 kg	400 kg/pallet	2.41 p/kg
B21522251	100236475	negro		bag 5 kg	400 kg/pallet	2.86 p/kg
B21522259	100236833	caramelo		bag 5 kg	400 kg/pallet	3.00 p/kg
B21522257	100236794	marfil		bag 5 kg	400 kg/pallet	3.39 p/kg
B21522261	100236809	marron		bag 5 kg	400 kg/pallet	2.86 p/kg
B21522255	100236823	tabaco		bag 5 kg	400 kg/pallet	4.16 p/kg
B21522258	100236834	gris		bag 5 kg	400 kg/pallet	2.87 p/kg
B21522252	100236808	beige		bag 5 kg	400 kg/pallet	3.44 p/kg
B21522260	100236824	moka		bag 5 kg	400 kg/pallet	2.63 p/kg

Colors shown are approximate. There are physical samples available to customers for checking the real grout color.

Coverage of grouting material, consult the product data sheet

Before using this product in any application not indicated in this catalogue, please perform a test or refer to the product's technical sheet.



Grouting material and elastic sealants

epotech aqua

epotech aqua is a new line of epoxy putties for grouting tile joints. Two-component epoxy putty with no organic solvents. It is waterproof, it has outstanding chemical and mechanical properties and it is easy to apply. Specially recommended for application on mosaics and ceramic tiles with relief.

This material is suitable for grouting joints from 0 to 10 mm in floor and wall tiles, indoors and out. Excellent resistance to chemicals. Suitable for pools and permanently damp environments. Suitable as high adherence grouting material for ceramic tiles with any absorption level and format, for glass mosaic or natural stone.



Features:

- Two-component colored epoxy putty.
- Easy to apply and clean. This product is free of organic solvents and plasticizers
- Excellent joint color stability.
- Resistance to most chemicals and alkali, even in high concentrations.
- Waterproof joint, no water absorption.
- Excellent adherence and mechanical resistance.
- Tile joints up to 10 mm.
- Wide color range.

Recommended use:

- Tile joints with uniform color and shade, resistant to the passing of time.
- Floorings with built-in heating.
- Pools and damp environments.
- High traffic floor tiles
- Outdoor floorings protected against the presence of rising moisture
- Floorings and wall coverings in direct contact with chemicals. See technical sheet.

Substrates:

- All usual substrates for ceramic tiles laying.

Materials:

- Absorbent and non-absorbent ceramic tiles, including porcelain tiles.
- Tiles with mosaic-like patterns. Please refer to PORCELANOSA / VENIS catalogues.
- Glass mosaic.
- Natural stone and marble not prone to staining.

epotech aqua			
KEA	SAP		
B42562036	100182213	antracita	
B42562039	100182223	blanco	
B42562038	100182208	gris	
B42562040	100182217	marfil	

Presentation	Europallet	P/EU
can 1,5 kg	315 kg/pallet	15.22 p/kg
can 1,5 kg	315 kg/pallet	15.46 p/kg
can 1,5 kg	315 kg/pallet	15.22 p/kg
can 1,5 kg	315 kg/pallet	15.22 p/kg

Coverage of grouting material, consult the product data sheet

Colors shown are approximate. There are physical samples available to customers for checking the real grout color.

Before using this product in any application not indicated in this catalogue, please perform a test or refer to the product's technical sheet.

epotech nature

epotech nature is a new micro grain porcelain grout for the sealing of joints in ceramic tiles with designs inspired by nature. It has been specially developed for porcelain tiles that reproduce the appearance and texture of wood, such as PORCELANOSA Group's PAR-KER. Professional use.

This material is suitable for grouting tile joints up to 5 mm. in floorings and wall coverings, both indoors and outdoors. Excellent resistance to chemicals. Suitable for pools and permanently damp environments. Suitable as high adherence grouting material for ceramic tiles with any absorption level and format, for glass mosaic, or natural stone.



Characteristics:

- Two-component colored epoxy putty.
- Easy to apply and clean. This product is free of organic solvents and plasticizers.
- Excellent joint color stability.
- Resistance to most chemicals and alkali, even in high concentrations.
- Waterproof joint, no water absorption.
- Excellent adherence and mechanical resistance. Hypoallergenic and bacteriostatic.
- Tile joints up to 5 mm.
- Wide range of colors inspired by natural woods.

Recommended use:

- Floorings and wall coverings in natural wood-inspired ceramics.
- Tile joints with uniform color and shade, resistant to the passing of time.
- Floorings with built-in heating.
- Pools and damp environments.
- High traffic floor tiles
- Outdoor floorings protected against the presence of rising moisture
- Floorings and wall coverings in direct contact with chemicals. See technical sheet.

Substrates:

- All usual substrates for laying ceramic tiles.

Materials:

- Ceramic tiles with designs inspired by nature
- Absorbent and non-absorbent ceramic tiles, including porcelain tiles.
- Tiles with mosaic-like patterns. Please refer to PORCELANOSA / VENIS catalogues.
- Glass mosaic.
- Natural stone and marble not prone to staining.

epotech nature			
KEA	SAP		
B42562034	100177485	wenge	
B42562029	100177512	doussie	
B42562033	100177505	iroko	
B42562035	100177484	oak	
B42562028	100177513	elm	
B42562031	100177494	beech	
B42562032	100177504	ash	
B42562030	100177514	maple	
B42562041	100204262	honey	

Presentation	Europallet	P/EU
can 1,5 kg	315 kg/pallet	18.21 p/kg
can 1,5 kg	315 kg/pallet	18.21 p/kg
can 1,5 kg	315 kg/pallet	18.21 p/kg
can 1,5 kg	315 kg/pallet	18.21 p/kg
can 1,5 kg	315 kg/pallet	18.21 p/kg
can 1,5 kg	315 kg/pallet	18.21 p/kg
can 1,5 kg	315 kg/pallet	18.21 p/kg
can 1,5 kg	315 kg/pallet	18.21 p/kg
can 1,5 kg	315 kg/pallet	18.21 p/kg

Coverage of grouting material, consult the product data sheet

Colors shown are approximate. There are physical samples available to customers for checking the real grout color.

Before using this product in any application not indicated in this catalog, please carry out a test or refer to the product's technical sheet.

epotech crystal

epotech crystal is an epoxy putty for grouting tile joints. Two-component putty with a translucent finish. It reflects the color of the tile or mosaic surrounding the joint. It features all the properties of epoxy putties: watertightness, high resistance to chemicals and mechanical properties. Specially recommended for application on mosaics and ceramic tiles with relief. Extra fine, micro grain porcelain grout.

This material is suitable for grouting joints up to 5 mm in floor and wall tiles indoors. Excellent resistance to chemicals in high concentrations. Suitable for permanently damp environments.

Certifications/Standards:
EN 13888 RG

Features:

- Extra fine, micro grain porcelain grout.
- Easy to apply and clean epoxy putty.
- Translucent appearance.
- High resistance to most acids and alkali, even in high concentrations.
- Waterproof joint, no water absorption.
- Excellent adherence and mechanical resistance.
- Prevents the development of fungi and bacteria.
- Tile joints up to 5 mm.

Recommended uses:

- Wall and floor tiles with minimum joint.
- Indoor floor and wall tiles.
- Mosaic or natural stone wall coverings.
- Wall tiles and mosaics with glass elements.
- PAR-KER y STARWOOD floor coverings.
- Technical, porcelain floor coverings.

Substrates:

- All usual substrates for ceramic tiles laying.

Materials:

- Absorbent and non-absorbent ceramic tiles, including porcelain tiles.
- Glass mosaic.
- Wall tiles and mosaics with glass elements.
- Natural stone and marble not prone to staining.

epotech crystal				
KEA	SAP	Presentation	Europallet	P/EU
B42562025	100126899	can 3 kg	295 kg/pallet	16.93 p/kg

Coverage of grouting material, consult the product data sheet

Before using this product in any application not indicated in this catalogue, please perform a test or refer to the product's technical sheet.

s-107 n

s-107 n is a neutral silicone putty for sealing joints. Specially recommended for sealing movement joints. Indoor and outdoor use.,

This putty crosslinks in contact with dampness and does not give off odors, thus becoming an elastomer highly elastic and resistant to atmospheric agents.

Features:

- Single-component neutral silicone.
- High elasticity.
- Good adherence.
- Resistant to UV rays.
- Frost-resistant.

Recommended uses:

- Sealing joints even between materials sensible to chemical attack.
- Sealing movement joints in floors and walls.
- Sealing joints in ceramics, glass, metal and plastics.
- Sealing perimeter joints in wall tile coverings.
- Gluing ceramic materials on wood boards.

Substrates:

- All usual substrates for ceramic tiles laying.

Coverage:

- Joint de 2 x 2 mm 75.0 m
- Joint de 3 x 3 mm 33.3 m
- Joint de 5 x 3 mm 20.0 m
- Joint de 5 x 5 mm 12.0 m
- Joint de 8 x 4 mm 8.3 m

Coverage
(ml/cartridge)

=

300

joint width (mm) x joint depth (mm)

s-107 n					Presentation	Packaging	P/EU
KEA	SAP						
B82302001	100005814	blanco			cartridge 300 ml	25 ud/box	6.05 p/kg
B82302002	100005815	transparente			cartridge 300 ml	25 ud/box	6.05 p/kg
B82302003	100005816	gris			cartridge 300 ml	25 ud/box	6.05 p/kg
B82302004	100005817	negro			cartridge 300 ml	25 ud/box	6.05 p/kg
B82600026	100115950	beige			cartridge 300 ml	25 ud/box	6.05 p/kg
B82600036	100120608	antracita			cartridge 300 ml	25 ud/box	7.20 p/kg
B82600030	100120620	cemento			cartridge 300 ml	25 ud/box	7.20 p/kg
B82600029	100120621	marfil			cartridge 300 ml	25 ud/box	7.20 p/kg
B82600028	100120624	tabaco			cartridge 300 ml	25 ud/box	7.20 p/kg

Before using this product in any application not indicated in this catalogue, please perform a test or refer to the product's technical sheet. Colors shown are approximate. There are physical samples available to customers for checking the real grout color.

s-502

s-502 is a high-performance acetic silicone putty for sealing joints. Specially recommended for sealing joints in bathrooms and for sealing perimeter joints in wall tile coverings. It has anti-fungal properties that prevent the appearance of black spots in damp environments.

This reticular putty, when in contact with dampness gives off acetic acid, thus becoming an extraordinary elastic and resistant elastomer to atmospheric agents. Indoor use.

Features:

- Single-component acetic silicone.
- High elasticity. Can withstand movements up to 20% of the sealed joint width.
- Excellent adherence.
- Resistant to UV rays.

Recommended uses:

- Sealing joints in ceramics, glass, metal, plastics and painted surfaces.
- Sealing joints between ceramic wall coverings and ceramic bathroom fixtures, bathtubs, showers, or countertops in kitchens and bathrooms.
- Sealing perimeter joints in wall tile coverings.
- Sealing glass and woodwork.
- Sealing and gluing bathroom elements such as screens and cabins.
- Gluing ceramic materials on wood boards.

Substrates:

- Do not use on substrates which are sensible to the action of acids:
- Screeds and floors with cement mortar.
- Concrete

Materials:

- Ceramic tiles and glass mosaic.
- Glass.
- Plastic material.
- Do not use with materials which are sensible to the action of acids, like marble or other natural stones.

Coverage:

- | | |
|------------------|--------|
| • 2 x 2 mm joint | 77,5 m |
| • 3 x 3 mm joint | 31,4 m |
| • 5 x 3 mm joint | 20,6 m |
| • 5 x 5 mm joint | 12,4 m |
| • 8 x 4 mm joint | 8,6 m |
| • x 6 mm joint | 6,4 m |

Coverage (ml/cartridge) = $\frac{310}{\text{joint width (mm)} \times \text{joint depth (mm)}}$

s-502			Presentation	Packaging	P/EU
KEA	SAP				
B82301002	100005809	transparente	cartridge 310 ml	24 ud/box	6.94 p/kg
B82301001	100005808	blanco	cartridge 310 ml	24 ud/box	7.62 p/kg

Before using this product in any application not indicated in this catalogue, please perform a test or refer to the product's technical sheet.

p-404

p-404 is polyurethane putty for sealing joints. Specially recommended for sealing movement joints outdoors. Indoor and outdoor use.,

This reticular putty in contact with dampness does not give off odors, thus becoming an extraordinary adherent, elastic and resistant elastomer to atmospheric agents.

Features:

- Single-component polyurethane putty.
- High elasticity.
- High adherence.
- Resistant to UV rays.
- Frost-resistant.

Recommended uses:

- Sealing joints even between materials sensible to chemical attack.
- Sealing movement joints in floors and walls.
- Bonding of building materials like ceramics, concrete, roof tiles, wood, aluminium, polyester or PVC.
- Gluing ceramic materials on metal or wood boards.
- Gluing Concept XPS panels.

Substrates:

- All usual substrates for ceramic tiles laying.

Coverage:

- | | |
|------------------|--------|
| • 2 x 2 mm joint | 77.5 m |
| • 3 x 3 mm joint | 31.4 m |
| • 5 x 3 mm joint | 20.6 m |
| • 5 x 5 mm joint | 12.4 m |
| • 8 x 4 mm joint | 8.6 m |
| • 8 x 6 mm joint | 6.4 m |

Coverage (ml/cartridge) = $\frac{310}{\text{joint width (mm)} \times \text{joint depth (mm)}}$

p-404					
KEA	SAP		Presentation	Packaging	P/EU
B82401001	100005818	blanco	cartridge 310 ml	25 ud/box	6.64 p/kg
B82401002	100005819	gris	cartridge 310 ml	25 ud/box	6.64 p/kg
B82401003	100005820	negro	cartridge 310 ml	25 ud/box	6.84 p/kg

Before using this product in any application not indicated in this catalogue, please perform a test or refer to the product's technical sheet.

self-leveling spacers

Leveling system for ceramic tiles. Eases ceramic tile laying and guarantees a perfectly flat surface of the final installation. The system consists of a new type of spacer with adjustable height that levels the surrounding tiles and prevents them from moving.

Specially recommended when tile, design or use features demand a perfect finish, with an even, seamless surface.

Features:

- Guarantees tiles are even.
- Prevents tiles from moving due to laying errors or due to mortar setting.
- Reduces retouching and laying times.
- Suitable for 0,5-3 mm wide joints.
- Suitable for floor and wall tiles of thickness between 7-15 mm. For thinner tiles use the supplementary lifting pieces
- The system consists of a spacer, a wedge and an adjusting tool.
- Wedges are recoverable, only the spacers are consumed.

Recommended uses:

- Wall and floor tiles with minimum joint.
- Large format floor tiles.
- Laying of rectified wall tiles.
- Tiles with reduced thickness: XLIGHT
- Interlocking floor designs.
- Glued facades.
- Essential to place the ceramic by the method of thin layer and double gluing of the pieces

Substrates:

- All usual substrates for ceramic tiles laying.

Materials:

- Before using the self-levelling spacers system, carry out a preliminary test with the type of wall or floor tiles to be installed and check that the tile is not damaged during the removal of the spacer, especially in textured or rectified tiles without bevelling and mosaics with 3D texture

self-leveling spacers for tiles 3 to 15 mm thick					
KEA	SAP		Presentation	Europallet	P/EU
B83511063	100108031	wedge	100 ud/bag	700 bags/pallet	20.74 p/bag
B83511062	100108032	wedge	300 ud/bag	240 bags/pallet	48.08 p/bag
B83511056	100095383	wedge	500 ud/bag	140 bags/pallet	91.35 p/bag
B83510095	100207811	0,5 mm spacer	100 ud/bag	600 bags/pallet	14.49 p/bag
B83510094	100207797	0,5 mm spacer	300 ud/bag	200 bags/pallet	39.62 p/bag
B83510093	100207740	0,5 mm spacer	500 ud/bag	120 bags/pallet	65.07 p/bag
B83511059	100108026	1 mm spacer	100 ud/bag	600 bags/pallet	14.49 p/bag
B83511058	100108027	1 mm spacer	300 ud/bag	200 bags/pallet	39.62 p/bag
B83511065	100108028	1 mm spacer	500 ud/bag	120 bags/pallet	65.07 p/bag
B83511061	100108029	2 mm spacer	100 ud/bag	600 bags/pallet	14.49 p/bag
B83511060	100108030	2 mm spacer	300 ud/bag	200 bags/pallet	39.62 p/bag
B83511057	100095382	2 mm spacer	500 ud/bag	120 bags/pallet	65.07 p/bag
B83511067	100109070	3 mm spacer	100 ud/bag	600 bags/pallet	14.49 p/bag
B83511066	100109071	3 mm spacer	300 ud/bag	200 bags/pallet	39.62 p/bag
B83511070	100109072	3 mm spacer	500 ud/bag	120 bags/pallet	65.07 p/bag



self-leveling spacers for tiles 16 to 22 mm thick				
KEA	SAP		Presentation	P/EU
B83511079	100225039	2 mm spacer	100 ud/bag	14.49 p/bag
complements				
KEA	SAP		Presentation	P/EU
B83510098	100213808	0,5 mm spacer system kit	kit*	77.49 p/kit
B83511064	100108034	1 mm spacer system kit	kit*	77.49 p/kit
B83511069	100109073	2 mm spacer system kit	kit*	77.49 p/kit
B83511068	100109074	3 mm spacer system kit	kit*	77.49 p/kit
B83511072	100123264	supplementary lift piece	50 ud/bag	3.60 p/bag
B83510071	100095386	adjustment tool	unit	48.93 p/u

*kit: 1 adjustment tool, 100 spacers and 100 wedges

Before using this product in any application not indicated in this catalogue, please perform a test or refer to the product's technical sheet.

Before using this product in any application not indicated in this catalogue, please perform a test or refer to the product's technical sheet.


GROUTING COVERAGE

a x b	c	colorstuk 0-4	colorstuk especial	colorstuk rapid	epotech aqua	epotech nature
cm	mm	cm	cm	cm	cm	cm
25 x 25	4	480	496	512	486	493
50 x 50	4	240	248	256	243	246
75 x 75	4	160	165	171	162	164
100 x 100	6	180	186	192	182	185
20 x 31,6	9	110	114	118	112	113
31,6 x 44,6	9	73	75	78	74	75
31,6 x 59,2	9	66	68	70	66	67
31,6 x 90	9	58	60	62	58	59
33,3 x 100	9,2	55	57	59	56	57
45 x 120	10,5	48	50	51	49	49
21,5 x 65,9	11	102	105	109	103	104
14,3 x 90	11	134	138	143	136	137
22 x 90	11	93	96	100	95	96
19,3 x 120	11	99	103	106	101	102
19,3 x 180	12	103	107	110	105	106
29,4 x 120	11	70	72	75	71	72
29,4 x 180	12	71	74	76	72	73
25 x 150	10,5	74	76	78	74	75
44,3 x 44,3	10	68	70	72	69	70
43,5 x 65,9	11	63	65	67	64	65
40 x 80	11	62	64	66	63	64
45 x 90	11	55	57	59	56	56
59,6 x 59,6	11	55	57	59	56	57
80 x 80	12	45	47	48	46	46
59,6 x 120	12	45	47	48	46	46
100 x 100	11	33	34	35	33	34
120 x 120	12	30	31	32	30	31
100 x 100	3,5	11	11	11	11	11
100 x 100	6	18	19	19	18	18
120 x 120	6	15	16	16	15	15
100 x 300	3,5	7	7	7	7	7
120 x 250	6	11	11	12	11	11

SELF-LEVELING SPACERS COVERAGE

a	b	a x b	c	Spacers / m²	
				Aligned	Staggered 3/4
25	25	25 x 25	4	64	-
50	50	50 x 50	6	61	-
75	75	75 x 75	6	29	-
100	100	100 x 100	8	27	-
20	31,6	20 x 31,6	9	64	-
31,6	44,6	31,6 x 44,6	9	29	-
31,6	59,2	31,6 x 59,2	9	22	-
31,6	90	31,6 x 90	9	18	-
33,3	100	33,3 x 100	9,2	16	-
45	120	45 x 120	10,5	12	-
21,5	65,9	21,5 x 65,9	11	36	43
14,3	90	14,3 x 90	11	39	47
22	90	22 x 90	11	26	31
19,3	120	19,3 x 120	11	26	31
19,3	180	19,3 x 180	12	21	23
29,4	120	29,4 x 120	11	18	20
29,4	180	29,4 x 180	12	14	16
25	150	25 x 150	10,5	16	19
44,3	44,3	44,3 x 44,3	10	21	-
43,5	65,9	43,5 x 65,9	11	18	-
40	80	40 x 80	11	16	-
45	90	45 x 90	11	13	-
59,6	59,6	59,6 x 59,6	11	12	-
80	80	80 x 80	12	10	-
59,6	120	59,6 x 120	12	9	-
100	100	100 x 100	11	9	-
120	120	120 x 120	12	6	-
100	100	100 x 100	3,5	6	-
100	100	100 x 100	6	6	-
120	120	120 x 120	6	6	-
100	300	100 x 300	3,5	4	-
120	250	120 x 250	6	4	-

Grouting material
and elastic sealants



SUBSTRATE PREPARATION PRODUCTS

ELECTRIC RADIANT FLOOR HEATING

154 Electric Radiant Floor Heating

ACOUSTIC INSULATION

158 Fonopac r

SELF-LEVELING MORTARS

160 Level 1 pro

161 Level 3

PRIMER

162 Super-prim

163 Uniprim

CLEANING PRODUCTS

164 Acid net 1l

164 Porce-clean

165 Epotech cleaner

165 Non slip tile

electric radiant floor heating

The electric radiant floor heating from butech, also know as **ERFH**, is a heating system with an electric element for radiant floors, specially designed to provide comfort in ceramic floors in bathrooms and, in general, all kinds of floors walked barefoot. The ERFH system consists of an electric element and a digital thermostat timer.

The electric element is a 1.8 mm diameter heating wire that transforms electric energy into heating. Never cut this kind of wire. Maximum power is 150 W/m².

User-friendly digital thermostat that regulates the turn on and off and heating power of the system.



Features:

- Easy, quick and economic installation. No maintenance costs.
- Avoids the installation of radiators on the walls.
- Ideal for homes not connected to the gas distribution network.
- Applicable in floors where a water pipe heating cannot be installed.
- More uniform heat distribution to all the surface of the room.
- More pleasant elevation of heat distribution .
- No air movement.

Power: 150 W/m²
Voltage: 230 V – 50/60 Hz
Maximum charge: 16 Amp / 230 V max
Maximum temperature: + 40°C

Installation:

- Choose the radiant Mat that suits the surface to be heated.
- In case of surfaces bigger than 10 m², connect Mates in parallel in a connection box.
- Do not connect Mates with a total surface bigger than 20 m² to one thermostat.
- Never cut the heating wire.
- Do not install under static elements and less than 10 cm from the walls.
- Never drill a floor where a radiant heating has been installed.

Recommended uses:

- Radiant heating in home refurbishings.
- General heating of homes.
- Comfort and auxiliary heating in bathrooms and dressing rooms.
- Comfort and auxiliary heating in spas and premises with permanent dampness.
- Comfort and auxiliary heating in locker rooms, recreational and sports premises.
- Heating of indoor areas with high ceilings.
- Temporary heating of workplaces.
- Do not use in outdoor floors.

Materials:

- Absorbent ceramics and porcelain tiles (water absorption < 0.5% as per EN-ISO 10545-3).
- Natural stone and marble not prone to staining.
- Wooden floors bonded to the substrate.
- Do not use under floating floors.
- Do not use under material sensible to heat.

Guarantee:

- Thermostat guarantee: 3 years
- Electric Mat guarantee: 10 years



electric radiant floor heating				
KEA	SAP	Premium ERFH	Presentation	P/EU
B62902169	100232008	Premium Mat 1 m²	1 Premium Mat/box	112.36 p/u
B62902173	100232081	Premium Mat 1.5 m²	1 Premium Mat/box	129.43 p/u
B62902172	100232053	Premium Mat 2 m²	1 Premium Mat/box	144.25 p/u
B62902170	100232009	Premium Mat 2.5 m²	1 Premium Mat/box	165.09 p/u
B62902171	100232090	Premium Mat 3 m²	1 Premium Mat/box	184.39 p/u
B62902175	100232082	Premium Mat 4 m²	1 Premium Mat/box	238.52 p/u
B62902177	100232016	Premium Mat 5 m²	1 Premium Mat/box	291.92 p/u
B62902176	100232080	Premium Mat 10 m²	1 Premium Mat/box	501.57 p/u
B62902174	100232083	8GM thermostat	1 thermostat/box	254.24 p/u




electric radiant floor heating

ACOUSTIC INSULATION

fonopac r

fonopac r is a multilayer sheet for isolating ceramic or natural stone floors against impact noise. Made of synthetic rubber, it combines a good Acoustic insulation with a low compressibility, allowing for direct laying of ceramic tiles. Specially recommended for refurbishing of floors.



Features:

- Sheet made of synthetic rubber and TPO..
- Allows direct laying of tiles, with no need for compression layers.
- Compatible with cement-based adhesives.

- Dimensions: 60 x 100 cm
- Final thickness: 3 mm
- Weight: 1,42 kg/m²

- Weighted reduction of impact sound pressure level according to standard ISO 717-2

$\Delta L_w = 16 \text{ dB}$

Installation:

- Cover the whole floor perimeter with acoustic isolating tape bandin.
- Laying of the sheets by the thin-bed method, with super-one n adhesive mixed with unilax.
- Seal the joints between sheets with cintex tape.
- Be extremely cautious when laying the sheet to avoid tears and other acoustic bridges.
- Once fonopac r sheets laid, lay the ceramic floor with super-one n mixed with unilax.

Recommended uses:

- Reduces impact noise in indoor floors.
- Reduces impact noise in refurbishing of floors.

Materials:

- Ceramic floors and similar products adhered to the substrate.
- Laminate floors.

Substrates:

- Cement covered floors.
- Existing floors.

fonopac r		
KEA	SAP	
B67900038	100082628	fonopac r
B61901006	100004402	bandin
B61901001	100004399	cintex
B64902002	100004463	Kit fonopac r fonopac r super-one n bandin cintex

Presentation	P/EU
sheets 100 x 60 cm	20.12 p/m²
roll 30 m	18.47 p/roll
roll 50 m	23.78 p/roll
Total 8,4 m²	346.05 p/kit
14x 100 x 60 cm sheets	
2x 25 Kg bags	
1x 30 m roll	
1x 50 m roll	

Before using this product in any application not indicated in this catalogue, please perform a test or refer to the product's technical sheet.



Substrate preparation products

level 1 pro

level 1 pro is a fast hardening, self-leveling mortar for leveling and regularizing substrates for all kinds of floor tiles. 2 to 10 mm thickness. Specially recommended for laying rectified ceramic floor tiles.

It is formulated for creating 2 to 10 mm floor substrates. It features good workability, fast-setting times, and a high mechanical performance. It allows to prepare floors well levelled, for a correct and quick fixing of rectified ceramic tiles.



Certifications/Standards:

EN 13813 CT-C20-F5

Features:

- Single-component, self-leveling mortar.
- Excellent adherence.
- Fast hardening. Ready for traffic in 4-5 hours.
- Application thickness between 2 and 10 mm.
- Easy application with a straight edge trowel or scraper. Pumpable.
- Indoor use.
- Mixing water. 6.0 l per 25 kg bag.

Recommended uses:

- Substrate regularization in refurbishing jobs.
 - Indoor large format ceramic floor tile coverings.
 - Indoor rectified floor tile coverings.
 - Indoor floor tile coverings with a 1 mm joint.
 - Laminate floating floors.
 - Synthetic floors and carpet.
-
- Do not use in outdoor floors.
 - Do not use on floors with radiant heating.

Substrates:

- For cement-based, concrete or anhydrite substrates, first apply **uniprim**.
- For existing ceramic substrates, first apply **superprim**.

Materials:

- Large format ceramics.
- Porcelain tiles with a water absorption $< 0.5\%$ as per EN-ISO 10545-3.
- Natural stone and marble not prone to staining.
- Laminate floors and parquet.

Coverage:

Substrate	Coverage
Self-leveling floors	1.4 kg per m ² and thickness millimeter

level 1 pro					
KEA	SAP		Presentation	Europallet	P/EU
B15901005	100141151	level 1 pro	baq 25 kg	1000 kg/pallet	0.81 p/kg

Before using this product in any application not indicated in this catalogue, please perform a test or refer to the product's technical sheet.

level 3

level 3 is a fast hardening, self-leveling mortar with fibres for leveling and regularizing substrates for all kinds of floor tiles. 3 to 30 mm thickness. Specially recommended for laying ceramic floor tiles with a minimal joint indoors.

It is formulated for creating 3 to 30 mm floor substrates. It features good workability, fast-setting times, and a high mechanical performance. It allows to prepare floors well levelled, for a correct and quick fixing of rectified ceramic tiles.



Certifications/Standards:

EN 13813 CT C25-F5

Features:

- Compressive strength $\geq 25 \text{ N/mm}^2$
- Flexural strength $\geq 5 \text{ N/mm}^2$
- Single-component, self-leveling mortar.
- Excellent adherence. Flexible.
- High fibre content.
- Application thickness between 3 and 30 mm.
- Easy application with a straight edge trowel or scraper.
- Indoor use.
- Mixing water: 4.25 – 4.50 l per 25 kg bag

Recommended uses:

- Indoor large format floor tile coverings.
- Indoor large format rectified floor tile coverings.
- Indoor floor tile coverings with a 1 mm joint.
- Floor tiles with radiant heating.

Substrates:

- Cement-based substrate, previously apply **uniprim**.
- Glazed ceramic tiles and wood substrates, previously apply **super-prim**.

Materials:

- Large format floor tiles.
- Porcelain tiles (water absorption < 0.5% as per EN-ISO 10545-3).
- Natural stone and marbles.

Coverage:

Substrate	Coverage
Self-leveling floors	1.4 kg per m2 and thickness millimeter

level 3					
KEA	SAP		Presentation	Europallet	P/EU
B15901004	100104577	level 3	baq 25 kg	1000 kg/pallet	1.28 p/kg

Before using this product in any application not indicated in this catalogue, please perform a test or refer to the product's technical sheet.

super-prim

super-prim is a water-based acrylic resin primer with silica arids, used for preparing substrates prior to using adhesives, self-leveling mortars and mortar screeds. It reduces water absorption and improves the consistency of cement-based substrates. Professional use.



Features:

- Water-based, acrylic resin latex with silica arids.
- It enhances the adherence of cement mortars on glazed wall coverings.
- It improves the bonding material setting time.
- It reduces substrate water absorption.
- It increases cohesion of the substrate.
- Easy application with a paint roller or a wide paint-brush. Can be applied with airless spray.
- Indoor and outdoor use.
- Do not dilute with water or mix with any other liquids.

Recommended uses:

- Primer for self-leveling mortars on highly absorbent or existing ceramic tile coverings.
- Ceramic tiles on cement-based substrates with weak consistency or existing ceramic tile coverings.
- Ceramic floor coverings on anhydrite substrates or ceramic wall coverings on plaster or molding plaster.
- Mortar screeds on brick partition walls or concrete block walls.
- Mortar screeds on ceramic tile or natural stone floors.
- Do not use in substrates subject to dampness increases.

Substrates:

- Ceramic brick partition walls.
- Cement covered floors and walls.
- Concrete slabs and aerated concrete blocks.
- Anhydrite-covered floors and plastered walls.
- Indoor ceramic floor and wall tiles.
- Indoor wood boards.
- Indoor metal sheets.

Coverage:

Substrate	Coverage
Non absorbent	200 - 250 gr/m²
Absorbent	250 -300 gr/m²

super-prim			Presentation	Europallet	P/EU
KEA	SAP				
B57500002	100123220	super-prim	can 10 kg	480 kg/pallet	9.01 p/kg

Before using this product in any application not indicated in this catalogue, please perform a test or refer to the product's technical sheet.

uniprim

uniprim is a water-based primer made of synthetic resins for the insulation of plaster, anhydrite and molding plaster substrates, prior to the use of cement-based adhesives. It reduces water absorption and improves the consistency of cement-based substrates



C2-type cement-based adhesives can be used to lay ceramic tiles quickly and efficiently on plaster, anhydrite and molding plaster substrates. It reduces the level of absorption of highly absorbent substrates, preventing cement-based adhesives from drying out too quickly and thus ensuring that they set properly. Priming prior to the application of self-leveling mortars on absorbent substrates, avoiding the appearance of bubbles or cracks because of a fast drying.

Features:

- Water-based synthetic resins primer.
- Once dry, it leaves a film over the substrate, which in plaster-based substrates prevents contact and chemical reaction with cement-based adhesives. It prevents ettringite buildup.
- It reduces substrate water absorption.
- It improves the bonding material setting time.
- It increases cohesion of the substrate.
- Easy application with a paint roller or a wide paint-brush.
- Indoor and outdoor use.

Recommended uses:

- Wall tiles on plaster or molding plaster substrates.
- Floor tiles on anhydrite substrates.
- Ceramic tiles on cement-based substrates with weak consistency.
- Reinforcement of self-leveling mortars.

Substrates:

- Plasterboards and plastered walls.
- Anhydrite floor coverings.
- Cement-based substrates with high water absorption.
- Plasterboards.
- Untreated partition walls for laying tiles.

Coverage:

Substrate	Coverage
Anhydrite/plaster substrate	100 - 200 gr/m²

uniprim			Presentation	Europallet	P/EU
KEA	SAP				
B52501001	100004384	uniprim	can 5 kg	480 kg/pallet	4.62 p/kg
B52601001	100004387	uniprim	can 20 kg	560 kg/pallet	4.12 p/kg

Before using this product in any application not indicated in this catalogue, please perform a test or refer to the product's technical sheet.

acid net 1L

acid net is an acid detergent for cleaning ceramic floor and wall tiles. It dissolves all kinds of cement debris without damaging coverings or cement based joints like colorstuk.

Recommended uses:

- Cleaning of remains of adhesives and cement-based grouting materials in floor and wall tiles
- Cleaning of efflorescences and salts remains.
- Cleaning of plaster remains and plaster-based remains.
- Cleaning of lime remains and film.
- Cleaning of glazed substrates prior to laying new tiles.

Coverage:

Dilution 1: 1 with clear water	90-100 gr / m ²
Dilution 1: 2 with clear water	45-50 gr / m ²



acid net 1L			Presentation	Box	P/EU
KEA	SAP				
B35200003	100120423	acid net			

porce-clean

Neutral detergent for cleaning ceramic and natural stone floor coverings. High degreasing power for a deep and perfect cleaning. Fast drying. Indoor and outdoor use.

Recommended uses:

- Regular cleaning of ceramic wall tiles.
- Cleaning of remains of wax, oil or grease from floor and wall tiles .

Coverage:

10 l of clean water	100-200 ml
---------------------	------------



porce-clean			Presentation	Box	P/EU
KEA	SAP				
B35200008	100120431	porce-clean			

*Given the wide variety of ceramic materials, glass mosaics and natural stones, we recommend to check with your tile provider about chemical resistance of the tiles before applying any cleaning product.

Before using any cleaning product, please perform a test or refer to the product's technical sheet.

epotech cleaner

Water-based detergent for cleaning epoxy putties remains and stains. Specially recommended for cleaning remains of epotech aqua. Professional use.

Recommended uses:

- Cleaning of epoxy putties remains and films on ceramic tiles, glass mosaics and natural stones.

Coverage for 2 mm joint:

Tile	200 x 316 cm	20 m ² /package
Tile	200 x 446 cm	30 m ² /package
Tile	316 x 596 cm	33 m ² /package
Tile	316 x 900 cm	37 m ² /package

epotech cleaner			Presentation	Box	P/EU
KEA	SAP				
B35200006	100120428	epotech cleaner			



non-slip tile

Non-slip treatment for glazed and unglazed ceramic tiles reducing the risk of slip and fall accidents. Indoor and outdoor use.

The non-slip treatment reacts with the ceramic tiles surface, generating thousands of microscopic bowls. These evenly distributed engravings increase the contact surface and, in the presence of water, produce a suction between the covering and the foot. This effect increases the coefficient of friction and reduces the risk of slip and fall accidents.

Recommended uses:

- Glazed and non-glazed ceramic floor tile coverings.
- Indoor and outdoor floor tile coverings.
- Built in shower trays.

- Do not apply on fibre shower trays and bathtubs.
- Do not apply on materials which are sensible to acid attack, like limestones or mortar substrates.

Coverage:

Ceramic tile	200 gr/m ²
--------------	-----------------------

non-slip tile			Presentation	Box	P/EU
KEA	SAP				
B33601002	100120430	non-slip tile			



*Given the wide variety of ceramic materials, glass mosaics and natural stones, we recommend to check with your tile provider about chemical resistance of the tiles before applying any cleaning product.

Before using any cleaning product, please perform a test or refer to the product's technical sheet.



SHOWER TRAYS

SHOWER DECK SYSTEM

168 Shower deck system

CONCEPT XPS SHOWER TRAYS

170 Concept xps shower trays

172 Standard shower trays

174 Refurbishing shower trays

176 Custom shower trays

178 Bespoke standard shower trays

180 Bespoke refurbishing shower trays

CONCEPT XPS PANELS

182 Concept xps panels

183 Fixing elements for concept xps panels

shower deck system

New shower tray concept with concealed drain for the most exclusive bathrooms. This innovative shower tray system lets us create a sense of continuity with the rest of the bathroom floor because the slopes are concealed under the floor. Drainage is achieved through the open joints and does not require the installation of an evacuation grid.

The **shower deck system** is a shower tray made up by a polyurethane base coated with thermoset polymers, especially designed to to have ceramic plates installed. Polyurethane base coated with thermoset polymers. Specially recommended for bathroom renovations.

Features:

- Flat shower tray without slopes.
- Polyurethane base coated with thermoset polymers.
- Drain concealed from sight.
- Ultra-slim shower tray; only 30 mm in height.
- Easy to clean and high resistance to domestic-use detergents.
- Virtually no maintenance, especially compared with wooden floors.
- Thermal insulation.
- Easy installation and assembly.

Installation:

- Concrete floor slabs.
- Cement covered floors.
- Wood flooring.

Physical properties of the shower deck systems tray:

Color	Negro
Weight	5 Kg/m²
Compression resistance	2000 KpA
Capillarity	0
Limit application temperature.	-70/+130 °C
Supply thicknesses (mm)	30 mm
Tolerances	Length and width: ± 2 mm Thickness: +/- 2 mm Squaring: < 2 mm/m

Recommended use:

- Shower trays and cabins in designer bathrooms.
- Shower trays in public buildings.
- Applications where it is necessary to eliminate architectural barriers.
- Accessible bathrooms.

Materials:

- Anti-slip porcelain tile plates.
- STON-KER antislip
- PAR-KER antislip
- STARWOOD antislip
- URBATEK antislip

Components:

- Shower deck tray
- Non-return valve drain. Output Ø 40mm and 0.52l/s
- Drain and trap tightening wrench
- 5 linear meters lami-band 200 roll
- Drain reinforcement piece
- P-404 tube
- Protection plate
- Manhole key
- PVC leveling profiles of 14X14X2000 mm to reference the height and finish of the ceramics (2 pcs)
- Profiles for union of ceramic pieces of 35 x 14 x longest measurement of the tray, max. 2000 mm (2 pcs)

- Ceramic tiles not included

shower deck system				
KEA	SAP		Presentation	P/EU
B88000619	100174849	700 x 700 x 30 mm	1 box	510.54 p/u
B88000618	100175270	800 x 800 x 30 mm	1 box	570.54 p/u
B88000617	100175271	800 x 938 x 30 mm	1 box	614.70 p/u
B88000616	100175268	900 x 938 x 30 mm	1 box	652.22 p/u
B88000625	100187136	1216 x 938 x 30 mm	1 box	770.80 p/u
B88000616	100174848	Bespoke	1 box	1575.94 p/u



drain			
KEA	SAP		P/EU
B82902185	250045810	horizontal swd drain	25.40 p/u
B82902191	250049540	vertical horizontal swd drain	28.34 p/u
B82902196	250049695	high flow swd drain + non-retirn valve	91.33 p/u

concept xps shower trays

It is a prefabricated system for creating built in shower trays. They include the slopes for the correct water drainage, as well as the drain and the waterproofing system. This system is supplied ready to use, which reduces working times while guarantees a perfect substrate for laying mosaic, natural stone or ceramics.

concept xps shower tray is light, resistant and safe, reason why it is specially recommended in bathroom refurbishing jobs. It includes imperband kit as a drain and waterproofing system, but it does not include the decorative grating, so you can choose among a wide range of sizes, shapes and finishes.

Features:

- Prefabricated shower tray made of extruded polystyrene covered with cement mortar.
- It includes slopes for water drainage.
- Double waterproofing: covering consisting of water-proof mortar and imperband sheet.
- It includes imperband kit for waterproofing the shower tray and the adjustment piece.
- Available in two options:
 - imperband standard kit: 40 mm high
 - imperband refurbishing kit: 30 mm high
- Available for square as well as for linear drains.

- Compression resistance (10% DIN 3421 0.3 N / mm² crush risk):
- Initial thermal conductivity: DIN 2612 0.0336 W/m°K
- Flammability: DIN 4102 B1

concept shower tray selection guide

1. Depending on the drain outlet, select the type of concept xps shower tray to be used:

- Vertical outlet: Standard tray
- Horizontal outlet: Select depending on the shower tray height.

2. Depending on the shower tray height, select the type of concept xps tray to be used:

- 75–100 mm height Refurbishing shower tray
- > 100 mm height Standard shower tray

3. Select the type of decorative grating:

- Square grating: Shower tray for square grating
- Linear grating: Shower tray for linear grating

Recommended uses:

- Specially designed for waterproofing built in showers.

Materials:

- Absorbent and non-absorbent ceramic tiles. Porcelain tiles with a water absorption < 0.5% as per EN-ISO 10545-3.
- Glass mosaic.
- Natural stone and marble not prone to staining.

Substrates:

- Concrete floor slabs.
- Cement covered floors.

4. Select the grating position:

- ESQ: Grating on a corner.
- CENT: Grating in a central position.
- LAT: Grating in a lateral position.

5. Select the shower tray shape:

- Square shower tray.
- Rectangular shower tray.

6. Choose the shower tray among the available sizes.

In the case that the available sizes do not fit in the project needs, there is the possibility of making custom shower trays.



Shower trays


Standard shower trays for square grating

These shower trays feature a 40 mm thickness.
It includes the imperband standard kit.
Does not include the square grating.

concept xps shower trays


Square shower trays with square corner grating: ESQ

KEA	SAP		Presentation	P/EU
B88000240	100103276	900 x 900 x 40 mm	Shower tray + imperband Kit	304.11 p/u
B88000214	100103236	1000 x 1000 x 40 mm	Shower tray + imperband Kit	311.27 p/u
B88000210	100103249	1200 x 1200 x 40 mm	Shower tray + imperband Kit	330.06 p/u



Rectangular shower trays with lateral square grid: LAT

KEA	SAP		Presentation	P/EU
B88000220	100103251	900 x 1200 x 40 mm	Shower tray + imperband Kit	313.37 p/u
B88000234	100103257	900 x 1400 x 40 mm	Shower tray + imperband Kit	337.76 p/u
B88000204	100103265	900 x 1500 x 40 mm	Shower tray + imperband Kit	335.98 p/u
B88000227	100103267	900 x 1600 x 40 mm	Shower tray + imperband Kit	355.42 p/u
B88000307	100108080	900 x 1800 x 40 mm	Shower tray + imperband Kit	502.60 p/u
B88000217	100103247	1000 x 1200 x 40 mm	Shower tray + imperband Kit	306.04 p/u




Standard shower trays for linear grating

These shower trays feature a 40 mm thickness.
It includes the imperband standard kit.
Does not include linear gratings.

concept xps shower trays


Square shower trays with lateral linear grating: LAT Q

KEA	SAP		Presentation	P/EU
B88000296	100105151	900 x 900 x 40 mm	Shower tray + imperband Kit	637.76 p/u
B88000376	100114468	1000 x 1000 x 40 mm	Shower tray + imperband Kit	664.42 p/u
B88000299	100106439	1200 x 1200 x 40 mm	Shower tray + imperband Kit	870.17 p/u
B88000370	100114485	1500 x 1500 x 40 mm	Shower tray + imperband Kit	1018.06 p/u



Rectangular shower trays with lateral linear grating: LAT R

KEA	SAP		Presentation	P/EU
B88000303	100106437	900 x 1000 x 40 mm	Shower tray + imperband Kit	653.70 p/u
B88000295	100105150	900 x 1200 x 40 mm	Shower tray + imperband Kit	664.42 p/u
B88000300	100106441	900 x 1500 x 40 mm	Shower tray + imperband Kit	723.35 p/u
B88000374	100114491	900 x 1600 x 40 mm	Shower tray + imperband Kit	739.44 p/u
B88000319	100108880	900 x 1800 x 40 mm	Shower tray + imperband Kit	760.87 p/u
B88000304	100106438	1000 x 1200 x 40 mm	Shower tray + imperband Kit	669.78 p/u
B88000302	100106440	1400 x 900 x 40 mm	Shower tray + imperband Kit	685.85 p/u




Refurbishing shower trays for square grating

These shower trays feature a 30 mm thickness.
It includes the imperband refurbishing kit.
Does not include the square grating.

concept xps shower trays


Square shower trays with square corner grating: ESQ

KEA	SAP		Presentation	P/EU
B88000260	100103297	900 x 900 x 30 mm	Shower tray + imperband Kit	324.52 p/u
B88000249	100103282	1000 x 1000 x 30 mm	Shower tray + imperband Kit	332.24 p/u
B88000256	100103295	1200 x 1200 x 30 mm	Shower tray + imperband Kit	358.74 p/u
B88000285	100103312	1500 x 1500 x 30 mm	Shower tray + imperband Kit	483.45 p/u



Rectangular shower trays with lateral square grid: LAT

KEA	SAP		Presentation	P/EU
B88000262	100103300	900 x 1200 x 30 mm	Shower tray + imperband Kit	333.90 p/u
B88000264	100103306	900 x 1300 x 30 mm	Shower tray + imperband Kit	357.62 p/u
B88000279	100103314	900 x 1500 x 30 mm	Shower tray + imperband Kit	364.25 p/u
B88000282	100103316	900 x 1600 x 30 mm	Shower tray + imperband Kit	376.39 p/u
B88000259	100103293	1000 x 1200 x 30 mm	Shower tray + imperband Kit	334.45 p/u




Refurbishing shower trays for linear grating

These shower trays feature a 30 mm thickness.
It includes the imperband refurbishing kit.
Does not include linear gratings.

concept xps shower trays


Square shower trays with lateral linear grating: LAT Q

KEA	SAP		Presentation	P/EU
B88000367	100114495	900 x 900 x 30 mm	Shower tray + imperband Kit	653.70 p/u
B88000380	100114466	1000 x 1000 x 30 mm	Shower tray + imperband Kit	664.42 p/u
B88000378	100114476	1200 x 1200 x 30 mm	Shower tray + imperband Kit	870.17 p/u
B88000439	100116128	1500 x 1500 x 30 mm	Shower tray + imperband Kit	1018.06 p/u



Rectangular shower trays with lateral linear grating: LAT R

KEA	SAP		Presentation	P/EU
B88000379	100114471	900 x 1000 x 30 mm	Shower tray + imperband Kit	653.70 p/u
B88000354	100111299	900 x 1200 x 30 mm	Shower tray + imperband Kit	664.42 p/u
B88000368	100114473	1000 x 1200 x 30 mm	Shower tray + imperband Kit	669.78 p/u
B88000384	100114481	1400 x 900 x 30 mm	Shower tray + imperband Kit	685.85 p/u
B88000375	100114487	900 x 1500 x 30 mm	Shower tray + imperband Kit	723.35 p/u
B88000361	100114464	900 x 1600 x 30 mm	Shower tray + imperband Kit	739.44 p/u
B88000349	100110584	900 x 1800 x 30 mm	Shower tray + imperband Kit	760.87 p/u



All the concept xps shower trays have available a 50 mm thickness special piece to increase the height of the shower tray and cover sewer and drain. Check conditions with your sales representative from PORCELANOSA GRUPO.

All the concept xps shower trays have available a 50 mm thickness special piece to increase the height of the shower tray and cover sewer and drain. Check conditions with your sales representative from PORCELANOSA GRUPO.

Information referring to squared gratings is on page 191.

Information referring to linear gratings is on page 190.



Bespoke shower trays


If you need a shower tray with certain dimensions or shape that cannot be found in our standard shower trays range, butech can make the shower tray with the shape and dimensions you need.

Just send us a drawing with the dimensions and shape you want for your shower tray and we will give you a price and a delivery date. If you agree, we will make your custom shower tray.

For making a square or rectangular shower tray, we need the following information:

- Shower tray dimensions:
 - Long side xP
 - Wide side yP
 - Thickness: choose among 30/40 mm
- Grating type
 - Square grating
 - Linear grating choose among 59.6/80/120 mm
- Drain position
 - Long side xS
 - Wide side yS

All dimensions must be entered in millimeters.



All custom drains include the imperband kit corresponding to the thickness of the chosen board.

Decorative grating is not included. Refer to page 126-127.

All the custom concept xps shower trays have available a 50 mm thickness special piece to increase the height of the shower tray and cover sewer and drain. Check conditions with your sales representative from PORCELANOSA GRUPO.

In case you need a shower tray with a non orthogonal shape, check with butech sales department.


Bespoke standard shower trays

These shower trays feature a 40 mm thickness.
It includes the imperband standard kit.
Does not include square gratings.

concept xps shower trays


Square shower trays with square corner grating: ESQ Q

KEA	SAP		Presentation	P/EU	
B88000224	100103244	1-1000 x < 1000 x 40 mm	Shower tray + imperband Kit		369.77 p/u
B88000235	100103240	1001-1200 x < 1200 x 40 mm	Shower tray + imperband Kit		442.07 p/u
B88000219	100103254	1201-1400 x < 1400 x 40 mm	Shower tray + imperband Kit		514.37 p/u
B88000243	100103260	1401-1600 x < 1600 x 40 mm	Shower tray + imperband Kit		587.21 p/u



Square shower trays with central square grating: CENT Q



KEA	SAP		Presentation	P/EU	
B88000205	100103242	1-1000 x < 1000 x 40 mm	Shower tray + imperband Kit		369.77 p/u
B88000203	100103238	1001-1200 x < 1200 x 40 mm	Shower tray + imperband Kit		442.62 p/u
B88000209	100103252	1201-1400 x < 1400 x 40 mm	Shower tray + imperband Kit		514.37 p/u
B88000229	100103258	1401-1600 x < 1600 x 40 mm	Shower tray + imperband Kit		587.21 p/u



Rectangular shower trays with square lateral grating: LAT R

KEA	SAP		Presentation	P/EU	
B88000211	100103245	1-1000 x < 901 x 40 mm	Shower tray + imperband Kit		362.90 p/u
B88000222	100103241	1001-1200 x < 901 x 40 mm	Shower tray + imperband Kit		364.52 p/u
B88000208	100103255	1201-1400 x < 901 x 40 mm	Shower tray + imperband Kit		505.05 p/u
B88000231	100103261	1401-1600 x < 901 x 40 mm	Shower tray + imperband Kit		590.52 p/u
B88000215	100103268	1601-1800 x < 901 x 40 mm	Shower tray + imperband Kit		663.93 p/u



The maximum length of the wide side of this type of tray is 900 mm. For higher lengths, check with butech sales department.



Rectangular shower trays with central square grating: CENT R

KEA	SAP		Presentation	P/EU	
B88000223	100103243	1-1000 x < 901 x 40 mm	Shower tray + imperband Kit		371.97 p/u
B88000202	100103239	1001-1200 x < 901 x 40 mm	Shower tray + imperband Kit		374.18 p/u
B88000241	100103253	1201-1400 x < 901 x 40 mm	Shower tray + imperband Kit		515.47 p/u
B88000226	100103259	1401-1600 x < 901 x 40 mm	Shower tray + imperband Kit		590.52 p/u
B88000221	100103269	1601-1800 x < 901 x 40 mm	Shower tray + imperband Kit		664.48 p/u
B88000233	100103271	1801-2000 x < 901 x 40 mm	Shower tray + imperband Kit		719.35 p/u
B88000242	100103273	2001-2200 x < 901 x 50 mm	Shower tray + imperband Kit		811.28 p/u

The maximum length of the wide side of this type of tray is 900 mm. For higher lengths, check with butech sales department.





Bespoke standard shower trays for linear grating

These shower trays feature a 40 mm thickness.
It includes the imperband standard kit.
Does not include linear gratings.

concept xps shower trays


Square shower trays with lateral linear grating: LINEAL LAT Q

KEA	SAP		Presentation	P/EU	
B88000438	100116102	1-1000 x < 1000 x 40 mm	Shower tray + imperband Kit		664.42 p/u
B88000429	100116110	1001-1200 x < 1200 x 40 mm	Shower tray + imperband Kit		685.85 p/u
B88000416	100116118	1201-1400 x < 1400 x 40 mm	Shower tray + imperband Kit		707.28 p/u
B88000400	100116126	1401-1600 x < 1600 x 40 mm	Shower tray + imperband Kit		723.35 p/u



Square shower trays with central linear grating: LINEAL CENT Q



KEA	SAP		Presentation	P/EU	
B88000437	100116100	1-1000 x < 1000 x 40 mm	Shower tray + imperband Kit		664.42 p/u
B88000410	100116108	1001-1200 x < 1200 x 40 mm	Shower tray + imperband Kit		685.85 p/u
B88000419	100116116	1201-1400 x < 1400 x 40 mm	Shower tray + imperband Kit		707.28 p/u
B88000405	100116124	1401-1600 x < 1600 x 40 mm	Shower tray + imperband Kit		723.35 p/u



Rectangular shower trays with linear side grating: LINEAL LAT R

KEA	SAP		Presentation	P/EU	
B88000440	100116103	1-1000 x < 901 x 40 mm	Shower tray + imperband Kit		664.42 p/u
B88000433	100116111	1001-1200 x < 901 x 40 mm	Shower tray + imperband Kit		685.85 p/u
B88000434	100116119	1201-1400 x < 901 x 40 mm	Shower tray + imperband Kit		707.28 p/u
B88000344	100110295	1401-1600 x < 901 x 40 mm	Shower tray + imperband Kit		723.35 p/u
B88000343	100110164	1601-1800 x < 901 x 40 mm	Shower tray + imperband Kit		728.71 p/u
B88000412	100116136	1801-2000 x < 901 x 40 mm	Shower tray + imperband Kit		803.73 p/u
B88000415	100116140	2001-2200 x < 901 x 50 mm	Shower tray + imperband Kit		857.31 p/u



The maximum length of the wide side of this type of tray is 900 mm. For higher lengths, check with butech sales department.



Rectangular shower trays with central linear grating: LINEAL CENT R

KEA	SAP		Presentation	P/EU	
B88000441	100116101	1-1000 x < 901 x 40 mm	Shower tray + imperband Kit		664.42 p/u
B88000399	100116109	1001-1200 x < 901 x 40 mm	Shower tray + imperband Kit		685.85 p/u
B88000408	100116117	1201-1400 x < 901 x 40 mm	Shower tray + imperband Kit		707.28 p/u
B88000403	100116125	1401-1600 x < 901 x 40 mm	Shower tray + imperband Kit		723.35 p/u
B88000421	100116131	1601-1800 x < 901 x 40 mm	Shower tray + imperband Kit		728.71 p/u
B88000424	100116135	1801-2000 x < 901 x 40 mm	Shower tray + imperband Kit		803.73 p/u
B88000401	100116139	2001-2200 x < 901 x 50 mm	Shower tray + imperband Kit		857.31 p/u

The maximum length of the wide side of this type of tray is 900 mm. For higher lengths, check with butech sales department.



Bespoke refurbishing shower trays

These shower trays feature a 30 mm thickness.
It includes the imperband refurbishing kit.
Does not include squaregratings.

concept xps shower trays

Square shower trays with square corner grating: ESQ Q



KEA	SAP	
B88000250	100103290	1-1000 x < 1000 x 30 mm
B88000254	100103286	1001-1200 x < 1200 x 30 mm
B88000263	100103303	1201-1400 x < 1400 x 30 mm
B88000266	100103309	1401-1600 x < 1600 x 30 mm

Presentation

Shower tray + imperband Kit
Shower tray + imperband Kit
Shower tray + imperband Kit
Shower tray + imperband Kit

P/EU

390.74 p/u
462.49 p/u
535.34 p/u
607.09 p/u



Square shower trays with central square grating: CENT Q



KEA	SAP	
B88000251	100103288	1-1000 x < 1000 x 30 mm
B88000244	100103284	1001-1200 x < 1200 x 30 mm
B88000267	100103301	1201-1400 x < 1400 x 30 mm
B88000275	100103307	1401-1600 x < 1600 x 30 mm

Presentation

Shower tray + imperband Kit
Shower tray + imperband Kit
Shower tray + imperband Kit
Shower tray + imperband Kit

P/EU

390.74 p/u
462.49 p/u
534.79 p/u
607.09 p/u



Rectangular shower trays with square lateral grating: LAT R



KEA	SAP	
B88000246	100103291	1-1000 x < 901 x 30 mm
B88000258	100103287	1001-1200 x < 901 x 30 mm
B88000268	100103304	1201-1400 x < 901 x 30 mm
B88000278	100103310	1401-1600 x < 901 x 30 mm
B88000265	100103317	1601-1800 x < 901 x 30 mm

Presentation

Shower tray + imperband Kit
Shower tray + imperband Kit
Shower tray + imperband Kit
Shower tray + imperband Kit
Shower tray + imperband Kit

P/EU

392.40 p/u
394.05 p/u
524.43 p/u
611.49 p/u
684.34 p/u



The maximum length of the wide side of this type of tray is 900 mm. For higher lengths, check with butech sales department.

Rectangular shower trays with central square grating: CENT R



KEA	SAP	
B88000255	100103289	1-1000 x < 901 x 30 mm
B88000245	100103285	1001-1200 x < 901 x 30 mm
B88000274	100103302	1201-1400 x < 901 x 30 mm
B88000281	100103308	1401-1600 x < 901 x 30 mm
B88000276	100103318	1601-1800 x < 901 x 30 mm
B88000280	100103320	1801-2000 x < 901 x 30 mm
B88000284	100103322	2001-2200 x < 901 x 30 mm

Presentation

Shower tray + imperband Kit
Shower tray + imperband Kit
Shower tray + imperband Kit
Shower tray + imperband Kit
Shower tray + imperband Kit
Shower tray + imperband Kit
Shower tray + imperband Kit

P/EU

392.94 p/u
394.05 p/u
535.34 p/u
612.60 p/u
684.34 p/u
759.40 p/u
833.36 p/u



The maximum length of the wide side of this type of tray is 900 mm. For higher lengths, check with butech sales department.

All the concept xps shower trays have available a 50 mm thickness special piece to increase the height of the shower tray and cover sewer and drain. Check conditions with your sales representative from PORCELANOSA GRUPO.

Information referring to squared gratings is on page 191.

Bespoke refurbishing shower trays for linear grating

These shower trays feature a 30 mm thickness.
It includes the imperband refurbishing kit.
Does not include linear gratings.

concept xps shower trays

Square shower trays with lateral linear grating: LINEAL LAT Q



KEA	SAP	
B88000413	100116098	1-1000 x < 1000 x 30 mm
B88000404	100116106	1001-1200 x < 1200 x 30 mm
B88000406	100116114	1201-1400 x < 1400 x 30 mm
B88000432	100116122	1401-1600 x < 1600 x 30 mm

Presentation

Shower tray + imperband Kit
Shower tray + imperband Kit
Shower tray + imperband Kit
Shower tray + imperband Kit

P/EU

664.42 p/u
685.85 p/u
707.28 p/u
723.35 p/u



Square shower trays with central linear grating: LINEAL CENT Q



KEA	SAP	
B88000443	100116096	1-1000 x < 1000 x 30 mm
B88000402	100116104	1001-1200 x < 1200 x 30 mm
B88000420	100116112	1201-1400 x < 1400 x 30 mm
B88000431	100116120	1401-1600 x < 1600 x 30 mm

Presentation

Shower tray + imperband Kit
Shower tray + imperband Kit
Shower tray + imperband Kit
Shower tray + imperband Kit

P/EU

664.42 p/u
685.85 p/u
707.28 p/u
723.35 p/u



Rectangular shower trays with linear side grating: LINEAL LAT R



KEA	SAP	
B88000418	100116099	1-1000 x < 901 x 30 mm
B88000427	100116107	1001-1200 x < 901 x 30 mm
B88000409	100116115	1201-1400 x < 901 x 30 mm
B88000436	100116123	1401-1600 x < 901 x 30 mm
B88000435	100116130	1601-1800 x < 901 x 30 mm
B88000417	100116134	1801-2000 x < 901 x 30 mm
B88000425	100116138	2001-2200 x < 901 x 30 mm

Presentation

Shower tray + imperband Kit
Shower tray + imperband Kit
Shower tray + imperband Kit
Shower tray + imperband Kit
Shower tray + imperband Kit
Shower tray + imperband Kit
Shower tray + imperband Kit

P/EU

664.42 p/u
685.85 p/u
707.28 p/u
723.35 p/u
728.71 p/u
803.73 p/u
857.31 p/u



The maximum length of the wide side of this type of tray is 900 mm. For higher lengths, check with butech sales department.

Rectangular shower trays with central linear grating: LINEAL CENT R


KEA	SAP	
B88000442	100116097	1-1000 x < 901 x 30 mm
B88000407	100116105	1001-1200 x < 901 x 30 mm
B88000422	100116113	1201-1400 x < 901 x 30 mm
B88000423	100116121	1401-1600 x < 901 x 30 mm
B88000430	100116129	1601-1800 x < 901 x 30 mm
B88000411	100116133	1801-2000 x < 901 x 30 mm
B88000428	100116137	2001-2200 x < 901 x 30 mm

Presentation

Shower tray + imperband Kit
Shower tray + imperband Kit
Shower tray + imperband Kit
Shower tray + imperband Kit
Shower tray + imperband Kit
Shower tray + imperband Kit
Shower tray + imperband Kit

P/EU

664.42 p/u
685.85 p/u
707.28 p/u
723.35 p/u
728.71 p/u
803.73 p/u
857.31 p/u



The maximum length of the wide side of this type of tray is 900 mm. For higher lengths, check with butech sales department.

All the concept xps shower trays have available a 50 mm thickness special piece to increase the height of the shower tray and cover sewer and drain. Check conditions with your sales representative from PORCELANOSA GRUPO.

Information referring to linear gratings is on page 190.

Panel concept xps

concept xps panels are extruded polystyrene panels ready for laying wall tiles, mosaics or natural stone with cement-based adhesives. Polystyrene lightness and easy handling, as well as its mechanical resistance and damp resistance make of this panel the perfect substrate for all kinds of environments where damp is present.

This kind of panel is available in thicknesses ranging from 4 to 80 mm and also in special precut boards that allow for a fast installation of curved shapes.



Features:

- Extruded polystyrene boards covered on both sides with waterproof cement mortar.
- Non-absorbent material. Its structure prevents water buildup. Resistant to dampness.
- Excellent surface for laying rectified tiles.
- Low thermal conductivity coefficient.
- Good soundproofing against impact noise.
- Easy handling and transport.
- Quick and clean installation.
- Resistant to microorganism attack.
- Inert and non-hazardous material made with 50% to 70% recycled material.
- Fire resistant: B1 as per DIN 4102.

Substrates:

- Usual indoor substrates in the building industry.
- Uncovered brick partition walls.
- Concrete floor slabs.
- Existing wall and floor tiles.
- Self-supporting indoors. Only 50 and 80 mm boards.

Recommended uses:

- Preparation of substrates for ceramic tiles laying. Specially recommended in refurbishing jobs.
- Bathroom countertops and vanities in permanently wet areas.
- Bathroom partition walls and platforms.
- Bathtub skirts and shower cabins.
- Shelves and panels attached to partition walls.
- Health resorts, saunas and spa premises.
- Thermal insulation of electric radiant heating floors.

Materials:

- Absorbent and non-absorbent ceramic tiles. Porcelain tiles with a water absorption < 0.5% as per EN-ISO 10545-3.
- Glass mosaic.
- Natural stone and marble not prone to staining.

Fixing elements for concept xps panels

concept fastening

KEA	SAP		Presentation	P/EU
B88000042	100067686	45 mm metal fastening	50 ud/bag	34.40 p/bag
B88000017	100062773	130 mm plastic fastening	10 ud/bag	10.08 p/bag
B88000028	100062774	130 mm plastic fastening	50 ud/bag	46.77 p/bag
B88000021	100062775	80 mm plastic fastening	10 ud/bag	7.43 p/bag
B88000013	100062776	80 mm plastic fastening	50 ud/bag	31.78 p/bag
B88000014	100062790	concept bathtub skirt	6 ud/bag	27.46 p/bag

Self-adhesive fiberglass mesh roll

KEA	SAP		Presentation	P/EU
B88000012	100062825	self-adhesive fiberglass mesh	Roll 10 m	10.24 p/roll
B88000009	100062826	self-adhesive fiberglass mesh	Roll 20 m	17.65 p/roll

Polyurethane putty

KEA	SAP		Presentation	P/EU
B82401003	100005820	p-404 negro	310 ml	6.84 p/u
B12909011	100031189	super-one gris	25kg	1.12 p/kg



Technical features

PROPERTIES	STANDARD	VALUE
Compression resistance (10% strain)	DIN 53421	300 KN/m ²
Nominal density	EN 1602	35 Kg/m3
Shear resistance	EN 12090	0,25 N/mm ²
Tensile strength	EN 1607	0,50 N/mm ²
Adherence of the protection		> 2,0 Kg/cm ²
Resistance to eccentric load		> 10,0 Kg/cm ²
Water absorption		< 1,0 Kg/m ²
Thermal conductivity	EN 13164	0,034 W/m.k (30-60 mm) 0,036 W/m.k (> 60 mm)
Working temperature range		-50 °C / +75 °C
Tolerances		Length: +/- 5 mm Width: +/- 3 mm Thickness: +/- 2 mm Squareness: < 2 mm/m.l.
Fire resistance	DIN 4102-1	B s1-d0

concept xps panels				
KEA	SAP		ud./pallet	P/EU
B88000286	100103351	4 mm 1250 x 600	300	22.56 p/u
B88000287	100103352	6 mm 1250 x 600	280	21.74 p/u
B88000289	100103349	10 mm 2500 x 600	225	47.29 p/u
B88000288	100103350	20 mm 2500 x 600	111	50.99 p/u
B88000292	100103354	30 mm 2500 x 600	89	57.54 p/u
B88000293	100103355	50 mm 2500 x 600	53	66.52 p/u
B88000291	100103356	80 mm 2500 x 60	31	104.02 p/u

Shower trays



WATERPROOFING

WATERPROOFING

- 186 Imperband deck kit
- 188 Imperband standard kit
- 189 Imperband refurbishing kit n
- 190 Linear grates
- 191 Squared grates
- 192 Imperbox
- 193 Sylastic
- 194 Bathroom drain
- 195 Terrace drain
- 196 Imperband

DECOUPLING AND WATERPROOFING

- 198 butech anti-cracking mat
- 199 Lamitech n

imperband deck kit

New waterproofing system for ceramic parquet-covered shower trays; specially designed for PORCELANOSA Grupo’s PAR-KER and STARWOOD lines. In this system, the traditional metal grid is replaced with a ceramic piece so that the drain system is hidden from sight. Professional use.

PAR-KER and STARWOOD is compatible with shower trays that have one, two, or four slopes, draining only through an open joint in the shower tray covering. A new invisible drain concept, for the best bathroom designs.

Characteristics:

- Drainage system for ceramic-covered and ceramic trim shower trays.
- Drainage through the open perimeter joint around the ceramic cover. Drainage joint width: 4 mm.
- Ultra-slim shower tray; only 22 mm in height, plus 60 mm from the drain.
- Compatible with all butech shower waterproofing systems: imperband, sylastic, and imperbo x
- Suitable for all PAR-KER and STARWOOD models of less than 150 cm in length
- High resistance to domestic-use detergents.
- Safe and easy to maintain system.
- Quick and easy installation.

Materials:

- Anti-slip porcelain tile plates.
- STON-KER antislip
- PAR-KER antislip
- STARWOOD antislip
- URBATEK antislip

Substrates:

- Cement covered floors

Componentes:

- Tray with the corresponding measure with 15 cm thermo-sealed imperband flange
- Large flow removable drain and trap
- Trap tightening wrench
- Manhole key
- 5 meter imperband roll

* Ceramic trim not included

Recommended use:

Ceramic showers with ceramic parquet covering. Especially recommended for the following models:

- STARWOOD 250 x 1500 mm
- PAR-KER 219 x 660 mm
- PAR-KER 210 x 659 mm
- PAR-KER 143 x 900 mm
- PAR-KER 220 x 900 mm
- PAR-KER 193 x 1200 mm
- PAR-KER 294 x 1200 mm

Installation:

- Connect the deck drain to the drain pipe.
- Connect the deck drain to the linear deck base.
- Prepare the shower tray base with cement mortar and level with the linear deck base, and let dry. As a general rule, we recommend a 2% slope
- Once the shower tray base is dry, waterproof the joint between the linear deck base and the shower tray by using the imperband perimeter band. Bond with a C2 S1 adhesive as per EN 12004, such as one-flex premium.
- Waterproof both the shower tray and the shower walls with the chosen system. Although butech offers several systems that are compatible with the imperband deck kit, we recommend the imperband waterproof sheet; follow the instructions for use strictly.
- Install the shower tray floor using the thin layer, double bonding technique. Use an adhesive that is at least a C2 S1 as per EN 12004, suitable for the chosen ceramic type.
- Install the ceramic trim.
- Fill the tile joints of the shower tray covering with a moisture-resistant material; as a general rule, we recommend RG materials as per EN 13888, such as epotech nature.
- Seal the shower tray perimeter joints and wall intersections using an elastic sealant such as s-107 n

deck imperband kit

KEA	SAP		Presentation	P/EU
B82902180	100215018	Kit 210 x 659 cm	1ud/box	333.22 p/u
B82902179	100215040	Kit 219 x 660 cm	1ud/box	339.93 p/u
B82902177	100214989	Kit 143 x 900 cm	1ud/box	331.73 p/u
B82902181	100215031	Kit 220 x 900 cm	1ud/box	406.65 p/u
B82902178	100214995	Kit 193 x 1200 cm	1ud/box	454.35 p/u
B82902183	100215006	Kit 294 x 1200 cm	1ud/box	583.69 p/u
B82902182	100215023	Kit 250 x 1500 cm	1ud/box	619.10 p/u

Before using this product in any application not indicated in this catalogue, please perform a test or refer to the product’s technical sheet.



imperband standard kit

The **standard imperband kit** is an indoor waterproofing system consisting of a PVC gutter thermowelded to a 150 x 225 cm waterproof sheet. Specially recommended for waterproofing shower trays in new building works. Residential use.

The waterproof sheet is an imperband type 0,5 mm thick polymer membrane with a double thermoplastic polyolefin sheet and covered on both sides by non woven polyester fibers that allow it to be bonded to surfaces using cement-based adhesives. The gutter features a compact design and multiple possibilities of outlet connections.

It does not include neither the grate nor the drain frame.



Features:

- Maximum security, it eliminates leakage risks between waterproof sheet and drain piece.
- 150 x 225 cm waterproof sheet.
- Discharge speed. 0.6 l/s.
- Compact system, just 100 mm high.
- Adaptable to horizontal and vertical outlets. Asjustable outlet diameter: 40/50 mm.
- Includes u-bend.
- Direct installation of the tile on the waterproof sheet.
- Quick and easy application.

Recommended use:

- Specially designed for waterproofing built in showers.

Materials:

- Absorbent and non-absorbent ceramic tiles. Porcelain tiles with a water absorption < 0.5% as per EN-ISO 10545-3.
- Glass mosaic.
- Natural stone.

Installation:

- Depending on the drainage pipe position, select one of the system outlets and seal the other outlet with the cap provided to that effect.
- Given the case, use the drain outlet diameter adapter and glue the drainage pipe.
- Before laying the ceramics of the shower tray, check that the gutter works correctly.
- Use the waterproof sheet in the same way as the imperband sheet.

Substrates:

- Cement covered floors.
- Specially designed for Concept XPS shower trays, prefabricated polystyrene panels.

imperband kit				
KEA	SAP		Presentation	P/EU
B82902038	100103360	Kit 150 x 225 cm	1ud/box	93.66 p/u

Before using this product in any application not indicated in this catalogue, please perform a test or refer to the product's technical sheet.

imperband refurbishing kit n

The **imperband refurbishing kit n** is an indoor waterproofing system consisting of an extrathin PVC gutter thermowelded to a 150 x 225 cm waterproof sheet. Specially recommended for waterproofing shower trays in refurbishing jobs. Residential use.

The waterproof sheet is an imperband type 0.5 mm thick polymer membrane with a double thermoplastic polyolefin sheet and covered on both sides by non woven polyester fibers that allow it to be bonded to surfaces using cement-based adhesives. The only 65 mm drain height allows to carry out installations of 75 mm from the substrate to the ceramic wall covering.

It does not include neither the grate nor the drain frame.



Features:

- Maximum security, it eliminates leakage risks between waterproof sheet and drain piece.
- 150 x 225 cm waterproof sheet.
- Discharge speed. 0.5 l/s.
- Very compact system, just 75 mm high.
- 50 mm diameter horizontal outlet.
- Includes u-bend.
- Direct installation of the tile on the waterproof sheet.
- Quick and easy application.

Recommended use:

- Specially designed for waterproofing showers in refurbishing jobs.

Materials:

- Absorbent and non-absorbent ceramic tiles. Porcelain tiles with a water absorption < 0.5% as per EN-ISO 10545-3.
- Glass mosaic.
- Natural stone.

Installation:

- Connect the imperband refurbishing kit n and check that the gutter works correctly.
- Use the waterproof sheet in the same way as the imperband sheet.

Substrates:

- Cement covered floors.
- Specially designed for Concept XPS shower trays, prefabricated polystyrene panels.

kit imperband				
KEA	SAP		Presentation	P/EU
B82902174	100187047	Kit 150 x 225 cm	1ud/box	117.57 p/u

Before using this product in any application not indicated in this catalogue, please perform a test or refer to the product's technical sheet.

linear grates

glass white

KEA	SAP		Presentation
B82902079	100141156	80 x 596 cm	1ud/box

P/EU
352.19 p/u



glass black

KEA	SAP		Presentation
B82902076	100141153	80 x 596 cm	1ud/box

P/EU
352.19 p/u



ceramic framed

KEA	SAP		Presentation
B82902098	100148594	93 x 1200 cm	1ud/box
B82902120	100148595	93 x 800 cm	1ud/box
B82902116	100148593	93 x 596 cm	1ud/box

P/EU
530.46 p/u
391.15 p/u
293.73 p/u



The mounting kit for the linear grating includes the metal base for anchoring the ceramic tile, adhesive putty for installing, and emery for smoothing out ceramic cuts. Porcelain tiles are not included.

ceramic non framed

KEA	SAP		Presentation
B90200675	100119619	93 x 1200 cm	1ud/box
B82902153	100119621	93 x 800 cm	1ud/box
B82902090	100119620	93 x 596 cm	1ud/box

P/EU
530.46 p/u
391.15 p/u
293.63 p/u



The mounting kit for the linear grating includes the metal base for anchoring the ceramic tile, adhesive putty for installing, and emery for smoothing out ceramic cuts. Porcelain tiles are not included.

chrome texture

KEA	SAP		Presentation
B82902044	100103364	93 x 1200 cm	1ud/box
B82902042	100103366	93 x 800 cm	1ud/box
B82902045	100103365	93 x 596 cm	1ud/box

P/EU
543.39 p/u
380.45 p/u
290.08 p/u



Includes drainage channel and grate.

Before using this product in any application not indicated in this catalogue, please perform a test or refer to the product's technical sheet.

texture

KEA	SAP		Presentation
B82902047	100103367	93 x 1200 cm	1ud/box
B82902048	100103369	93 x 800 cm	1ud/box
B82902036	100103368	93 x 596 cm	1ud/box

P/EU
521.69 p/u
376.91 p/u
276.44 p/u



squared

KEA	SAP		Presentation
B82902035	100103370	93 x 1200 cm	1ud/box
B82902039	100103372	93 x 800 cm	1ud/box
B82902041	100103371	93 x 596 cm	1ud/box

P/EU
474.51 p/u
347.24 p/u
261.36 p/u



line

KEA	SAP		Presentation
B82902043	100103373	93 x 1200 cm	1ud/box
B82902040	100103375	93 x 800 cm	1ud/box
B82902046	100103374	93 x 596 cm	1ud/box

P/EU
474.51 p/u
347.24 p/u
256.43 p/u



square grates

KEA	SAP		Presentation
B82902094	100148572	standard n squared	1ud/box
B82902056	100114593	sun	1ud/box

P/EU
37.86 p/u
49.00 p/u



standard n



sun

Includes drainage channel and grate.

Before using this product in any application not indicated in this catalogue, please perform a test or refer to the product's technical sheet.

imperbox

imperbox is paste, ready-to-use waterproofing system specially recommended for waterproofing plasterboard indoors. Compatible with type C2 cement-based adhesive as per EN 12004. Indoor use.

Paste with water-dispersed acrylic polymers that provide it with excellent bonding and deformability properties, which means it can be used over the most common types of substrates used in construction. Special pieces and bands available for waterproofing joints and other critical spots.



Features:

- Water-based paste.
- Indoor waterproofer.
- Excellent adherence. Flexible.
- Good chemical resistance.
- Quick and easy application.

Materials:

- Absorbent and non-absorbent ceramic tiles. Porcelain tiles with a water absorption < 0.5% as per EN-ISO 10545-3.
- Glass mosaic.
- Natural stone and marble not prone to staining.

Substrates:

- Cement covered floors and walls .
- Anhydrite or plaster covered floors and walls .
- Concrete slabs.
- Plasterboards.
- Plywood boards.

Coverage:

Bond coat	
• One-layer application	1.8 kg / m²
Waterproofing	
• Two-layer application	3.6 kg / m²
Mean thickness per imperbox layer: 1.5 mm	

Recommended use:

- Private bathrooms. Built in showers.
- Public toilets and showers.
- Spas and premises in permanently damp environments.
- Balconies, covered terraces, cornices and gutters.
- Adhesion promoter on old vinyl and polyurethane adhesives.
- Do not use in outdoors surfaces greater than 10 m².

Angles and waterproof bands:

Special pieces made of waterproof thermoplastic rubber, mounted on polyester sheets which allow laying with type C2 cement-based adhesives as per EN 12004. Specially designed for waterproofing critical spots.

- 1. Inner angle:** Piece for sealing inner corners.
- 2. Outer angle:** Piece for sealing outer corners.
- 3. Waterproof band:** 8 cm wide waterproofing band for sealing edges, level changes and movement joints.



imperbox				
KEA	SAP		Presentation	P/EU
B84906005	100006223	imperbox manhattan	10 Kg can 450 Kg/pallet	6.63 p/kg
B84900101	100006210	outer angle	unit	8.00 p/u
B84900202	100006211	inner angle	unit	8.00 p/u
B85900008	100081532	5 ml waterproof band	Roll 5 m	4.35 p/m
B85900009	100081531	10 ml waterproof band	Roll 10 m	4.15 p/m
B84905004	100006221	50 ml waterproof band	Roll 50 m	4.00 p/m

Before using this product in any application not indicated in this catalogue, please perform a test or refer to the product's technical sheet.

sylastic

sylastic is a two-component cement-based waterproofer with excellent bonding and deformability features, specially recommended for waterproofing outdoors. Compatible with type C2 cement-based adhesive as per EN 12004. Indoor and outdoor use.

Prevents the need of screed between waterproofing sheet and ceramic floor, thus reducing the final system thickness. It is applied in two 1-2 mm layers each, with a fiberglass mesh reinforcement on the first application. Special pieces and bands available for waterproofing joints and other critical spots.



Features:

- Two-component waterproofing mortar.
- Indoor and outdoor waterproofer.
- Maximum waterproofing with minimal thickness (3 mm).
- It allows for direct laying of ceramic tiles with cement-based adhesive.
- Excellent adherence and maximum deformability.
- Good chemical resistance.
- Suitable for direct contact with water.

Substrates:

- Cement covered floors and walls .
- Concrete slabs.
- Plasterboards.
- Wood boards.
- Existing floor tiles.
- Metal sheets.

Materials:

- Absorbent and non-absorbent ceramic tiles. Porcelain tiles with a water absorption < 0.5% as per EN-ISO 10545-3.
- Glass mosaic.
- Natural stone and marble not prone to staining.

Recommended use:

- Waterproofing of bathrooms and showers.
- Spas and premises in permanently damp environments.
- Outdoor terraces and balconies.
- Pools and premises into direct contact with water.
- Cisterns and reservoirs into direct contact with water.
- Repair of cracked floors and renderings.
- Promotes adherence on existing ceramic wall tiles and on wood or metal substrates.

Coverage:

Bond coat:	
• One-layer application	
• Sylastic mortar	1.95 Kg / m²
• Sylastic additive	0.65 Kg / m²

Waterproofing:	
• Two-layer application	
• Sylastic mortar	3.90 Kg / m²
• Sylastic additive	1.30 Kg / m²

Mean thickness per **sylastic** layer: 1.5 mm

sylastic					
KEA	SAP		Presentation	P/EU	
B85900004	100072729	sylastic mortar	24 Kg bag	960 Kg/pallet	0.95 p/kg
B85900005	100072730	sylastic additive	8 Kg can	320 Kg/pallet	12.02 p/kg
B84900303	100006212	50 m fiberglass mesh	50 m² reel		2.45 p/m²
B84900101	100006210	outer angle	unit		8.00 p/u
B84900202	100006211	inner angle	unit		8.00 p/u
B85900008	100081532	5 ml waterproof band	Roll 5 m		4.35 p/m
B85900009	100081531	10 ml waterproof band	Roll 10 m		4.15 p/m
B84905004	100006221	50 ml waterproof band	Roll 50 m		4.00 p/m

Before using this product in any application not indicated in this catalogue, please perform a test or refer to the product's technical sheet.

terrace drain

The **floor drain** from **butech** is a drain for terraces and outdoor floors. It features a wide dish around the grating, which ease the connection to waterproofing sheets. Available with horizontal and vertical outlet, it helps to solve easily and effectively outdoor waterproofing and drainage.

The 10 cm connecting piece between the grating and the drain can be cut, so that it can be installed with glass mosaics up to natural stones. Includes steel grating.

Recommended use:

- Drain designed for connecting with waterproofing sheet.
- Specially designed for waterproofing outdoor terraces and floors.
- Vertical outlet.

Terrace drain complements

Terrace drain connection:

Clamp for fixing waterproofing sheet to drain. Includes stainless steel clamp, rubber o-ring and 6 fixing screws.



Terrace drain features:

- 190 mm high drain.
- Discharge speed. 1.6 l/s.
- 75/110 mm vertical outlet.
- 36 cm diameter crown for waterproofing sheet fixation.
- Includes u-bend.
- 143 x 143 mm steel grating.



Terrace drain				
KEA	SAP		Presentation	P/EU
B82901009	100005827	75/110 vertical drain	1 ud/box	68.36 p/u
B82901011	100005829	floor drain connection	1 ud/box	62.14 p/u

Before using this product in any application not indicated in this catalogue, please perform a test or refer to the product's technical sheet.

bathroom drain

The **bathroom drain** from **butech** is a drain for built in shower trays. It features a wide dish around the grating, which ease the connection to the imperband waterproofing sheet. Available with horizontal and vertical outlet, it helps to solve easily and effectively indoor waterproofing and drainage.

The 10 cm connecting piece between the grating and the drain can be cut, so that it can be installed with glass mosaics up to natural stones. Includes steel grating.

Recommended use:

- Drain designed for connecting with imperband waterproofing sheet.
- Specially designed for waterproofing built in showers.
- Available with horizontal or vertical outlet

Bath drain complements

Bathroom drain connection:

Clamp for fixing imperband sheet to drain. Includes stainless steel clamp, rubber o-ring and 6 fixing screws.



Features for horizontal bathroom drain:

- 75 mm high drain.
- Discharge speed. 0.6 l/s.
- 50 mm horizontal outlet.
- 22 cm diameter crown for imperband fixation.
- Optional outlet for serial connections.
- Includes u-bend.
- 10 x 10 cm steel grating.



bath drain				
KEA	SAP		Presentation	P/EU
B82901001	100005822	40/50 horizontal drain	1 ud/box	36.16 p/u
B82901002	100005823	50 vertical drain	1 ud/box	40.26 p/u
B82901004	100005825	bathroom drain connection	1 ud/box	19.80 p/u

Before using this product in any application not indicated in this catalogue, please perform a test or refer to the product's technical sheet.

imperband

imperband is a waterproof sheet, specially designed for indoor waterproofing of ceramic wall and floor coverings.

It is a 0,5mm thick polymer membrane with a double thermoplastic polyolefin sheet and covered on both sides by non woven polyester fibers that allow it to be bonded to surfaces using cement-based adhesives. Ideal for use in new construction and refurbishment of showers and baths, and any indoor environment permanently affected by damp.



Certifications/Standards:

Avis technique: CSTB 13/16-1319

Features:

- Double thermoplastic polyolefin membrane covered on both sides by non woven polyester fibers.
- Maximum waterproofing with minimal thickness (0.5 mm).
- Direct installation of the tile on the sheet.
- Good chemical resistance.
- Quick and easy application.

Recommended use:

- Private bathrooms. Built in showers.
- Public toilets and showers.
- Spas and premises in permanently damp environments.
- Balconies and terraces smaller than 10 m².
- Do not use in outdoors surfaces greater than 10 m².

Installation:

- **imperband** sheet is compatible with type C2 cement-based adhesive as per EN 12004.
- In case of surfaces bigger than the length of the sheet, overlap two 10 cm sheets and bond with C2 adhesive.
- In waterproofing of floors, leave an excess of sheet of at least 10 cm in all the spots where floor meets the wall.
- Be extremely cautious when connecting the sheet to the drainage systems.
- Once the **imperband** sheet has been installed, cover with the chosen floor covering. Never leave exposed to direct sunlight.

Materials:

- Absorbent and non-absorbent ceramic tiles. Porcelain tiles with a water absorption < 0.5% as per EN-ISO 10545-3.
- Glass mosaic.
- Natural stone and marble not prone to staining.

Substrates:

- Cement covered floors and walls .
- Concrete slabs.
- Plasterboards.
- On anhydrite or plaster substrates apply **uniprim**.

imperband		
KEA	SAP	
B84901001	100006213	imperband
B84901006	100006218	imperband

Presentation		P/EU
roll 30 m ²	720 m ² /pallet	14.00 p/m ²
roll 5 m ²	300 m ² /pallet	14.18 p/m ²

Before using this product in any application not indicated in this catalogue, please perform a test or refer to the product's technical sheet.



butech anti-cracking mat

Decoupling sheet for floors undergoing low and medium movements.

It reduces the transfer of tensions and stresses between the substrate and the flooring, protects the flooring against the appearance of cracks in the substrate or sideways movements between the slabs forming the substrate and allows ceramic or natural stone flooring to be laid on substrates and structures with medium and low movements such as wooden panels.



Features:

- Closed-cell elastomer sheet coated on both sides with non-woven fibers that allow cement-based adhesives to be anchored.
- It allows for direct laying of ceramic tiles with cement-based adhesive types C2 S1 according to EN 12004.

Color:	White
Roll dimensions:	15 m ² 1500 x 100 cm
Roll weight:	12.35 kg/roll
Sheet thickness:	1.5 mm
Sheet density:	525 gr/m ²

Final use:

- Indoor and outdoor floor tile coverings
- Residential and public concurrence floor coverings with pedestrian traffic
- Floor coverings for commercial or industrial use with mechanical requirements, even with wheel circulation
- Floors with built-in heating
- Suitable for kitchens, bathrooms and water-bearing areas
- Suitable for floor renovations

We do not recommend the use of butech anti-cracking mat in:

- Indoor and outdoor walls
- Supports exposed to bending movements
- On structural joints or movement joints of the support

Materials:

- Stoneware and porcelain stoneware floors, even large formats.
- Natural stones and marbles, even large formats.

The use of butech anti-cracking mat is not recommended:

- Chemically resistant floor coverings
- Under parquet floors

butech anti-cracking mat

KEA	SAP		Presentación	P/EU
B85900058	100227223	Roll 15 m ²	12 roll / pallet	10.05 p/u

lamitech n

lamitech n is a multilayer polymer sheet, specially designed for outdoor floors decoupling. Protects tiles against substrate tensions, reducing the risk of breakage and piece lifting. Suitable for outdoor waterproofing.

Coextruded HDPE/EVAC membrane, with one side covered with polyester fibers and the other one with polyester entwined felt, that allows laying with cement-based adhesives. Absorbs tensions, reducing their transmission to the ceramic floor. Indoor and outdoor use.



Features:

- Multilayer HDPE/EVAC polymer membrane covered with polyester fibers.
- Maximum outdoors waterproofing with minimal thickness (3,4 mm).
- It allows for direct laying of ceramic tiles with cement-based adhesive.
- Good chemical resistance.
- Improves impact noise reduction.
- Quick and easy application.

Installation:

- **lamitech n** sheet is compatible with type C2 cement-based adhesive as per EN 12004.
- Place sheets side by side, without overlappings. In case of using it as waterproofer, proceed to sealing sheet joints with **sylastic** waterproof mortar and **lami-band 200** waterproof band..
- In waterproofing of floors, lengthen the waterproofing with **lami-band 200** at least 10 cm in all the spots where floor meets the wall.
- In movement joints, use flexible tape waterproof band.
- Be extremely cautious when connecting the sheet to the drainage systems.
- Once **lamitech n** has been installed, lay the chosen floor with compatible adhesives. Never leave exposed to direct sunlight.

Recommended use:

- Decoupling of balconies and terraces.
- Waterproofing of outdoor floors.
- Laying of ceramics on wood substrates.
- Laying of floor tiles on cracked substrates. Terrace refurbishing.
- Laying of ceramics on substrates which are not set yet or present residual damp.

Materials:


- Absorbent and non-absorbent ceramic tiles. Porcelain tiles with a water absorption < 0.5% as per EN-ISO 10545-3.
- Glass mosaic.
- Natural stone and marble not prone to staining.

Substrates:

- Cement or anhydrite covered floors.
- Concrete slabs.
- Existing floor tiles.
- Plywood boards.

lamitech n

KEA	SAP		Presentation	P/EU
B89500011	100089879	lamitech n	5 m reel 200 m2/pallet	16.08 p/m ²
B84901005	100006217	lami-band 200 mm	30 m reel	4.14 p/m
B84905004	100006221	50 ml waterproof band	roll 50 m	4.00 p/m
B85900004	100072729	sylastic mortar	24 Kg bag 960 Kg/pallet	0.95 p/kg
B85900005	100072730	sylastic additive	8 Kg can 320 Kg/pallet	12.02 p/kg



PORCELANOSA Showrooms

ÁLAVA

JORGE FERNÁNDEZ - Vitoria-Gasteiz - 1004
Los Herrán, 30 - T: +34 945 254 755
JORGE FERNÁNDEZ - Vitoria-Gasteiz - 1015
Polígono de Jundiz. Paduleta, 53 - T: +34 945 244 250

ÁVILA

PAVIMARSA - Ávila - 5194
Pol. Ind. Vicolozano - Parcela 2 - T: +34 920 259 820

ALBACETE

PORCELANOSA - Albacete - 2006
Avda. Gregorio Arcos, 32 (Polígono Campollano) - T: +34 967 243 658

ALBACETE

AZULEJOS JAVEA - Jávea - 3730
Liverpool, 4 - T: +34 965 791 036
ELDECO - Altea - 3590
Carretera N-332 Partida Cap Blanch, 38A - T: 966 874 360
SANEAMIENTOS COLON - Alcoy - 3803
Avda. de la Alameda, 10 - T: 965 331 891
PORCELANOSA - Elche - 3291
Avda. Alicante,105 - T: +34 966 610 676
PORCELANOSA - San Juan - 3550
Carretera Valencia, km 88 - T: +34 965 656 200

ALMERÍA

PORCELANOSA - Vicar - 4738
Parque Comercial Viapark, Parcela 1 - T: +34 950 325 575

ASTURIAS

PORCELANORTE S.L. - Gijón - 33202
Menéndez Pelayo 30 - T: +34 984 396 462
PORCELANOSA - Oviedo - 33010
Polígono Espíritu Santo. Calle Dinamarca, s/n - T: +34 985 791 526

ASTURIAS

BIG-MAT TEVISA S.A. - Badajoz - 6006
Avda. Joaquín Sánchez Valverde, Parcela H1 A - T: 924277934
BIGMAT TEVISA S.A. - BADAJOZ - 6006
AVD. JOAQUIN SANCHEZ VALVERDE PARCELA H1 A - T: 924277934
MUNDO OBRAS - Zafra - 6300
Pol. Ind. Los Caños, Calle Bodion, 27 - T: 924551264
PORCELANOSA - Mérida - 6800
Avda. Reina Sofía, 8 - T: +34 924 330 218

ISLAS BALEARES

A PALLISER SL - MAHÓN - 7714
AVDA.CAP DE CAVALLERIA Nº 1 - T: 971357300
MACODOR - Cala d'Or - Mallorca - 7660
Carretera Calonge - Cala d'Or, km 1,5 - T: +34 971 658 210
MAGATZEM SES FORQUES - Llucmajor - Mallorca - 7620
Calle Doctor Fleming, 10 - T: +34 971 662 114
MATERIALES DE CONSTRUCCION GALMES SA - Manacor - Mallorca - 7500
Carrer Via Palma, 67 - T: 971 553 050
PORCELANOSA - Palma de Mallorca - Mallorca - 7009
Gran Via Asima, 21. Polígono Son Castelló - T: +34 971 430 667
PORCELANOSA - Sant Antoni de Portmany - Ibiza - 7820
Avda. Llauradors, 7. Polígono Montecristo - T: +34 971 317 292

BARCELONA

AMARGANT - Pineda de Mar - 8397
Carrer Santiago Rusiñol, 96 - T: +34 937 671 416
AMARGANT - Sant Pol de Mar - 8395
Passeig Parc, 1 - T: +34 937 600 112
ANTONI PONT - Gironella - 8680
Carrer Farguelli, 31 - T: +34 938 228 088
ARQUIMATT MATERIALS I DECORACIÓ - Torelló - 8570
Carrer Sant Jordi, 16 - T: 679531877
AZULEJOS SAN ANDRÉS - Barcelona - 8030
Plaça Mossen Clapes, 2-3 - T: +34 933 455 102
COMERCIAL MAESTRO CANET - Canovelles - 8420
Poligon Can Castells, Nau 7-8 - T: +34 938 466 568
COMERCIAL SOLSAN - Palau Solità i Plegamans - 8184
Cami Reial, 109 - T: +34 938 648 125
COMERCIAL STC - Sant Sadurní D'Anoia - 8770
Rambla Generalitat, 59 - T: +34 931 593 137
CORRETTJA - Vic - 8500
Carrer Mas de Bigas, 8-26 - T: +34 938 854 261
FERRET I CASULLERAS - Vilafranca del Penedés - 8720
Carrer Sant Martí, 2 - T: 93 890 14 19 - 93 817 03 53
GARRO - Sant Boi de Llobregat - 8830
Carretera Sta. Creu de Calafell, km 10,7 - T: +34 936 545 952
J.RIERA MAGATZEM CONSTRUCCIÓ - Santa Maria de Palautordera - 8460
Carretera Antigua Via Provincial, 2
JODUL - Taradell - 8552
Carretera de Vic, km 5,8 - T: +34 938 800 800
LOFT CUINA - Cornellà - 8940
Carrer La Miranda, 6-8 - T: +34 934 743 793
MA-CO - Cubelles - 8880
Carrer Penedes-Carrer La Selva Pol.Ind Les Salines - T: +34 938 954 141
MARESME GRES - Mataró - 8032
Carrer Sant Isidor, 78 - T: +34 931 615 015
MATERIALS CASSERRES - Casseres - 8693
San Rafael - T: +34 938 213 770
ORMAT - Cabrera de Mar - 8349
Carretera de Vilassar-Argentona km.1 - T: +34 937 591 139

PLANELL - Calaf - 8280
Carretera Manresa km 31 - T: +34 938 698 750

PLANELL - Villanova del Camí - 8788
Carretera Vilafranca 108-111 - T: +34 938 060 240

ROSA JORDANA RABETLLAT - Mataró - 8302
Carrer de Montserrat, 7 - T: +34 937 903 089

SUMCO - St. Pere de Ribes - 8812
Carretera de Barcelona, C-246 km. 42,4 - T: +34 938 933 066

PORCELANOSA - L'Hospitalet de Llobregat - 8908
Ciències, 65. Gran Via l'Hospitalet - T: +34 932 642 500

BURGOS

BIGMAT FONTECHA - Burgos - 9007
Alcalde Martín Cobos,15. Nave 5 y 6 - T: +34 947 485 153
JORGE FERNÁNDEZ - Miranda de Ebro - 9200
Camino Fuente Basilio, s/n - T: +34 947 323 351

BURGOS

PORCELANOSA - Santander - 39011
Avda. Parayas, s/n - T: +34 942 352 510

CASTELLÓN

Villarreal -GAMA-DECOR
Ctra. Cv-20 Villarreal - Puebla De Arenoso Km 1. T: +34 964 506 850
Villarreal -L'ANTIC COLONIAL
Ctra. Nacional 340, Km 54. T: +34 964 534 545
Villarreal -NOKEN DESIGN
Ctra. Cv-20 Villarreal - Puebla De Arenoso Km 2. T: +34 964 506 450
Villarreal -PORCELANOSA
Ctra. Nacional 340, Km 56.2. T: +34 964 507 100
Villarreal -PORCELANOSA GRUPO
Ctra. Nacional 340, Km 55.8. T: +34 964 507 140
Villarreal -SYSTEM-POOL
Ctra. Cv-20 Villarreal - Puebla De Arenoso Km 1. T: +34 964 506 464
Villarreal -URBATEK
Ctra. Nacional 340, Km 54. T: +34 964 525 200
Villarreal -VENIS
Ctra. Nacional 340, Km 56.5. T: +34 964 507 700
Castellón de la Plana -PORCELANOSA
Asensi, 9. T: +34 964 239 162
Castellón de la Plana -PORCELANOSA - Centro Comercial Estepark
Av. E.Gimeno s/n 12006 CASTELLÓN Castellón, (España) T: +34 964 506 800
Vinaroz -PORCELANOSA
Carretera N-340, Km 1.050,1. T: +34 964 400 944

CEUTA

BAEZA - Ceuta - 51001
Ampliación Muelle de Poniente, 96 - T: +34 956 511 312

CIUDAD REAL

LOS PEPOTES - La Solana - 13240
Calle Emilio Nieto, 39 - T: 926 63 15 80
PORCELANOSA - Ciudad Real - 13005
Carretera de Carrión, 11 - T: +34 926 251 730

CUENCA

ALMACENES PAÑOS - Villanueva de la Jara - 16230
Camino de Rubielos, 8 - T: +34 967 498 000
MATERIALES DE CONSTRUCCIÓN MARTÍNEZ ORTEGA - Casas de Haro - 16611
Calle Dos de Mayo, 28 - T: +34 969 380 708
VICENTE DE LOS RÍOS - Tarancón - 16400
Avda. del Progreso, 19 - T: +34 969 321 323
VICOSAZ - Cuenca - 16004
Hermanos Becerril, 6 bajo - T: +34 969 233 200

CÁCERES

BIGMAT CAYUELA - Moraleja - 10840
Avda. Extremadura, 26 - T: +34 927 515 198
GEMAT - Plasencia - 10600
Avda. Ambroz, 5-7 - T: 927316828
MAGERVYSA - Navalморal de la Mata - 10300
Calle Rio Salor, 83 - T: 927535234
PORCELANOSA - Cáceres - 10195
Avda. Juan Pablo II, 130 - T: +34 927 236 337

CÁDIZ

PORCELANOSA - Algeciras - 11200
Carretera de Málaga, km 109 - T: +34 956 635 282
PORCELANOSA - El Puerto de Santa María - 11500
Polígono El Palmer. Carretera Madrid-Cádiz, km 653,2 - T: +34 956 540 084
PORCELANOSA - Jerez de la Frontera - 11405
Parque Empresarial, Avda. de la Ilustración, 1 - T: +34 956 187 160
PORCELANOSA - San Fernando - 11100
Polígono Tres Caminos, s/n - T: +34 956 592 360

CÓRDOBA

Neiku Concept - Lucena - 14900
Avda. Miguel Cuenca Valdivia, 6 - T: 957 513 702
PORCELANOSA - Córdoba - 14013
Carretera N-IV, km 404. Polígono de Torrecilla - T: +34 957 760 024

GERONA

ARC ARBUQUES CERAMIQUEs - Arbucies - 17401
Pol. Ind. Cal Xic-Parc, 4 - T: +34 972 162 364
BRECORS L - Blanes - 17300
Carretera Tordera,79. Blanes - T: +34 972 336 062
CARMONA - Lloret de Mar - 17310
Carretera de Lloret Vidreres 2,1 - T: +34 972 372 710

FERRER CERVIA - Sarrià de Ter - 17840
Avda. de França, 192 - T: +34 972 173 442

FRIAS MATERIALS - Vila-sacra - 17485
Carrer Castello, 72 - T: +34 972 670 073

GINESTA - Sant Feliu de Guixols - 17220
Carrer Santa Magdalena, 11 - T: +34 972 320 529

MATERIALES CREIXELL - Esclanyà Begur - 17213
Carrer Palafrugel Regencos. Polígono industrial Riera Esclanya, 1 - T: +34 972 300 628

MERCAMAT - Mont-ras - 17253
Carretera C-31 km. 329,8 - T: +34 972 612 027

OLIVERAS - Cornellà del Terri - 17844
Carretera de Girona a Banyoles km 12,8 - T: +34 972 594 131

OLIVERAS - Figueres - 17600
Carretera N-II km 759 - T: +34 972 672 259

OLIVERAS - Les Prespes - 17178
Pol. Ind. Les Prespes. Parcel·la 20 - T: +34 972 694 704

OLIVERAS - Palol d'Onyar-Quart - 17241
Carretera Comarcal C-250 km 4,3 - T: +34 972 468 119

SERVIMAT INICIATIVES - Canet de la Tallada - 17134
Carretera C-31 km. 354 - T: +34 972 780 524

TG NOVA ARQUITECTURA - Palamos - 17230
Avda. Catalunya,91 - T: +34 972 312 250

PORCELANOSA - Girona - 17005
Carretera Barcelona 120-122-124 - T: 972964141

GRANADA

TECMACER - Armilla - 18100
Avda. San Rafael (Junto Sprinter) - T: +34 958 253 081

GUIPÚZCOA

JORGE FERNÁNDEZ - San Sebastián - 20018
Pol. Ind. Belartzta. Fernando Múgica, 15 - T: +34 943 376 966

HUELVA

PORCELANOSA - Huelva - 21007
Polígono La Paz Naves 1-5 - T: +34 959 543 600

HUESCA

AINSA - COMERCIAL CAMPODARVE - Ainsa - 22330
Pol. Ind. Sobrarbe, Naves 11 y 12 - T: +34 974 500 267
BERGES CENTRO COMERCIAL - Fraga - 22520
Avda. Aragón, 70 - T: +34 974 471 439
PORCELANOSA - Huesca - 22006
Polígono Sepes. Calle Ronda la Industria 1-3 Nave C - T: +34 974 242 738

JAÉN

PORCELANOSA - Jaén - 23009
Polígono Olivares. Carretera Bailén-Motril, km 323 - T: +34 953 280 757

LA CORUÑA

ALMACENES CASTILLO DE MUROS, S.L. - MUROS - 15250
ROSALIA DE CASTRO, Nº5 - POL. IND. MUROS - T: 981826368
ALMACENES SEROMAVI, S.L. - SANTA COMBA - 15840
AVDA. SANTIAGO, 18 - T: 981880104
B. FANDIÑO LADO, S.L. - CEE - 15270
CL VALDEPEÑAS, S/N - T: 981748003
CAPELO GARCIA, MANUEL FELIPE - CARNOTA - 15293
LG SAN MAMED, S/N - T: 981857081
JESUS PEDROUZO S.L. - Carballo - 15100
C/Valle Inclán 24, Bajo - T: 981701120
NEIRA Y ORTEGAL, S.L. - Ferrol - 15405
Carretera Catabois, 258 - T: +34 981 326 532
NEIRA Y ORTEGAL, S.L. - Ortigueira - 15330
Carretera C-642 s/n, Cuña - T: +34 981 400 880

PEREZ DOMINGUEZ PUEBLA, S.L. - Puebla del Caramiñal - 15940
Calle Angustia, 30 - T: +34 981830214

SUMINISTROS VIA-MAR, S.L. - A Coruña - 15004
Médico Rodríguez, 18-20 - T: +34 981 279 431

SUMINISTROS VIA-MAR, S.L. - Betanzos - 15300
Avda. Fraga Iribarne, s/n - T: +34 981 772 190

PORCELANOSA - Santiago de Compostela - 15894
Rua Clara Campoamor, 13-15 (Montouto) - Teo - T: +34 981 509 270

PORCELANOSA - Santiago de Compostela - 15706
Polígono Comercial Costa Vella - T: +34 981 897 595

PORCELANOSA - Santiago de Compostela - 15701
General Pardiñas, 13-Bajo - T: +34 981 569 230

LA RIOJA

RIOJACER - Logroño - 26006
Avda. de Burgos, 43-45 - T: +34 941 286 021

LAS PALMAS

PORCELANAS Y PAVIMENTOS CANARIOS - Las Palmas de Gran Canaria - 35010
Avda. Mesa y López, 61 - T: +34 928 472 949

LEÓN

Diseñarte Bierzo, S.L. - Ponferrada - 24404
Avda. Galicia 380 - T: 987455870
PORCELANOSA - San Andrés del Rabanedo - 24010
Carretera León-Astorga, km 3,5 - T: +34 987 801 570

LUGO

ALMACENES BAHIA, S.L. - Foz - 27780
Maestro Lugilde, 6 - T: +34 982 140 957
ARIAS NADELA, S.L. - LUGO - 27002
CRTA. N-VI, KM. 498 (POLIGONO DO CEAO) - T: 98221254
ARIAS NADELA, S.L. - Lugo - 27002
Tolda de Castilla, s/n - T: +34 982 245 725

ESTABLECIMIENTOS REY, S.L. - Xove - 27870
Avda. Diputación, 88 - T: +34 982 592 006

SONIA GOMEZ GOMEZ - Chantada - 27500
Calle Juan XXIII, Bajo 22 - T: +34 982441249

LEÍRIDA

J. FARRÉ - Balaguer - 25600
Carrer Urgell, 39 - T: +34 973 445 765
MATERIALS GERMANS MAURI - Lleida - 25004
Carrer Princep de Viana, 36 - T: +34 973 232 139
MATERIALS JORDI VILAR - Solsona - 25280
Carretera Manresa, s/n km.50 - T: +34 973 482 077

MATERIALS PIRINEU - La Seu d'Urgell - 25700
Carretera de Lleida, 28 - T: +34 973 351 850

PRETENSADOS RIBERA - El Pont de Suert - 25520
Carretera N-230 km 124,5 - T: +34 973 690 063

PRETENSADOS RIBERA - Vielha - 25530
Carretera França, 40 (Mig Aran) - T: +34 973 641 460

PROMOCION DE PREFABRICADOS SL - PMP - Lleida - 25190
Ivars d'Urgell, 20. P.lnd Neoparc - T: +34 973 603 954

PUJOL ELEMENTS - Lleida - 25191
Carrer Tarragona, 40 - T: +34 973 202 350

TARRREGA NOUMAG - Tarrega - 25300
Calle Júpiter,7 (Pol. Ind. La Canaleta) - T: +34 607 497 330

VISAMAT - Mollerusa - 25230
Avda. del Canal, 84 Baixos - T: 973801035

MADRID

EL CORTE INGLES CASTELLANA - Madrid - 28046
Paseo de la Castellana, 85 - T: 671708692
PORCELANOSA - Alcorcón - 28922
Carretera N-V, km 15,5. Parque Oeste de Alcorcón - T: +34 916 890 172
PORCELANOSA - Leganés - 28914
Avda. Recomba, 13. Polígono la Laguna Salida 53 - M50 - T: +34 914 819 200
PORCELANOSA - Madrid - 28027
Alcalá, 514 - T: +34 917 545 161
PORCELANOSA - Madrid - 28006
Ortega y Gasset, 62. Esquina Conde Peñalver - T: +34 914 448 460
PORCELANOSA - San Sebastián de los Reyes - 28703
Plaza del Comercio, 17 - T: 916 62 32 32

MELILLA

FERRETERIA MODERNA E HIJOS, S.L. - Melilla - 52006
Paseo Marítimo Mir Berlanga, 19 - T: +34 952 671 144

MURCIA

PORCELANOSA - Murcia - 30110
Avda. Juan de Borbón, s/n. Parque Comercial Thader - T: +34 968 879 527

MÁLAGA

MATERIALES MUÑOZ PÉREZ SL - Vélez-Málaga - 29700
Calle Ferrocarril, 2 - T: +34 952 507 879
PAVISER NERJA, S.L. - Nerja - 29780
Calle Benamocara, s/n esq. Calle Colmenar, Polig. Pto. Limpio Maz. 3 Parcela 12 - T: +34 952 524 223
PORCELANOSA - Málaga - 29004
Calle Victoria de los Ángeles, 1 - T: +34 952 241 375
PORCELANOSA - Marbella - 29600
Ricardo Soriano, 65 - T: +34 952 826 868

NAVARRA

CERÁMICAS CECILIO CHIVITE - Cintruénigo - 31592
Pol. Ind. s/n. Variante N-113 - T: +34 948 811 973
MONTEJO CERÁMICAS - Multiva Baja - 31192
Polígono Carretera Tajonar, Calle-A, Naves 2-4 - T: +34 948 239 065
MONTEJO CERÁMICAS - Pamplona - 31002
Navas de Tolosa, s/n - T: +34 948 224 000
MONTEJO CERÁMICAS - Tudela - 31500
Carretera Tudela-Tarazona, Polígono Centro de Servicios de Tudela - T: +34 948 848 365

ORENSE

BLANCO QUINTAS, S.A. - OURENSE - 32004
AVDA. OTERO PEDRAYO, Nº 8 - T: 988391478

JOSE R. PITEIRA, S.L. - Carballiño - 32500
Avda. Julio Rodríguez Soto, 63 - T: +34 988 271 071

MATERIALES DE CONSTRUCCION ER-CA, S.L. - VERIN - 32600
AVDA. DE PORTUGAL, Nº 44 - T: 988411030

PALENCIA

CANTALAPIEDRA - Palencia - 34002
Calle La Puebla, nº 2 - T: +34 979 706 421

PALENCIA

ALMACENES CANDA, S.L. - Lalin - 36500
Calle Monserrat, 36-39 - T: +34 986 780 184
ARCOLAR 2000, S.L. - Silleda - 36540
Rua de Venezuela, 40 - T: +34 986 580 114
DALARJO, S.L. - A ESTRADA - 36689
CL ALTO DE LA CRUZ, S/N - T: 986570489
PREFABRICADOS DENA, S.L. - Dena - Meaño - 36967
Rua de Galicia, 24 - T: +34 986 743 121
PREFABRICADOS DENA, S.L. - O Grove - 36967
Calle Alexandre Boveda, 82 - T: +34 986 702 041
SANEAMIENTOS GANDARA - VILAGARCIA DE AROUSA - 36600
AVDA. LA MARINA, 126-128 BAJO - T: 986506640
SANEAMIENTOS ROSALES, S.L. - Seixo, Marín - 36913
Avda. Doctor Otero Ulloa, 1 - T: +34 986 702 041
SANEAMIENTOS ROSALES, S.L. - Vigo - 36201
García Barbón, 139 - B - T: +34 986 228 806

SALAMANCA

PORCELANOSA - Villares de la Reina - 37184
Polígono Villares. Carretera Salamanca - Valladolid, km 2,2 - T: +34 923 243 811

SEGOVIA

SEGOCER - El Espinar - 40400
Carretera Madrid - La Coruña, km 64 - T: +34 921 172 426
SEGOCER - Segovia - 40002
José Zorrilla, 134 - T: +34 921 444 122

SEVILLA

HERNÁNDEZ CARBALLO - Lora del Río - 41440
Betis s/n - T: +34 955 800 473
MATAS INTERIORISMO SL - ESTEPA - 41560
AV ANDALUCIA SALIDA MALAGA - T: 955915937
PORCELANOSA - Sevilla - 41015
Calle Tipografía, s/n. Polígono Industrial La Negrilla. (A-92 dir. Granada) - T: +34 954 260 540
PORCELANOSA - Tomares - 41940
San Roque, s/n. Polígono El Manchón - T: +34 954 152 792

SORIA

MC ODDORICIO

PORCELANOSA Showrooms

ALBANIA ALBA CERAMICA - Tirana - 1050 Autostrada Tirane-Durres, km 6 Prane QTU - T: +355 4 83 00 084 ALBA CERAMICA PORCELANOSA GRUPO - Tirana - 1001 Abdyl Frasherri 3/3 (Pallati Gora) - T: +355 4 22 33 817		W. LINNENBECKER GmbH & Co. KG - Hannover - 30519 Hildesheimerstraße 301/303 - T: +49 (0) 511 / 438 900			
ALEMANIA CERAMICAS OHG - München - 80687 Landsbergerstr. 310 - T: +49 (0) 89 318 280 0 CROONEN FLIESENHANDEL GmbH - Hamburg - Lurup - 22549 Grandkuhlenweg 17 - T: +49 (0) 40 / 83383 377 FLIESEN THOMAS GmbH - Brand-Erbisdorf - 9618 Erzstrasse 2 - T: +49 (0) 37322 18 0 FLIESEN THOMAS GmbH - Burgstädt - 9217 Albert Viertel Str. 5 - T: +49 (0) 3724 / 1856 0 FLIESEN THOMAS GmbH - Gera - 7552 Heuweg 13 - T: +49 (0) 365 552853-0 FLIESEN THOMAS GmbH - Hof - 95030 Kornhausacker 11 - T: +49 (0) 9281 86005-0 FLIESEN THOMAS GmbH - Leipzig - 4317 Dauthestrasse 6 - T: +49 (0) 341 308558-0 FLIESEN THOMAS GmbH - Schwarzenberg - 8340 Wildenauer Weg 5 - T: +49 (0) 3774 13930 30 Fliesenzentrum GmbH Erfurt - Eisenach - 99817 Neue Wiese 1 - T: +49 (0) 3691 882175 Fliesenzentrum GmbH Erfurt - Erfurt - 99099 Weimarische Str. 30 - T: 493614270720 Fliesenzentrum GmbH Erfurt - Gotha - 99867 Dr.-Troch-Straße 5b - T: +49 (0) 3621 5144880 Fliesenzentrum GmbH Erfurt - Jena - 7751 Im Steinfeld 14 - T: +49 (0) 3641 - 53257-0 Fliesenzentrum GmbH Erfurt - Saalfeld - 7318 Mittlerer Watzendorf 21 - T: +49 (0) 3671 52800 GÖTZ & MORIZ GmbH - Freiburg - 79111 Basler Landstrasse 28 - T: +49 (0) 76 145 180 GÖTZ & MORIZ GmbH - Lörrach - 79539 Wiesentalstr. 74 - T: +49 7621 4007100 GRAMER GmbH - Leipzig - 4318 Torgauer Straße 49 - T: +49 341 2346430 KÖBIG FRANKFURT, Haus der Fliesen Hanauer - Frankfurt - 60314 Landstr. 208 - T: +49 069 405 00 36 J. N. KÖBIG GmbH - Wiesbaden - Wiesbaden-Biebrich - 65203 Reingaustrasse 74-76 - T: +49 (0) 611 27810 J. N. KÖBIG GmbH - Koblenz - Koblenz - 56070 Friedrich-Mohr-Str. 11 - T: +49 (0) 26 198 169 20 J. N. KÖBIG GmbH - Mainz - Mainz - 55120 Rheinallee 161 - T: +49 061 316 943 10 J.N. Koebig GmbH - Alzey - 55232 Robert-Bosch-Straße 3 - T: 00 49 6731 4880 J.N. Koebig GmbH - Eisenberg - 67304 Rudolf-Diesel-Straße 1 - T: 49 6351 1450 MÜHL 24 - Kranichfeld - Kranichfeld - 99448 Bahnhofstr. 28 - T: +49 (0) 36 450 330 MÜHL 24 - Hungen - 35410 Giessenerstraße 42 - T: +34 (0) 6402 5200-0 NEVENDO DESIGN SANITÄRGROSSHANDEL - Holzgerlingen - 71088 Böblinger Str. 88 - T: +49 (0) 152 5680 9832 SCHMIDT-RUDERSDORF- Bonn - Bonn-Buschdorf - 53117 Christian-Lassen-Strabe 6 - T: +49 02 28 - 55 916-0 SCHMIDT-RUDERSDORF GmbH & Co - Bergisch Gladbach - 51427 Frankenforster Straße 27-29 - T: +49 (0) 2204 / 4007 0 771 Schmidt Rudersdorf Wiersen - Düsseldorf - 41749 Freudenbergsr. 1 - T: 02162 816360 SCHMIDT-RUDERSDORF- Leverkusen - Leverkusen - 51373 Adolf-Kaschny-Strabe 16 - T: +49 02 14 - 8 68 13 0 Schmidt Rudersdorf Pulheim - Pulheim - 50259 Boschstraße 2 - T: 02238 839790 SCHMIDT-RUDERSDORF- Würselen - Würselen - 52146 Palmestrate 3 - T: +49 0 24 05 - 41 38 50 TAXIS - Bruchsal - Bruchsal - 76646 Paul-Gerhardt-Straße 6 - T: +49 (0) 72 518 005 0 TAXIS - Crailsheim - Crailsheim - 74564 Haller Straße 201 - T: +49 (0) 7951 301 0 TAXIS - Kehl - Kehl / Rhein - 77694 Allensteiner Strasse 29 - T: +49 (0) 78 519 383 16 TAXIS - Reutlingen - Reutlingen - 72764 Erwin-Seiz-Straße 19 - T: +49 (0) 71 219 884 0 TAXIS - Schwenningen - VS-Schwenningen - 78056 Steinbeisstraße 21 - T: +49 (0) 77 206 927 0 TAXIS - Stuttgart - Stuttgart - 70469 Bludenzer Strasse 37 - T: +49 (0) 71 189 003 121 W. LINNENBECKER GmbH & Co. KG - Berlin - 12099 Ordensmeisterstraße 22/23 - T: +49 (0) 30 / 756 888 W. Linnenbecker GmbH & Co. KG - Bremen - 28832 Im Finigen 13 - T: 00 49 420252190 W. LINNENBECKER GmbH - Bad Salzufflen - 32105 Werler Str. 22-28 - T: +49 (0) 5222 / 5301 221 W. LINNENBECKER GmbH & Co. KG - Bottrop - 46240 Industriestr. 44 - T: +49 (0) 2041 / 7958 13 W. LINNENBECKER GmbH & Co. KG - Dortmund - 44143 Niedersachsenweg 12 - T: +49 (0) 231 / 562 090 22 W. LINNENBECKER GmbH - Erkrath - 40699 Max-Planck-Str. 8 - T: +49 (0) 211 / 92503 19 W. LINNENBECKER GmbH & Co. KG - Meschede - 59872 Heinrichstaler Str.6 (an der B7) - T: +49 (0) 291 / 952 82 121 W. LINNENBECKER GmbH & Co. KG - Münster - 48153 Siemensstraße 60 - T: +49 (0) 251 / 979 12 21	ANDORRA PIRINEU - PALMIR - Andorra la Vella - AD 500 Avda. Sta. Coloma 108 - T: 376804020 ANGOLA PORCELANOSA ANGOLA - Luanda - Rua Rainha Ginga 31 (Edificio Tour Elysée) - T: +244 928463705 ARABIA SAUDI ISSA BINLADEN - Jeddah - PO BOX 19835 Hai Al Rawdah, Prince Sultan Rd. - T: 96622562607 KHALED AL ANSARI SHOWROOM - Al Ahsa (Al-Sharqiyya) Almazru 85 - T: +966 3 5892888 Manart Al Andalos Dammam - Dammam - 10710 Zahran Al Jabil highway 184 - T: (+966 12 6768441 Manart Al Andalos Al Ahsa - Hafuf - 107100 Gulf Road - T:(+966118102824 Manart Al Andalos Jeddah - Jeddah - 107100 Makkah Highway Near Palestine Bridge - T: (+966 12 6768443 Manart Al Andalos Riyadh - Riyadh - 11324 Al kharij Highway Near Gypsum Factory - T: (+966 11 8102512 Manart Al Andalos Riyadh - Riyadh - 11324 Imam Saud Road Exit 9 - T: (+966 11 4568383 ARGELIA Porcelanosa Oran - Oran - 31130 Résidence de la paix 18 BD Millennium, Bir El Djir - T: 14237002360.933332 ARGENTINA BLAISTEN S.A. - Buenos Aires - 1407 Avda. Juan B. Alberdi 3928 - T: +54 11 463 620 00 SHOWROOM PORCELANOSA VENIS - BUENOS AIRES - 1414 A. JUAN B. JUSTO 1468 - T: +54 11 4776 3008 ARMENIA SACO & ARARAT-SALON BOMOND - Yerevan - 26 Arshakunyats avenue 55/1 - T: +37 410 55 08 99 AUSTRALIA Ceram - Osborne Park - 6017 19B King Edward Rd - T: +61 8 9445 1777 EARP BROS TILE - NEWCASTLE - Newcastle - 2302 79-81 Parry St - T: +61 2 4925 4555 EARP BROTHERS - Sydney - NSW Unit B1, 35-39 Bourke Rd, Alexandria - T: +61 02 9410 3222 EARP BROTHERS - Melbourne - 3051 143-149 Abbotsford St - T: +61 3 9328 9588 ITALIA CERAMICS - Adelaide - 5070 55 Glynnburn Road - T: +61 8 8336 2366 AUSTRIA BEINKOFER - Linz - 4020 Friedhofstraße 40 - T: +43 (0) 732 6552550 BEINKOFER - Linz - 4020 Hessenplatz 19 - T: +43 732 776 543 0 BEINKOFER BEI HOLTER - Salzburg - 5020 Franz-Wolfram-Scherer-Straße 34-40 - T: +43 (0) 662 469096920 BEINKOFER BEI BÄDERPARADIES - Wien - 1070 Kaiserstrasse 14 - T: +43 (0) 1 52242200 BEINKOFER BEI HOLTER - Wels - 4600 Westring 5 - T: +43 (0) 7242 25253210 BEINKOFER BEI HOLTER - Hall - 6020 Heiligkreuzer Feld 44 - T: +43 (0) 5223 5046910 BEINKOFER BEI HOLTER - Wien - 1230 Vorarlberger Allee 28 - T: +43 (0) 1 61516006900 Beinkofer GmbH - Wien - Jörgerstrasse 3 - T: +43 50 483 6950 FLIESEN CENTER TIROL - Innsbruck - 6020 Stadlweg 13 - T: +43 (0) 512 364444 TENNE BRUCK - Bruck/Mur - 8600 Brucker Straße 132 - T: +43 3862 588 44 FLIESEN TENNE - Graz - 8055 Hergottwiesgasse 149 - T: +43 316 262 524 0 TENNE LIBNITZ KINDERMANN BAD & HEIZTECHNIK - Leibnitz - 8430 Dechant Thaller Straße 37 - T: +43 3452 707-65 TENNE VÖSENDORF - Vösendorf - 2331 Robert-Firneis-Straße 10 - T: +43 1 699 33 33 TENNE WIEN 22 BADKULT-NORT - Wien - 1220 Donaustrandstraße 35 - T: +43 1 20 20 520 AZERBAIJAN AKSESUAR INSAAT - Baku Hasan Aliyev 82 - T: +994 12 546 74 86 AZERBAIJAN AL ABBAS GALLERY - Manama Oman Avenue - T: +973 741 919 BANGLADESH Nupami BD Ltd. - Dhaka - 1212 NB Tower (Level-4) 40/7, North Avenue, Gulshan-2 - T: 8801793567404 BIELORRUSIA San Remo - Minsk Nemiga str. 5 - T: +37 17 388 06 66	BOSNIA-HERZEGOVINA BROTIS d.o.o. - Ctitluk - 88260 Tromedija 7 - T: +387 36 650 960 LUK d.o.o. - Bijeljina - Stefana De'anskog 103 - T: +387 55 228 100 LUK d.o.o. - Sarajevo - 71000 Pijacna 14-D - T: +387 33 777 888 BRASIL PORCEBRAS - Curitiba - 83606040 Av. Sete de Setembro, 5739 -loja 02 - Batel - T: +55 (41) 3392 1500 BULGARIA ELE CERAMICA - Burgas - 8000 27 Gladston str - T: 359 56 842 849 ELE CERAMICA - Sofia Bul. Simeonovsko shose, 120 - T: +359 2 860 60 60 ELE CERAMICA - Varna - 9026 5 NIKOLA VAPTZAROV STR. - T: 33952500555 BÉLGICA PGB CERAMICA NV - Heist-op-den-Berg - 2220 Theofield de Biestraat 8 - T: +32 (0)15 253366 CANADÁ FONTILE DISTRIBUTORS - Vancouver - V6A 2L6 270 Terminal Avenue - T: +604 683 9358 PORCELANOSA East Canada - Brampton - ON L6T 5T3 170 Steelwell Rd - T: 9054541053 PORCELANOSA TORONTO - TORONTO - M6B 4B3 735 Caledonia Road - T: 9054541053 Porcelanosa Calgary - Calgary 1334 11th Ave. SW - T: (587) 349-2290 CHILE PORCELANOSA CHILE - Santiago - 7630000 Luis Pasteur 6130 - T: (56 2) 2 434 92 87 CHINA Porcelanosa Grupo Tianjin - Tianjin - 解放南路 469渤海城 - T: 18622088585 Porcelanosa Shanghai 西班牙宝嘉集 - Shanghai - 200023 Unit 204,No 457 Jumen Road, Bridge 8,Phase IV, Huangpu District - T: +86 21 61397952 CHIPRE MAOURIS OIKOSET - Nicosia 9B, Agias Paraskevis, Egkomi - T: 2244455 MEPAS LTD - Girne 4 Kalkandere Street - T: 9039 2815 2964 THE ENGINEERING AND COMMERCIAL ASSOCIATION (EKA) - Limassol - 3042 Eleftherias 109 - T: +357 2585 4444 COLOMBIA Porcelanosa Bogotá - Bogotá - 110221 Calle 85, N°11-64 - T: 7430209 CROACIA SPINA - Porec - 52440 Mate Vlačića 43a - T: +385 52 451 348 SPINA - Pula - 52100 Jurja Žakna 4a,- T: +385 52 219 002 SPINA - Rijeka - 52213 Jušići 47d - T: +385 51 741 300 SPINA - Split - 21204 Sv. Dujše 8 - T: +385 21 668 991 SPINA - Varazdin - 42000 Vilka Novaka 50f - T: +385 42 303 707 SPINA - Zagreb - 10000 Đorđićeva 23 - T: +385 13 492 552 EEUU AMIRIAN HOME - Hermosa Beach - 90254 219-221 Pacific Coast Highway - T: +1 424 390 4460 GILSA NORTH AMERICA - 801 E Expy 83 - 78589 801 E Expy 83 - T: +1 956 223 2900 GLENDALE TILE - Glendale - 91204 4116 San Fernando Rd - T: +1 818 500 8505 PORCELANOSA ANAHEIM - Anaheim - 92806 1301 S. State College Blvd. Suite E - T: +43 1 772 772 3183 PORCELANOSA SAN DIEGO - San Diego - 92126 8996 Miramar Road. Suite 100 - T: +1 858 322 6012 PORCELANOSA SAN FRANCISCO - San Francisco - 94103 78 Division St - T: +1 415 593 7763 PORCELANOSA SAN JOSE - San José - 95112 391 East Brokaw Road - T: +1 408 467 9400 PORCELANOSA WALNUT CREEK - Walnut Creek - 94596 1401 N. Broadway - T: +1 925 952 7430 PORCELANOSA WEST HOLLYWOOD - West Hollywood - 90048 8900 Beverly Blvd - T: +1 310-300-2090 PORCELANOSA DENVER - DENVER - 80209 101 S Broadway - T: 303 802 3210 PORCELANOSA RIVERSIDE - Riverside - 6878 1063 E Putnam Ave - T: +1 203 698 7618 PORCELANOSA MIAMI - Miami - 33172 8700 N.W. 13th Terrace - T: +1 305 715 7153 PORCELANOSA POMPANO BEACH - Pompano Beach - 33069 3400 N. Powerline Road - T: +1 954 968 7666	ATLANTA - Atlanta - 30305 Peachtree Hills Avenue 349 - T: 404 973 0640 CHICAGO - Chicago - 60654 Luxe Home at the Merchandise Mart, 222 Merchandise Mart Plz Suite 149 - T: +1 312 204 6220 ROCKVILLE - North Bethesda - 20852 11500 Rockville Pike - T: +1 240 290 1120 BOSTON - BOSTON DESIGN CENTER - Boston - 2210 1 Design Center Place, Suite 505 - T: +1 617-963-7666 CHESNUT HILL - CHESNUT HILL - 2467 55 Boylston St. #5550 - T: 6179637666 EAST BRUNSWICK - East Brunswick - 8816 252 Route 18 North - T: +1 732 613 1915 PARAMUS - Paramus - 7652 65 Route 17 South - T: +1 201 712 0556 RAMSEY - Ramsey - 7446 600 Rt 17 North - T: +1 201 995 1310 MANHATTAN FLAGSHIP STORE - New York City - 10010 202 Fifth Avenue - T: 16467511180 WESTBURY - Westbury - 11590 775 Old Country Road - T: +1 516 338 0097 DALLAS - Dallas - 75207 Decorative Design Center, 1617 Hi Line Drive Suite 415 - T: +1 214 377 2327 WASHINGTON DC - Washington DC - 20036 1000, Connecticut Avenue NW - T: 120220416655 Porcelanosa King of Prussia - King Of Prussia - 19406 645 W. Dekalb Pike (US Route 202) - T: 14847510050 MIAMI DESIGN DISTRICT - MIAMI - 33137 3705 Biscayne Blvd - T: 001 786 329 6753 SEATTLE - Seattle - 98104 88 Spring Street (Suite 120) - T: 2066738395 EGIPTO MAHGOUB TRADING & IMPORTING - El Cairo 150 El Bahr El Azieim St., Giza - T: +20 2 57 12 565 EMIRATOS ÁRABES UNIDOS Porcelanosa Associate Dubai - Dubai - Al Hashemi Building, Showroom 1. Sheikh Zayed Road, Dubai (U.A.E.) - T: 97143353888 ESLOVAQUIA CERSA - Bratislava - 831 04 Roznavska 1 - T: 421244448233 ELKEM - Kosice - 040 01 Zizkova 39 - T: 055 7281 611 VODOARM - Kosice Slovenska 10 - T: 055/6222660 ESLOVENIA Chic interior Celje - CELJE - 3000 Bežigrajska cesta 9 - T: 386 3 491 33 21 MAVI Maribor d.o.o. - Maribor - 2000 Novakova ubica 8 - T: +386 2 50 30 316 ESTONIA PLAADIPUNKT - Tallinn - 11317 Pärnu mnt. 137 - T: +372 560 0720 ETIOPIÁ I Sale Trading - Addis Ababa 572GuineaConakry St,Unit 022Kirkos K/K.Woreda 08 -T:251 (0)911 20 53 91/251 (0)990 03 45 51 FILIPINAS Casa Europa - Cebu - 6000 Design Center, Corner P. Remedio Street/A.S Fortuna Street. Mandaue City - T: 00663 2 519 3515 CASA EUROPA INC. - Manila - 1834 Mezzanine, The Infinity Tower 26th St., Forth Bonifacio Global City - T: +63 2 519 3515 FINLANDIA LAATTAPISTE ESPOO - Espoo (Suomenoja) - 2270 Kurjenkallontie 14 - T: +358 (0)207 880 750 LAATTAPISTE HÄMEENLINNA - Hämeenlinna - 13130 Katsastusmiehenkuja 1, Tiirio - T: +358 (0)207 414 770 LAATTAPISTE HYVINKÄÄ - Hyvinkää - 05800 Suokatu 6 - T: +358 (019) 455 830 LAATTAPISTE JOENSUU - Joensuu - 80100 Kuurnankatu 3b - T: +358 (0)207 880 880 LAATTAPISTE JYVÄSKYLÄ - Jyväskylä - 40320 Ahjokatu 16 - T: +358 (0)207 433830 LAATTAPISTE KOUVOLA - Kouvola - 45130 Latunkinkatu 7 - T: +358 (0)20 7880 760 LAATTAPISTE KUOPIO - Kuopio - 70700 Leväsentie 7 A - T: +358 (0)17 662 3500 LAATTAPISTE LAHTI - Lahti - 15610 Ansiokatu 2 - T: +358 (03) 873 950 LAATTAPISTE LAPPEENRANTA - Lappeenranta - 53550 Myllyläinkatu 4, Myllymäki - T: +358 (0)207 880 720 LAATTAPISTE MIKKELI - Mikkeli - 50100 Pursialankatu 9 - T: +358 (015) 212 055 LAATTAPISTE OULU - Oulu - 90140 Taka-Lyötnyn aukio 4 - T: +358 (0)20 7880 780 LAATTAPISTE PORI - Pori - 28100 Itsenäisydenkatu 51 - T: +358 (0)207 288 320 LAATTAPISTE PORVOO - Porvoo - 06150 Pusepänkkaarre 2 - T: +358 (019) 5766767 LAATTAPISTE TURKU - Raisio - 21280 Kyntäjänkatu 1, Myllyn alueella - T: +358 0207 288 300 LAATTAPISTE ROVANIEMI - Rovaniemi - 96320 Teollisuustie 13, Eteläkeskus - T: +358 (016) 310 403	SAVONLINNA - Savonlinna - 57210 Pajatie 12 - T: +358 (015) 522 178 TAMPERE - Tampere - 33400 Sellukatu 20, Lielähti - T: +358 (03) 3142 3300 VAASA - Vaasa - 65300 Kokkolalliontie 10 - T: +358 (0)207 880 740 OY - Vantaa - FIN 01730 Mestarintie 5 - T: +358 9 878031 FRANCIA ART ET STYLES - Biguglia - 20620 R.N. 193 Lieu - Dit Ceppe - T: +33 (0)495 589 898 ART ET STYLES - Ajaccio - 20090 Port de l'Amirauté, 2 - T: +33 (0)495 221 999 10 - Rantigny - 60290 9001 ROUTE DE NEUILLY ZI LES GRANDS CHAMPS - T: 33344282874 Magasin Bulles et Eau - Annecy - 74000 16 Avenue d'Aléry - T: 456349719 MILESPACES - Fleury les Aubrais - 45400 1 bis rue du 11 Octobre - T: 02 38 42 15 38 PORCELANOSA Périgueux - Boulazac - 24750 124, route de Lyon - T: 05 53 46 33 98 PORTICO DESIGN - Les Clayes sous Bois - 78340 20 rue des Dames - T: 01 30 44 13 54 SARL CARRELAGE PRO - Saint Maur - 36250 22 Rue de l'Occitanie - T: +33 0 254 086 684 SOLS ET BAINS DE LA DUNE - LA TESTE DE BUCH - 33260 1345 AVENUE DU PARCDES EXPOSITIONS - T: 05 57 156 442 Dépôt Paris IDF - Tigery - 91250 ZAC des Fossés Neufs, 9 rue du Parc des Vergers - T: 01 69 90 49 00 Bureaux Paris 7ème - Paris - 75008 38 Avenue Hoche - T: 01 44 90 85 70 PORCELANOSA Cannes - Mandelieu La Napoule - 6210 Z.I. la Canardière - Avenue Maréchal Lyautey - T: +33 (0)493 477 360 PORCELANOSA Marseille - Aubagne - 13685 Z.I. les Paluds, 538 Avenue des Paluds - T: +33 (0)442 624 330 Dépôt Lyon - Champagne-au-Mont-d'Or - 69410 13 chemin des Anciennes vignes - T: 04 78 66 81 56 PORCELANOSA Caen - Mondeville - 14120 Rue Charles de Coulomb - T: +33 (0)231 820 000 PORCELANOSA Dijon - Chevêve - 21300 4 Rue Jean Moulin - T: +33 (0)380 588 701 PORCELANOSA BESANCON - Besançon - 25000 ZAC de Chateaufarine, 4 chemin de Prabey - T: +33 (0)381 416 363 PORCELANOSA Brest - Brest - 29200 259 Route de Gouesnou, Rond Point de Kergardec - T: +33 (0)298 025 100 PORCELANOSA Nîmes - Nîmes - 30900 ZAC des Vignoles, 60 Rue Paul Laurent - T: +33 (0)466 282 780 PORCELANOSA Bordeaux - Mérignac - 33700 227 avenue de la Marne - T: +33 (0)556 124 848 PORCELANOSA Montpellier - Pérols - 34477 CD 21 route de Carnon - T: +33 (0)467 503 600 PORCELANOSA Rennes - Saint Grégoire - Rennes - 35760 2 Rue du Chesnay, Beauregard - T: +33 (0)223 200 808 PORCELANOSA Tours - Chambray les Tours - 37170 181 avenue du Grand Sud, RN 10, 37170 Chambray les Tours - T: +33 (0)247 808 787 PORCELANOSA La Baule - Guérande - 44350 Zone des Salines - T: +33 (0)240 607 273 PORCELANOSA Nantes - Orvault - 44700 288 Route de Vannes - T: +33 (0)228 073 950 Dépôt Saint-Herblain - Saint Herblain - 44805 Rue José Soriano, Parc de Activité Panloup Cap 21 - T: +33 2 40 16 94 00 PORCELANOSA Angers - Beaucouzé - 49070 2 Rue de Landreau - T: +33 (0)241 738 100 PORCELANOSA Lorient - Lorient - 56100 Rue Georges Maréchal - T: +33 (0)297 875 000 PORCELANOSA Vannes - Vannes - 56000 ZAC de Parc Lann, Rue Marcellin Berthelot - T: +33 (0)297 460 292 PORCELANOSA Lille - Lezennes - 59260 Boulevard de Tournai - T: +33 (0)320 340 340 PORCELANOSA Mulhouse - Wittenheim - 68270 11 rue de Soutlz - T: +33 (0)389 570 260 PORCELANOSA Strasbourg - Vendenheim - 67550 Rue des Artisans - T: +33 03 88 20 82 90 PORCELANOSA Lyon - Champagne-au-Mont-d'Or - 69410 10 av du général de Gaulle - T: +33 (0)478 668 151 PORCELANOSA Le Mans - La Chapelle Saint Aubin - 72650 Rue Juan Manuel Fangio - T: +33 (0)243 236 520 PORCELANOSA Melun - Vert Saint Denis - 77240 80 RD 306 - T: +33 (0)160 565 747 PORCELANOSA ROUEN - Tourville la Rivière - 76410 ZAC, Avenue Gustave Picard, 76410 Tourville-la-Rivière - T: +33 (0)235 650 655 PORCELANOSA Montigny - Montigny-lès-Cornielles - 95370 5 Boulevard Victor Bordier - T: +33 (0)1 39 31 19 79 PORCELANOSA Porte d'Orléans - Arcueil - 94110 R.N. 20, 67 av Aristide Briand - T: +33 (0)149 121 257 PORCELANOSA La Roche-sur-Yon - La Roche sur Yon - 85000 Route de Nantes, Rue Yitzhak Rabin - T: +33 (0)251 241 217 PORCELANOSA Poitiers - Chasseneuil Du Poitou - 86360 4 Rue du Commerce - T: +33 (0)549 119 787 PORCELANOSA Coignières - Coignières - 78310 107 R.N 10 - T: +33 (0)130 491280 PORCELANOSA Paris 7ème - Paris - 75007 45 Rue du Bac - T: 01.42.84.84.00 PORCELANOSA Toulouse - Toulouse - 31100 Route d'Espagne, 3 avenue de Larrieu - T: 05 34 56 57 60 Porcelanosa Avignon - Vedène - 84270 Bul'd'air Shopping Center, 130 Chemin du Pont Blanc - T: 04 90 02 64 02	 Porcelanosa Belfort - Andelnans - 90400 7 Rue des Prés - T: 0033 363 782 278 PORCELANOSA MEAUX - Meaux - 77100 225 Avenue de la Victoire - T: +33 (0)160 092828 Porcelanosa Metz - Augny - 57685 28, Rue de Bois d'Orly - T: 03 72 72 97 40 Porcelanosa Nice - Nice - 6000 39/41 Boulevard Dubouchage - T: +33 (0)493 041 963 Porcelanosa Perpignan - Cabestany - 66330 15-17 rue Michel Carré, Mas Guéridou, 66330 Cabestany - T: 04 68 29 76 20 Porcelanosa St. Etienne - Saint-Etienne - 42100 51 Bis Cours Fauriel - T: 04 77 30 56 76 Porcelanosa Valence - Saint-Péray - 7130 669 Avenue Gross Umstadt - T: +33 (0)4 75 60 53 51 GEORGIA LUXOR SHOP - Tbilisi Av. Vazha Pshavela 23a - T: +995 32 2388898 GHANA Casa Trasacco - Accra - Tema Motorway, Accra, Ghana - T: +233 30 282 3322 GIBRALTAR LIFESTYLE DESIGN STUDIO LTD - Gibraltar - 11 24-22 Ocean Village Promenade, Ocean Village - T: 35020066390 GRECIA HATZ GROUP - Glifada Leoforos Vouliagmenis 111 - T: +30 2310 752 902 PORCELANIA - Thessaloniki Protomagias, Kalochori - T: 2310700861 PORCELANIA - Thessaloniki Kordelio - T: 2310753003 PORCELANIA - Thessaloniki Leoforos Georgikis Sxolis - T: 2310474767 SUERO - Attica - 19300 Lakkes Kyriidu - T: +30 2105 594 520 GUADALUPE GUADELOUPE CERAMIQUE - Baie Mahault Rue Alfred Lumière - T: 590 266 261 GUAYANA FRANCESA ETS HENRY LE GAC - Cayenne 1 Route de Baduel - T: +594 302 719 HONG KONG TAI YICK BUILDING MATERIALS - Kowloon 328, G/F Portland Street, Mongkok - T: +852

PORCELANOSA Showrooms

ISRAEL AL-KHAYAL (BAYTOUNA) - Bethlehem St. (West Bank) Jerusalem St. - T: +972 2 277 7279 AMOZI NAGAR IMP.MARK. OGEN LTD - Raanana - 43654 7 Renanim St, Ind Zone - T: +972 9 760 1501 AS OZ - Jerusalem Hauman st 40 - T: +972 2 6483015 BAR-AMI 1990 LTD - Jerusalem - 94715 Hauman st 25 - T: +972 2 531 3444 HEZI BANK - Bney Brak - Design Center, 2 Lechi St - T: +972 3 616 6641 KAMARIKA - Upper Galiliy - 12205 Moshav Sde Eliezer - T: +972 4 680 1010 KIMCHI - Beersheva - 81872 Hapals st. 9 Embk Shara - T: +972 8 628 2060 TOPOLSKI & CO LTD - Haifa 34 Hanapach st. - T: +972 4 904 0496					
ITALIA MIDIL-CERAMICHE S.A.S. - Andria - 70031 Via Castel del Monte, 100 - T: +39 08 835 66466 PORCELANOSA LOMBARDIA - Corsico - 20094 Viale dell'Industria 6 - T: +39 02 458 64310 PORCELANOSA - Sassuolo - 41049 Via Regina Pacis 210 - T: +39 05 368 06677 PORCELANOSA ROMA - Roma - 138 Via Salaria, 1288 - T: +39 06 888 9977 PORCELANOSA MILANO - Milano - 20149 45, Via Marghera - T: 02 4398965 PORCELANOSA TREVISO - Treviso - 31100 Viale della Repubblica, 240 - T: 0422 697 087 PORCELANOSA BELLUNO - BELLUNO - 32100 Largo Ugo Neri, 60 - 32100 Belluno - T: 328 9078586 PORCELANOSA BERGAMO - Bergamo - 24125 Borgo Palazzo 140, Bergamo - T: 39035299884 PORCELANOSA CAGLIARI - Elmas - 9030 Via delle Miniere SNC, Cap 09300 - T: 702110009 PORCELANOSA PESCARA - Montesilvano - 65015 Corso Umberto I, 277 - T: 085 4493241 SPAZIO LIBIA 3 - Milano - 20125 Piazzale libia 3 - T: T: +39.02 87246767					
JERSEY PASTELLA GROUP - St. Saviour Rue a la Dame - T: 01534 870167					
JORDANIA AYMAN ABDALLAT & PARTNERS CO. - Amman - Mecca street - Building 172 P.O.Box 276 Dabouq 11822 - T: 9002.956197					
KAZAJISTÁN ALTAIR - Astana - 20000 SEYFULLINA sreet, 63/2 - T: 7717928282 ALTAIR - Alamyty - 50026 Baizakov sreet, 60 - T: 77273935617 DOMINA - ASTANA - 20000 Bauyrzhan Momysbuly St 26 - T: 77172769761 DOMINA - Alamyty - 50060 Timiryaziev sreet, 82 - T: 77272755036 PALATIN - Almaty - 50059 Khadzimukan sreet, 39 - T: 77273519898 Porcelanosa Astana - Astana - 1000 S. A. Baytursynov Str.,VP 1, VP 34 - T: +7 (7172) 28 83 37					
KENIA Lifestyle Interiors Ltd - Nairobi - 39676 Valley View Office Park, 1st Floor Block A, Citty Park Drive, Parklands - T: 254713380549					
KOSOVO N P KERASAN - Prishtina Lagjja Marigona 110000 - T: +381 38 602 667					
KUWAIT HASSAN ABUL HASSAN SADIO - Safat - Tunis Street - T: +965 262 4466					
LETONIA TORMANIS UN PARTNERI - Riga - LV1063 48 Visku Str - T: +371 784 5361					
LIBIA BEN ALI GROUP - Benghazi Al Hadaeq Zone - T: 612220618 MANART AL ANDALOS EST - Berka benhazi P.O. Box 7975 - T: 21861229605					
LITUANIA INTERJO SALA - JSC VENDE - Vilnius - 3201 Smolensko str. 10B, Vilnius - T: 37068711071 OGRINDA UAB - Vilnius - LT-08124 Kęstučio g. 59 - T: 370 5 2607854 OGRINDA UAB - Vilnius - LT-11351 RASU STR. 39 - T: 37052715519					
LÍBANO GEAHCAN GROUP - Beirut - Hayek Round About, Sin el Fil - T: +961 1 480520 PORCELANOSA GROUP - BEIRUT - Beirut - Nahr El Mott, Right Side River - T: TEL: +961 1881170					
MACE DONIA PORCELANO AMBIENT - Skopje - 1000 Bul. Partizanski Odredi br.17/1 - T: 02/6121 669					
MALASIA Porcelanosa Kuala Lumpur - Petaling Jaya - 47300 No. 70 Jalan SS 2/24 4, Petaling Jaya, Selangor, Malasia. - T: (+603) 7865 8817					
MALTA ROGER SATARIANO & SONS LTD - Birkirkara - 122 Msida Valley Road - T: +356 21 442 769					
MARRUECOS CERAMEX - Casablanca 248, Bd Yacoub El Mansour - T: +212 945 3646166 FACENOR S.A. - Tanger - 90000 56, Rue Abi Jarir Tabari - T: +212 39 941 910 GLOBE CERAMIQUE SA - Casablanca Boulevard Yacoub El Mansour 248 - T: 212522394301 SANITAIRE 2000 - Casablanca - 20200 287, Bd Yacoub El Mansour (Beauséjour) - T: +212 22 363 225					
MARRUECOS JOSEPH COTTRELL S.A. - Lamentin - 97284 Zone Ciale de la Jambette BP 229 - T: +596 509 810					
MONGOLIA ZUUNNAIMAN SUVRAGA CO.LTD - Ulaanbaatar - Chinggis Avenue 285A - T: +976 (11) 3414 217					
MYANMAR Porcelanosa Associate Myanmar - Yangon - 11191 No12/ A-2 Corner Of Kabar Aye Pagoda Road & Inya Thar St 8 Ward - T: (+95) 9956988932					
MÉXICO PORCELANOSA MÉXICO - ALTAVISTA - Ciudad de México - Altavista - 1000 Altavista No.9 Col. San Ángel - T: (55) 550 7060 PORCELANOSA MÉXICO - INTERLOMAS - Ciudad de México - Interlomas - 52760 Avda. Parque de la Granada 35, Local A Col. Parques de la Herradura, Interlomas - T: +(55) 3605 0064 PORCELANOSA MÉXICO - MASARYK - Ciudad de México - Masaryk - 11560 Presidente Masaryk 410 - T: (55) 528220 00, (55) 5282 2737 PORCELANOSA MÉXICO - VALLE DORADO - Ciudad de México - Valle Dorado - 54040 Blvd. Manuel Avila Camacho No. 3002 - T: (55) 5831 7340, (55) 2620 0186 PORCELANOSA CANCÚN - Cancún - 77500 Zona Hotelera Blvd. Kukulkan, Mz. 27, Lt. 1-02, Local 10 - T: (998) 313 2343 PORCELANOSA PLAYA DEL CARMEN - Playa del Carmen - 77717 Av. Balamcanché, Mz. 30 - T: (984) 873 1090 Porcelanosa Guadalajara - Guadalajara - 44150 Niños Héroes 2316, Col. Barrera - T: (33) 3615 3255					
MÓNACO Porcelanosa Monaco - Monaco - 98000 14 Rue de La Turbie - T: +377 93 50 23 87					
NIGERIA Porcelanosa Lagos - Victoria Island, Lagos 3A Akin Adeshola Street - T: +234 8090371913					
NORUEGA NORFLIS WEST - Bergen - 5068 Knaiveien 105B - T: 47 55948260					
PAKISTÁN 4 WALLS (PRIVATE) LIMITED - Lahore - 54792 164-DD, Central Commercial Area, Phase 4 - T: +92 42 111 492 557					
PANAMÁ EURO CER S.A. - Obarrio, Ciudad de Panamá - Calle Ricardo Arango, Plaza 53, Local 4 y 5 - T: +507 21 53660					
PARAGUAY IPALE ALTA GAMA - Asunción Mcal López 2330, Cap. Patricio Oviedo - T: +595 21 613 544					
PAÍSES BAJOS Porcelanosa Architecten Showroom - Amsterdam - 1013 BX Westerdoksdijk 681 - T: 0031 20 7372845					
PERÚ CASSINELLI - Lima Santiago De Surco - T: +51 14 513 712 PORCELANOSA GRUPO PERÚ - San Isidro - LIMA 27 Dean Valdivia 243, Oficina 201, 2º piso - T: (+51) 1441 41 06					
POLONIA ADARI - Bielsko Biala Piekarska 20 - T: +48 33 822 0449 ADARI - Gliwice - 44-100 Dojazdowa 1 - T: +48 32 232 2155					
ADARI - Katowice - 40-203 Ul. Rozdzińskiego, 188 - T: +48 32 258 9574 AKCESS - Białystok Ul. Radzyminska, 14 - T: +48 85 6643436 AND-BUD - Lublin - 20-301 Ul. Fabryczna 2 - T: 081 469 9617 AND-BUD - Rzeszów - 35-310 Ul. Rejtana 36 - T: 017 785 1020 AND-BUD - Tarnobrzeg - 39-400 Ul. Kopernika 32 - T: 015 823 0148 ANICAR - Warszawa Ul. Domaniewska 37 B - T: +48 22 843 70 98 ANICAR - Warszawa Ul. Bartycka 26 - T: 0226 730 371 ANICAR - Warszawa Al. Jerozolimskie 185 - T: +48 22 658 08 05 ART CERAMIKA - Gliwice - 44-100 Kujawska 100 - T: +48 32 339 8200 CAMERO DESIGN - Radom - 26-600 Ul. Debowa 4 - T: +48 48 385 14 00 CERMAG SP ZOÓ (OPOLE) - Opole - 45-758 Ul. Prószkowska 54 - T: +48 42 616 55 44 CERMAG SP ZOÓ - Łódź - 91-341 Ul. Brukowa 15B - T: +48 77 457 35 09/10 CERMAG SP ZOÓ (WROCLAW) - Wrocław - 53-611 Ul. Strzegomska 38-40 - T: +48 717 820 021 EXCLUSIVE - Kielce Ul. Jagiellonska 11/7 - T: +48 41 345 75 49 F.H. BOZ S.A. - Rzeszów - 35-328 Geodetów 3 - T: +48 17 850 0315 FUMINO - Łódź - 90-568 Ul. Lipowa 77 - T: +48 426373767 GRES - Łódź Ul. Wigury 7 - T: 0814 450 301 INTERNITY - Varsovia - 55087 Duchnicka 3, 05-077 Warszawa, Polonia - T: 0048 22 639 84 94 KWADRAT - Olsztyn Ul. Stalowa 8 - T: 089 539 1646 MAX FLIZ - Katowice Aleja Walentego Roździeńskiego 191 - T: +48 32 720 92 00 MAX FLIZ - Kraków - 30-418 Zakopiańska 58 - T: +48 01 229 07060 MAX FLIZ - Wrocław Ul. Minska 60A - T: 0784 980 809 P.H.U. CERAMED - Bielsko Biala - 43-300 Piekarska 163 - T: +48 33 829 8770 P.H.U. FUGA - Czeszochowa Ul. Krakowska, 45 - T: +48 343682944 SALON MO (BYDGOSZCZ) - Bydgoszcz - 85-737 Ul. Leczycka 14 - T: 48523489343/48523489354 SALON MO (STUDIO DEKOR) - Gorzów Wlkp Ul. Zwirowa 41 A - T: 48957214108/4895721 41 SALON MO (KOŁOBZEG) - Kolobrzeg - 78-100 Ul. Sienkiewicza 19 - T: 48943551888/48943551880 SALON MO (LESZNO) - Leszno - 64-100 Al. Krasieńskiego 34 - T: 48655296363 SALON MO (OSTRÓW WLKP) - Ostrów Wlkp - 63-400 Ul. Pradzyńskiego T: 48627358112/48627372891 SALON MO (POZNAN) - Poznan - 60-111 Ul. Glogowska, 248 - T: +48 61 835 97 50-54 SALON MO (SOPOT) - Sopot - 81-861 Al. Niepodległości 942 - T: +48 58 550 4235 SALON MO (WARSZAWA) - Warszawa - 02-640 Ul. J.P. Woronicza 31 - T: +48 22 252 57 39 SANIMEX - Gliwice - 44-100 Ul. Labedzka 24 - T: 0322 708 029 SANIMEX - Katowice - 40-203 Al. Rozdzińskiego 201 - T: +48 32 735 27 14 SANIMEX - Rybnik - 44-200 Ul. Budowlanych 89 - T: +48 32 424 44 34 STEMAR - Gorzów Wlkp - 66-400 Ul. Mała 5 - T: 0957 204 555 STEMAR - Poznan - 60-446 Ul. Dabrowskiego 496 - T: 616425802 STEMAR - Szczecin - 71-087 Ul. Derdowsiego 8 - T: +48 91 453 17 82 CERMAG STREFA ARCHITEKTA (RZESZOW) - Rzeszów - 35-301 Ul. Lwowska 53					
PORTUGAL ADRIAZUL-MATERIAIS DE CONSTRUÇÃO, LDA - AVEIRO - 3810-096 RUA DE STA RITA 65-67 - T: 234384930 DECOR PRINCESA - MAT.CONSTRUÇÃO E DECORAÇÃO, UNIP, LDA - ALMANCIL - 81235 - 022 E.N.125 PEREIRAS DE CIMA - T: 289395752 FLAVIGRES S.A. - CHAVES - 5400-570 Rua Julio dos Santos Pereira Lote 20-A - T: 276341102 FLAVIGRES, S.A. - Chaves - 5400-570 Zona Industrial Lote 20 - T: +351 276 341102 FRANCISCO CONTRERAS, MATERIAIS PARA CONSTRUÇÃO, LDA - LOULÉ - 8100 - 302 FRANQUEADA - T: 289413961 FURNAS E COMPANHIA LDA - PONTA DELGADA - 9500-702-S.ROQUE - PONTA DELGAD ESTRADA DA RIBEIRA GRANDE -1085 - T: 296302210 HEITOR CAMPOS AMOEDO LDA - Monção - 4950-090 Laginha - T: +351 251652474 HEITOR CAMPOS AMOEDO, LDA - BELA - MONCAO - 4950-090 LAGINHA - T: 251652474					
NEPELI MATERIAIS DE CONSTRUÇÃO LDA - PORTIMAO - 8501 - 902 LARGO GIL EANES, EDIF. GIL EANES, BLOCO A LOJA B - T: 968577194 NORMACO - MONTE REDONDO - 2425-617 RUA DO VALE, 30 - T: 244685880 PORCELANOSA VISEU - Viseu - 3510-099 Edifício Paulo VI, Praça Paulo VI R/C Loja A - T: +351 232 430440 PORCELANOSA LISBOA - Lisboa - 1800-217 Avda. Infante D. Henrique Nº 325 - T: +351 218 313 020 PORCELANOSA PORTO - Porto - 4100-313 Rue Eng. Luis Delgado dos Santos 76, Apartado 1011 - T: +351 226 166 600					
PUERTO RICO THE TILE SHOP - Guaynabo Carr. 1 Km, 23.0 Rio Ward - T: +1 787 720 2030 THE TILE SHOP - San Juan 309 Ave. De Diego, Puerto Nuevo - T: +1 787 775 2030					
QATAR UNITED SUPPLIES - Qatar Salwa road - T: +974 46 85 164					
REINO UNIDO Alexander & Sancto - Cumbria - LA9 6EW Kendal Business Park, Appleby Road, Kendal - T: 01539 725255 Ballycastle Homecare - Ballycastle 2 The Diamond - T: 028 2076 3302 Bathroom Elegance - 11-17 Nuffield Trade Estate - BH17 0UF Unit 4 Nuffield Trade Centre - T: 01202 675 992 Bathroom Inspirations - Dorchester - DT1 1SS The Mill House, The Grove Trading Estate, Millers Close - T: 1305259996 Beggs & Partners - Belfast - BT1 2NX Great Patrick street - T: 028 9023 5791 Cambridgeshire Bathrooms - London Road - CB22 3EE Unit 12B, Sawston Park - T: 01223 837939 Tile & Bathroom Retailer - Newquay - TR7 2SX 3A, Treloggan Industrial Estate - T: 1637879188 Eberns - Hemel Hempstead - HP2 7BH Unit 9 Hall Road Maylands Wood - T: 01442 253878 European Bathrooms - Windsor - SL4 1TG 31 King Edward Court - T: 01753 865050 Foxwood Ceramics - Ipswich - IP5 1BH 36-38 Woodbridge Road - T: 01473 622 310 Inter Tiles & Interiors - Ewell - KT19 0AB 197 Kingston Road - T: 0208 3942928 J & R Keys - Ballymena - BT43 7BT 19 Castle Street - T: 028 2564 2971 Marabese Ceramics - Bedford - MK42 9SU 5 Windsor Rd - T: 01234 324594 Marabese Ceramics - Milton Keynes - Old Wolverton Road - MK12 5NL Waterside Park - T: 01462 480716 Marabese Ceramics - Letchworth - Letchworth Garden City - SG6 1LA 25, Woodside Industrial Par - T: 01462 480716 SB Concepts - Sunbury on Thames - TW16 7AA 45-59 Staines Road West - T: 01932 785500 Surrey Tiles - Kestrel Way - GU21 3BA 18 Goldsworth Park Trading Estate - T: 01843 725 007 TW Thomas - Swansea - SA7 9FB Unit 6b, Lion way, Llansamlet - T: 1792700500 Westwave Bathrooms - Weston-Super-Mare - BS24 9AX Oldmixon Crescent - T: 1934413110 PORCELANOSA WESTERN - Bristol - BS10 7TY Lysander Road, Cribbs Causeway - T: 0117 959 71 51 ARTDECORIUM - Kazan Kazan, Meridiannaya, 2 - T: 8-917-917-23-22 ARTISAN - Moscow Nakhimovskiy Pr. 35 - T: +7 (495) 742 40 40 Bomond - Ekaterinburg - 620089 Per-k Bazovy, 37 - T: +7 (343) 287-55-79 Bomond - Volgograd - 400120 Ul. Saranskaya, 66 - T: +7 (8442)94-47-36 Bomond - Rostov Na Donu - 344038 Ul. Nansena, 150a - T: +7 (863) 302-02-18 BOMOND - Grozny - 364068 Ul. Sheikh Al Mitaeva, 20 - T: +7 (8712) 22-45-28 Bomond - Krasnodar - 350018 Ul. Lizy Chaikinoy, 2 - T: +7 (861) 210-26-83 Bomond - Pyatigorsk - 357500 Ul. Begovaya, 33 - T: +7 (8793) 97-55-44 Bomond - Stavropol - 355008 Ul. Voytika, 4/1 - T: +7 (8652) 29-81-41 CINTI - Ryzan Moskovskoe shosse, 6 B - T: +7 (4912) 46 00 46 DOM APEX - Khabarovsk Ul. Volochaevskaya 168 - T: (4232) 30 06 88 DOM APEX - Vladivostok Ul. NekrasovSkaya, 100 - T: +7 (4232) 300 688 ELITSTROY - Krasnoyarsk Ul. Aty Lebedevoy, 93 Bk - T: +7 (391) 206 99 99 GALLA - Tyumen - 625000 50 Let Vlksm Str, 13 - T: 73452516207 MASTERDOM - Moscow Moscow, Nakhimovskiy Prospekt, 65A - T: 8 499 120-00-77 SALON ELITNOY KERAMIKI NOVUS - St. Petersburg V.O., Sya Liniya, 34 - T: +7 (812) 325 12 45 T. D. MODERN - Makhachkala Ul. Batryaya, 167 - T: +7 (8722) 676 569					
PORCELANOSA SOUTH EAST - Croydon - CR0 4RG Marshall House, 468-472 Purlay Way, Waddon - T: 02086 670 994 PORCELANOSA MIDLANDS - Solihull - B90 4BS 600 Stratford Road, Shirley - T: 0121 746 64 64 PORCELANOSA YORKSHIRE - Leeds - LS7 1BA 24/26 Cross Stamford Street, Regent Street - T: 01132 20 60 90 PORCELANOSA READING - Reading - RG2 0JZ 21 Rose Kiln Lane - T: 0118 903 5142					
REPÚBLICA CHECA DORINT GROUP, a.s. - Liberec - 46001 Doubská 997 - T: +420 602457510 DORINT PHA s.r.o. - Praha - 10100 Vršovická 1525/1d - T: +420 271 745 269					
REPÚBLICA DEMOCRÁTICA DEL CONGO SOCIETE PANACHE - Kinshasa Kishirskoye shosse, d. 19, corp. 1 - T: +7 (495) 730 97 97 ZODIAC - Moscow - 143402 66-y km MKAD, TVK «Krokus Siti», TK «Tvoy Dom» - T: +7 (495) 730 97 97					
REPÚBLICA DOMINICANA CARABELA S.R.L. - Bávaro Avda. Barceló, Km 5 1/2 - T: + 1 809 466 0020 CARABELA S.R.L. - La Romana Calle Padre Abreu, al lado del Estadio Francisco A. Micheli - T: + 1 809 556 3606 / 809 550 9006 CARABELA S.R.L. - PORCELANOSA - Santiago Calle Independencia, esquina Juan Pablo Duarte - T: + 1 809 971 1234 CARABELA S.R.L. - Santo Domingo Avda. Lope de Vega No. 25 / No. 24 - T: + 1 809 544 2560					
REUNIÓN L'ESPACE BAIN DOUCHE - Saint Denis - 97400 25 Rue Jean Chatel - T: +262 212 100 L'ESPACE BAIN DOUCHE - Saint Pierre - 97410 71 Rue Luc Lorion - T: +262 353 536					
RUMANÍA DELTA STUDIO PITESTI - Pitesti Bd. I. C. Bratianu, nr. 27 - T: 0723 363 823 DELTA STUDIO BRASOV - Brasov Str. Stadionului nr.1, et.1 - T: 0722 632 013 DELTA STUDIO CONCEPT STORE - Bucarest Bulevardul Progresului, Nr. 1-3 (Intersectia Razoare), Sector 5 - T: 021411.25.46 DELTA STUDIO MILITARI - Bucarest Str. Valea Cascadelor nr. 18, sector 6 - T: 031/405.82.17 DELTA STUDIO CONSTANTA - Constanta Str. Mircea Cel Batran, nr. 118A, etaj 1 (cladire Volvo) - T: 0722 240 736 DELTA STUDIO IASI - Iasi Sos. Pacurarii nr.51, bl 547 - T: 730586938 DELTA STUDIO PIATRA NEAMT - Piatra-Neamt Str. Gara Veche Nr. 2 - T: 033 340 10 95 DELTA STUDIO PLOIESTI - Ploiesti Str. Gheorghe Doja nr. 150 - T: 723541737 GLAMOUR - Bucarest - 20616 Calea Dorobanti 135-145 - T: 0040 31 229 3210 GLAMOUR - Bucarest - Bulevardul Maresal Averescu nr 15 b - T: 40311000586					
RUSIA AGORA - Novorossiysk Ul. Yuzhnaya, 4 - T: +7 (8617) 615 999 ARKHITEKTURNYI DECOR - Surgut Surgut, prospekt Mira 44/02 - T: 8 (3462) 940-040 ARTDECORIUM - Kazan Kazan, Meridiannaya, 2 - T: 8-917-917-23-22 ARTISAN - Moscow Nakhimovskiy Pr. 35 - T: +7 (495) 742 40 40 Bomond - Ekaterinburg - 620089 Per-k Bazovy, 37 - T: +7 (343) 287-55-79 Bomond - Volgograd - 400120 Ul. Saranskaya, 66 - T: +7 (8442)94-47-36 Bomond - Rostov Na Donu - 344038 Ul. Nansena, 150a - T: +7 (863) 302-02-18 BOMOND - Grozny - 364068 Ul. Sheikh Al Mitaeva, 20 - T: +7 (8712) 22-45-28 Bomond - Krasnodar - 350018 Ul. Lizy Chaikinoy, 2 - T: +7 (861) 210-26-83 Bomond - Pyatigorsk - 357500 Ul. Begovaya, 33 - T: +7 (8793) 97-55-44 Bomond - Stavropol - 355008 Ul. Voytika, 4/1 - T: +7 (8652) 29-81-41 CINTI - Ryzan Moskovskoe shosse, 6 B - T: +7 (4912) 46 00 46 DOM APEX - Khabarovsk Ul. Volochaevskaya 168 - T: (4232) 30 06 88 DOM APEX - Vladivostok Ul. NekrasovSkaya, 100 - T: +7 (4232) 300 688 ELITSTROY - Krasnoyarsk Ul. Aty Lebedevoy, 93 Bk - T: +7 (391) 206 99 99 GALLA - Tyumen - 625000 50 Let Vlksm Str, 13 - T: 73452516207 MASTERDOM - Moscow Moscow, Nakhimovskiy Prospekt, 65A - T: 8 499 120-00-77 SALON ELITNOY KERAMIKI NOVUS - St. Petersburg V.O., Sya Liniya, 34 - T: +7 (812) 325 12 45 T. D. MODERN - Makhachkala Ul. Batryaya, 167 - T: +7 (8722) 676 569					
ZODIAC - St. Petersburg - 197183 Primorsky prospect, d.43 - T: +7 495 730 9797 ZODIAC - St. Petersburg - 199155 ul. Ural'skaya d. 4, BC «Smolenskiy» - T: +7 812 643 44 12 ZODIAC - Khimki - 141700 ul. Butakovo, d. 4, TK «GRAND-1» - T: +7 (495) 730 97 97 ZODIAC - Moscow - 143000 Minskoye shosse, 1 km. from MKAD m. Slavyanskiy blvd. - T: +7 (495) 730 97 97 ZODIAC - Moscow - 115230 Kashirskoye shosse, d. 19, corp. 1 - T: +7 (495) 730 97 97 ZODIAC - Moscow - 143402 66-y km MKAD, TVK «Krokus Siti», TK «Tvoy Dom» - T: +7 (495) 730 97 97 ZODIAC - Moscow - 123154 Prospekt Marshala Zhukova, d. 38, k.1 - T: +7 (495) 730 97 97 ZODIAC - Moscow - 127560 Ul. Prishvina, d.26, TK "Million Melochey" - T: +7 (495) 730 97 97 ZODIAK - Moscow - 119313 Leninskiy pr-t, d. 86 - T: +7 (495) 730 97 97 ZODIAC - Mytischki - 141009 Yaroslavskoye Shosse, 118b - T: +7 (495) 730 97 97 ZODIAC - Nizhny Novgorod - 603005 ul. Alekseyevskaya, d. 9 - T: +7 831 216 08 08 ZODIAC - Nizhny Novgorod - 603057 ul. Beketova, d. 13, SC «Beketov» - T: +7 831 216 08 08 ZODIAC - Nizhny Novgorod - Ul. Volodarskogo, 40 - T: +7 (831) 216 08 08 MOY DOM - Novosibirsk - Ul. Fabrichnaya, 31 - T: +7 (383) 2396508					
SERBIA HOME CONCEPT - Belgrado - 11210 Zrenjaninski put 92 - T: +381 11 6558 960 PORCELANOSA HOME CONCEPT - BELGRADO - 11000 Cara Nikolaja II 75 - T: +381 11 6557 087					
SINGAPUR FERNANDO MARTIN BENITO - Singapur - 417818 31 Kaki Bukit Road 3, 06-13 Techlink, - T: +65 97801472					
SUDÁFRICA CLASSIC TRADING - Johannesburg Shop G1, Woodmead Commercial Park Waterfall, Crescent, Woodmead - T: +27 11 656 0400 CLASSIC TRADING - Durban - 4051 9 Acaciafield Cl, Corner Sea Cow Lake & Inanda Road, Springfield Park - T: +27 31 579 1900 CLASSIC TRADING - Cape Town - Shop 9 Roeland Square, Roeland Street - T: 021 465 9277					
SUECIA KAKELPALATZET I BROMMA AB - Bromma - 168 67 Karlsbodavägen 191 - T: +46(0)8-56 487 831 KAKELPALATZET I BÄCKEBOL AB - Göteborg - 422 46 Transportgatan 37 - T: +46(0)31-571 478 KAKELPALATZET I KATRINEHOLM AB - Katrineholm - 641 49 Videvägen - T: +46(0)150-51 740 KAKELPALATZET I MÖLNÄD (Central) - Mölnäda - 431 35 Ägatan 18 - T: +46(0)31-776 50 51 KAKELPALATZET I UDDEVALLA AB - Uddevalla - 451 55 Schillers v.2 - T: +46(0)522-64 54 00					
SUIZA ARGECON SA - Aubonne - 1170 Z.I. de l'Ouriette - T: +41(0)21 807 10 10 MAGENTA HOME DESIGN - 1219 - 1219 Chemin du Château-Bloch 11 - T: 0041 848 308 308 NEW FORM SWISS SAGL - Mendrisio - 6850 Via Penate 16 - T: 41919227356 PL VALLI SA - Lugano-Grancia - 6916 Via Grancia, 6 - T: +41 919 859 510					
TAILANDIA BOONTHAVORN CERAMIC (RATCHADAPISEK) - Bangkok - 10310 243 Ratchadapisek Rd., Dindang,					

PORCELANOSA Showrooms

TAIWAN
NEW CENTURY CONSTRUCTIONAL - Kaohsiung - 80754
No. 142, Jeou Ru 1st Rd. - T: +886 7 384 8834
NEW CENTURY CONSTRUCTIONAL - Taichung
No. 2-30, Wquon Road - T: +886 4 2372 8166
NEW CENTURY CONSTRUCTIONAL - Tainan
No. 239, 2nd Section Jian Kang Road - T: -3847955
NEW CENTURY CONSTRUCTIONAL - Taipei
No. 72-1, 1st Section Jin Shan South Road - T: 73845135

TURQUÍA
YÜTAS - Istanbul - 80290
Ortaklar Cad.Bahceler Sok 2/12, Mecidiyekoy - T: +90 2 1227 44720

TÚNEZ
ETTAAMIR NEGOCÉ - Tunis - 2070
Immeuble B141- 4eme Etage Lotissement Jniene Dounia, La Marsa
LIFE STYLE - Tunis
Passage Lac Argentino IMM Besbes MAG6 - T: 21671861551

TÚNEZ
AGROMAT INTERIER - Lviv
Vul. Bogdana Khmelnytskogo, 11 - T: (32) 272-87-21
CERAMIC CITY - Kiev
Vul. Bulahovskoho 4 - T:
CERAMIC FASHION - Donetsk
Ul. Cheliuskintsev, 191 - T: (062) 381 23 31
CERAMIC FASHION - Kharkiv
Banny per 1
CERAMIC FASHION - Kyiv
Vul. Shota Rustaveli, 44 - T: (044) 246 79 79
CERAMIC FASHION - Kyiv
Power Centre, Stoliclinoe Shosse, 101,3y etazh - T: (044) 281 07 27
CERAMIC FASHION - Lugansk
Vul. Lunacharskogo, 58 - T: (642) 93-24-13
CERAMIC FASHION - Rivne
Vul. Chernyaka, 15 - T: (362) 64 56 05
DOGODA - POLTAVA - 79022
KOMAROVA, 28 - T: 38(0532)68-75-75
EUROPA - Kharkiv
Moskovskiy Pr.72 - T: 00 380 577 71 45 09
EUROPA Dnipro - Dnipropetrovsk
Yavornytzkogo, 111 - T: (0562) 31-27-53
FIRMENIY SALON PORCELANOSA GRUPO - Odessa
Ul. Chernomorskogo Kazachestva, 24 - T: (482) 37 85 40
KERAM MISTO - Lviv
Vul. Gorodnistka, 47 - T: (32) 293 98 89
KERAMA MARKET - LVIV
Horodotska St, 355/6 - T: 380 322 972 500
Lana - Vinnytsia - 21037
Pyrohova street 117 - T: 380432507838
SALON KARMEN - Lviv
Ul. Chornovola, 45 - T: +380 32 244 40 55
SALON MILLENNIUM CONCEPT - Kyiv
Vul. Prorizna, 20 - T: (044) 279 60 60
SOPRANO - KHMELNYTSKYI
ZARICHANSKA 3/1 - T: 38067-354-34-47
VERO - OBOLONIA 49
OBOLONIA 49 - T: 380977656385
YALOT - MYKOLAIV - 54034
PROSPEKT MYRU 34 - T: 38(0512) 500-284

URUGUAY
BOSCH Y CIA - Montevideo
Avda. Gral. Rivera 2560 - T: +598 (2708) 4545
BOSCH Y CIA - Punta del Este - 20000
Avda. España esq Honduras, Parada 27 - T: 59842228880

UZBEKISTÁN
PREMIUM CONCEPT - Tashkent
Street Chehova 40 - T: +998(71) 256 29 05
PORCELANOSA TASHKENT - Tashkent
Yashnabad district, Parkent street 170 - T: 998 97 753 00 65





butech
PORCELANOSA Grupo



This catalogue is protected under the Spanish Intellectual Property Act (Royal Decree 1/1996).
Any reproduction of its contents, in whole or in part, without the express consent of PORCELANOSA Grupo
will be subject to punitive action under the Spanish Criminal Code.



BY APPOINTMENT TO
H.R.H. THE PRINCE OF WALES
MANUFACTURER AND DISTRIBUTOR
OF CERAMIC TILES AND BUILDING PRODUCTS.
PORCELANOSA GROUP LIMITED

PORCELANOSA Grupo